

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

AGPOINT PART NO.	Size	Thick mm	Bundle Qty	Bundle Kg	Drum Qty	Application (Guide Only)
---------------------	------	-------------	---------------	--------------	-------------	-----------------------------

No.8A Key Hole Bolt On Scarifier Point

Fits Connor Shea

8ALP Fluted Plain	1 1/2"	6mm	10	8.2	400	Equiv to Napier 11701
8A x 6 Plain	6"	6mm	10	9.1	350	
8A x 8 Plain	8"	6mm	10	11.0	250	Take 1/2" CSK Plow Bolt & Nut
8A x 9 Plain	9"	6mm	10	11.9	200	Use Bolt P/N CSK16
8A x 10 Plain	10"	6mm	10	14.6	150	

No.10 Bolt-On Scarifier Point

Fits Chamberlain, Horwood Bagshaw etc.

10 x 6 Dart	6"	6mm	10	8.4	750	Takes 1/2" Cuphead Bolt & Nut
10 x 7 Dart	7"	6mm	10	10.4	600	Use Bolt part number BRH15 or BRH16
10 x 8 Dart	8"	6mm	10	11.4	550	
10LP Lucerne Chisel Point	12mm	6mm	10	6.0	500	
10RP Ripper Point (Dimple)	2 1/2"	6mm	10	6.0	1000	

No.10LW Bolt-On Scarifier Point

Fits Chamberlain, Horwood Bagshaw etc.

10LW x 7 Plain (Dimple)	7"	6mm	10	10.2	600	Low wing buster type Takes 1/2" Cuphead Bolt & Nut Use Bolt P/N BRH15 or BRH16
-------------------------	----	-----	----	------	-----	--

Grip-On Clips For Scarifiers

Grip-on Clip

31KI	SH	5mm	25	8.2	2000	Fits Shearer, CSN, Ford etc.
32KI	HB	5mm	25	8.2	2000	Fits H Bagshaw, Chamberlain, IHC Use Bolt P/N CSK15 or CSK16

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

AGPOINT PART NO.	Size	Thick mm	Bundle Qty	Bundle Kg	Drum Qty	Application (Guide Only)
No.15 Grip-On Scarifier Point						Grip-On Shares
15 x 4 Dart	4"	5mm	10	7.1	400	To fit most makes of scarifiers
15 x 5 Dart	5"	5mm	10	7.7	350	Takes No.31KI or 32KI clips
15 x 6 Dart	6"	5mm	10	8.1	350	
15 x 7 Dart	7"	5mm	10	9.6	300	
15 x 8 Dart	8"	5mm	10	10.1	250	
15 x 9 Dart	9"	5mm	10	11.9	200	
15 x 10 Dart	10"	5mm	10	12.0	200	

* Plain available subject to minimum production run +/-

No.20 Universal Scarifier Point						Fits Chamberlain, Horwood Bagshaw, Shearer etc.
20 x 4 Dart	4"	6mm	10	6.1	1000	Suits most makes of scarifiers
20 x 5 Dart	5"	6mm	10	7.6	800	Takes 1/2" Cuphead Bolt & Nut
20 x 6 Dart	6"	6mm	10	9.1	700	Use Bolt P/N BRH15 or BRH16
20 x 7 Dart	7"	6mm	10	10.2	600	
20 x 8 Dart	8"	6mm	10	12.5	500	
20 x 9 Dart	9"	6mm	10	14.1	400	
20 x 10 Dart	10"	6mm	5	9.0	300	
20LP Chisel	12mm	6mm	10	6.7	500	Use Bolt P/N CSK9, CSK15 or CSK16
20RP Ripper	2 1/2"	10mm	10	7.9	800	Use Bolt P/N BRH15 or BRH16

No.20LW Universal Scarifier Point						Fits Chamberlain, Horwood Bagshaw, Shearer etc.
--	--	--	--	--	--	--

FreeCall 1800 088 538

2

FreeFax 1800 802 394

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

AGPOINT PART NO.	Size	Thick mm	Bundle Qty	Bundle Kg	Drum Qty	Application (Guide Only)
20LW x 3 Dimple	3"	6mm	10	5.5	1000	Low wing buster type
20LW x 4 Dart	4"	6mm	10	7.9	700	Suits most makes of scarifiers
20LW x 5 Dart	5"	6mm	10	8.3	650	Takes 1/2" Cuphead Bolt & Nut
20LW x 6 Dart	6"	6mm	10	8.7	600	Use Bolt P/N BRH15 or BRH16
20LW x 7 Dart	7"	6mm	10	10.1	550	

No.50 Bolt-On Scarifier Sweep	Fits Chamberlain, H/Bagshaw, Shearer, MF, IHC etc.					
--------------------------------------	---	--	--	--	--	--

50 x 10 Plain	10"	6mm	10	13.2	300	Takes 1/2" Cuphead Bolt & Nut
50 x 12 Plain	12"	6mm	5	8.2	250	Use Bolt P/N BRH15 or BRH16
50 x 14 Plain	14"	6mm	5	10.0	200	

No.50N Bolt-On Scarifier Sweep	Fits Ford-Napier					
---------------------------------------	-------------------------	--	--	--	--	--

50N x 10 Plain	10"	6mm	10	13.2	300	Takes 1/2" Cuphead Bolt & Nut
50N x 12 Plain	12"	6mm	5	8.2	250	Use Bolt P/N BRH15 or BRH16
50N x 14 Plain	14"	6mm	5	10.0	200	

No.53 Bolt-On Sweep	Fits Coil Tines					
----------------------------	------------------------	--	--	--	--	--

53 x 5 Plain	5"	6mm	10	9.0	450	Fits McKay, MF, Gibbons etc.
53 x 6 Plain	6"	6mm	10	9.6	400	44.5mm-51.5mm slotted hole centres
53 x 7 Plain	7"	6mm	10	10.8	350	(1/3/4" to 2")
53 x 8 Plain	8"	6mm	10	11.9	300	Takes 2 x 7/16" CSK Plow Bolts
53 x 10 Plain	10"	6mm	5	7.2	200	
53 x 12 Plain	12"	6mm	5	7.7	150	

No.101T Bolt-On Sweep	43 Degree Sweep					
------------------------------	------------------------	--	--	--	--	--

101T x 4 Dart	4"	8mm	5	5.4	290	Fits AFM, Gyrat Penetrator & Ag Boss,
---------------	----	-----	---	-----	-----	---------------------------------------

FreeCall 1800 088 538

3

FreeFax 1800 802 394

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

AGPOINT PART NO.	Size	Thick mm	Bundle Qty	Bundle Kg	Drum Qty	Application (Guide Only)
101T x 6 Dart	6"	8mm	5	6.5	270	Janke, Gason 4185 (7/16" holes) & other with 43 degree tines. 44.5mm (1 3/4") hole centres Takes 2 x 7/16" or 1/2" CSK Plow Bolts Use Bolt P/N CSK9 or CSK16
101T x 8 Dart	8"	8mm	5	8.2	250	
101T x 9 Dart	9"	8mm	5	8.8	240	
101T x 10 Dart	10"	8mm	5	9.5	220	
101T x 12 Dart	12"	8mm	5	11.0	170	
101T x 14 Dart	14"	8mm	5	12.7	150	

No.202T Bolt-On Sweep						47 Degree Sweep
202T x 4 Dart	4"	8mm	5	5.4	290	Fits IHC V/shank, Leon, Flexi-Coil, Gason, Hesston, Morris, Bourgault, Ezee-On, H Bagshaw-ScariBar 2 bolt edge-on tine only & other wth 47 degree tines. Takes 2 x 7/16" or 1/2" CSK Plow Bolts Use Bolt P/N CSK9 or CSK16
202T x 6 Dart	6"	8mm	5	6.5	270	
202T x 8 Dart	8"	8mm	5	8.2	250	
202T x 9 Dart	9"	8mm	5	8.8	240	
202T x 10 Dart	10"	8mm	5	9.5	220	
202T x 12 Dart	12"	8mm	5	11.0	170	
202T x 14 Dart	14"	8mm	5	12.7	150	

No.303T Glide-A-Wing Bolt-On Sweep						43 Degree Sweep
303T x 10 Plain	10"	8mm	5	9.5	220	Fits AFM, Gyal Penetrator & Ag Boss, Janke & other with 43 degree tines. 44.5mm (1 3/4") hole centres Takes 2 x 7/16" or 1/2" CSK Plow Bolts Use Bolt P/N CSK9 or CSK16
303T x 12 Plain	12"	8mm	5	11.2	170	
303T x 14 Plain	14"	8mm	5	12.6	150	

No.404T Glide-A-Wing Bolt-On Sweep						47 Degree Sweep
404T x 10 Plain	10"	8mm	5	9.5	220	Fits IHC V/shank, Leon, Flexi-Coil, Gason, Hesston, Morris, Bourgault, Ezee-On,
404T x 12 Plain	12"	8mm	5	11.0	170	

FreeCall 1800 088 538

4

FreeFax 1800 802 394

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

AGPOINT PART NO.	Size	Thick mm	Bundle Qty	Bundle Kg	Drum Qty	Application (Guide Only)
404T x 14 Plain	14"	8mm	5	12.7	150	H Bagshaw-Scari Seeder 2 bolt edge-on tine only & other wth 47 degree tines. Takes 2 x 7/16" CSK Plow Bolts Use Bolt P/N CSK9 or CSK16

43 Degree Standard Style Chisel Plow Sweep						43 Degree Sweep
43-8-8 Dart	8"	8mm	1	2.4	150	Fits Morris Magnum 1, Allis Chalmers
43-10-8 Dart	10"	8mm	1	2.8	120	Taylorway, Gyrat Penetrator, IHC4700 etc.
43-12-8 Dart	12"	8mm	1	3.4	110	Takes 2 x 1/2" Plow Bolts at 57mm centres
43-14-8 Dart	14"	8mm	1	3.8	100	
43-16-8 Dart	16"	8mm	1	4.3	80	Use Bolt P/N CSK17, CSK18 or CSK19

50 Degree Standard Style Chisel Plow Sweep						50 Degree Sweep
50-8-8 Dart	8"	8mm	1	2.4	150	Fits J Deere, Massey Ferguson, AFM,
50-10-8 Dart	10"	8mm	1	2.8	120	Hesston, Riteway, New Holland, Symonds,
50-12-8 Dart	12"	8mm	1	3.4	110	Morris Magnum 2, Connor Shea, Versatile
50-14-8 Dart	14"	8mm	1	3.8	90	Friggstad, Gason Eco Till, Yeomans, Noble,
50-16-8 Dart	16"	8mm	1	4.3	80	Flexi-Coil 550
50-18-8 Dart	18"	8mm	1	5.2	60	Takes 2 x 1/2" Plow Bolts at 57mm centres Use Bolt P/N CSK17, CSK18 or CSK19

50 Degree Penetrator Style Chisel Plow Sweep						50 Degree Sweep
P50-8-8 Dart	8"	8mm	1	2.4	150	Fits J Deere, Massey Ferguson, AFM,
P50-10-8 Dart	10"	8mm	1	2.8	120	Hesston, Riteway, New Holland, Symonds,
P50-12-8 Dart	12"	8mm	1	3.4	110	Morris Magnum 2, Connor Shea, Versatile

FreeCall 1800 088 538

5

FreeFax 1800 802 394

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

AGPOINT PART NO.	Size	Thick mm	Bundle Qty	Bundle Kg	Drum Qty	Application (Guide Only)
P50-14-8 Dart	14"	8mm	1	3.8	90	Friggstad, Gason Eco Till, Yeomans, Noble, Flexi-Coil 550 Takes 2 x 1/2" Plow Bolts at 57mm centres Use Bolt P/N CSK17, CSK18 or CSK19
P50-16-8 Dart	16"	8mm	1	4.3	80	
P50-18-8 Dart	18"	8mm	1	5.2	60	

50 Degree Glide-A-Wing Style Chisel Plow Sweep						50 Degree Sweep
U50-10-8 Plain	10"	8mm	1	2.8	120	Fits J Deere, Massey Ferguson, AFM, Hesston, Riteway, New Holland, Symonds, Morris Magnum 2, Connor Shea, Versatile Friggstad, Gason Eco Till, Yeomans, Noble, Flexi-Coil 550 Takes 2 x 1/2" Plow Bolts at 57mm centres Use Bolt P/N CSK17, CSK18 or CSK19
U50-12-8 Plain	12"	8mm	1	3.4	110	
U50-14-8 Plain	14"	8mm	1	3.8	90	
U50-16-8 Plain	16"	8mm	1	4.3	80	
U50-18-8 Plain	18"	8mm	1	5.2	60	

Shearer Standard Style Chisel Plow Sweep						50 Degree Sweep
15908 Dart	8"	8mm	1	2.8	120	Fits Shearer Trashworker, Econodraft & Ford.Takes 9/16" Special Bolt at 76.2mm centres. Use Bolt P/N SH1 or SH2
15912 Dart	12"	8mm	1	3.6	80	
15916 Dart	16"	8mm	1	4.5	70	
15918 Dart	18"	8mm	1	5.1	60	
15820 Dart	20"	8mm	1	5.6	60	

Shearer Penetrator Style Chisel Plow Sweep						50 Degree Sweep
16411 Dart	11"	8mm	1	3.3	100	Fits Shearer Trashworker, Econodraft & Ford.Takes 9/16" Special Bolt at 76.2mm centres. Use Bolt P/N SH1 or SH2
16416 Dart	16"	8mm	1	4.5	70	
16418 Dart	18"	8mm	1	5.1	50	

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

AGPOINT PART NO.	Size	Thick mm	Bundle Qty	Bundle Kg	Drum Qty	Application (Guide Only)
---------------------	------	-------------	---------------	--------------	-------------	-----------------------------

Gessner Penetrator Style Chisel Plow Sweep	50 Degree Sweep
---	------------------------

16264 Dart	16 "	8mm	1	4.3	70	Takes 2 x 5/8" CSK Plow Bolts at 57mm centres.
16265 Dart	18 "	8mm	1	5.2	60	

Horwood Bagshaw Standard Style Chisel Plow Sweep	Horwood Bagshaw
---	------------------------

16502 Plain	2.1/2"	12mm	1	1.4	350	Fits Horwood Bagshaw Stubblemaster & 350 Scaribar (single bolt hole models only)
16508 Dart	8"	8mm	1	2.5	150	
16512 Dart	12"	8mm	1	3.4	100	Takes 7/16" & 5/8" CSK Plow Bolts
16516 Dart	16"	8mm	1	4.4	70	
16518 Dart	18"	8mm	1	4.8	50	

Feed Down Points

314H	2 "	1/2 inch	1	2.6	100	Short Tine (6-01377, 6-01335) Fits Yeoman, Graham Hoeme & Napier Grasslands Use two WCK91 Clamps & Set Screws
315H	2 "	1/2 inch	1	3.7	50	
						Long Tine (6-01374, 6-01336) Fits Yeoman, Graham Hoeme & Napier Grasslands Use two WCK91 Clamps & Set Screws

No.31CS Reversible Chisel Point	Fits Connor Shea (6-01327P1)
--	-------------------------------------

31CS	2 1/2"	1/2 inch	5	10.1	300	Takes 2 x 1/2" CSK Plow Bolts at 63.5mm
------	--------	----------	---	------	-----	---

No.31DJ Reversible Chisel Point	Fits Various As Below (6-01321P1)
--	--

31DJ	2 "	1/2 inch	5	7.7	400	Fits John Deere, Graham Hoeme, Morris Gason Hiniker, Versatile & most Nth Amer
------	-----	----------	---	-----	-----	--

FreeCall 1800 088 538

7

FreeFax 1800 802 394

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

AGPOINT PART NO.	Size	Thick mm	Bundle Qty	Bundle Kg	Drum Qty	Application (Guide Only)
---------------------	------	-------------	---------------	--------------	-------------	-----------------------------

Takes 7/16" or 1/2" CSK Plow Bolts at 57mm centres

No.31F Reversible Chisel Point						Fits Various As Below (RC54002 & RC54205)
--------------------------------	--	--	--	--	--	---

31F x 2	2 "	5/16 inch	5	3.6	650	Fits MF, David Brown, Flexi-Coil, Bourgault and most coil tines. Hole & Slot 44.5mm to 51mm centres. Takes 7/16" CSK Plow Bolt.
31F 2 1/2	2 1/2"	5/16 inch	5	4.6	600	

No.31H Reversible Chisel Point						Fits Howard (6-01328P1)
--------------------------------	--	--	--	--	--	-------------------------

31H x 2	2 "	1/2 inch	5	9.9	400	Fits Howard 3 x 9/16" holes
---------	-----	----------	---	-----	-----	-----------------------------

No.31JB Reversible Chisel Point						Fits Berends, Jarrett, Yeomans, Bonel (6-01329P1)
---------------------------------	--	--	--	--	--	---

31JB x 2 1/2	2 1/2"	1/2 inch	5	11.8	250	Fits Berends, Jarrett, Yeomans, Bonel Takes 2 x 1/2" Plow Bolts at 57mm centres
--------------	--------	----------	---	------	-----	--

No.31M & 31MH Reversible Chisel Point						Fits Various As Below
---------------------------------------	--	--	--	--	--	-----------------------

31M	2 "	5/8 inch	5	12.1	300	Fits J Deere, AFM, Morris, Friggstad, Gason & Most North American Machines with 43 degree Use Bolt P/N CSK17, CSK18 or CSK19
31MH	2 "	3/4 inch	5	14.8	250	

No.31MG Reversible Chisel Plow Point						Fits Gessner
--------------------------------------	--	--	--	--	--	--------------

31MG - 2	2 "	3/4 inch	4	13.6	180	Takes 2 x 5/8" CSK Plow Bolts at 57mm centres.
31MG - 3	3 "	3/4 inch	3	14.9	135	

No.31SH & 31SHH Reversible Chisel Point						Fits Shearer
---	--	--	--	--	--	--------------

31SH	2 "	5/8 inch	5	11.9	300	Fits Shearer Trashworker, Econodraft & Ford. Takes 9/16" Special Bolt at 76.2mm
31SHH	2 "	3/4 inch	5	14.2	200	

FreeCall 1800 088 538

8

FreeFax 1800 802 394

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

AGPOINT PART NO.	Size	Thick mm	Bundle Qty	Bundle Kg	Drum Qty	Application (Guide Only)
---------------------	------	-------------	---------------	--------------	-------------	-----------------------------

centres. Use Bolt P/N SH1 or SH2

No.31SL Reversible Chisel Point	Fits Various As Below
---------------------------------	-----------------------

31SL - 1	40mm 1/2 inch	5	7.0	500	MF, Gibbons, Agpoint Coil Tines
31SL - 2	40mm 5/8 inch	5	7.8	400	Takes 7/16" Plow Bolts at 50mm centres
31SL - 3	50mm 5/8 inch	5	9.7	350	
31SL - 4	65mm 5/8 inch	5	11.5	300	

No.31ST Single Ended Chisel Point	Fits Straight Shanks
-----------------------------------	----------------------

31ST-1	2 " 3/4 inch	5		300	Fits Gessner, Gason, H Bagshaw, Simplicity, Gyrál & most other makes with straight tine. Takes 2 x 1/2" Plow Bolts at 57mm centres
--------	--------------	---	--	-----	---

No.31US Reversible Chisel Point	Fits Various As Below
---------------------------------	-----------------------

31US	2 " 1/2 inch	5	6.1	500	Fits Leon, Morris, IHC-Vibrashank Hesston, Flexi-Coil, Bourgault etc. Takes 2 x 7/16" Plow Bolts at 44.5mm centres
------	--------------	---	-----	-----	--

No.31VI Reversible Chisel Point	Fits Vicon Style Jumbo Buster
---------------------------------	-------------------------------

31VI	3 " 3/8 inch	5	11.7	250	Fits Vicon Style Jumbo Buster Takes 3 x 1/2" Plow Bolts at 67mm centres
------	--------------	---	------	-----	--

No.12640 Reversible Chisel Point	Fits Various Below
----------------------------------	--------------------

12640	2 1/2" 3/8 inch	5	7.7	400	Fits Coil Tines, Leon, Morris, Hesston IHC-Vibrashank, Flexi-Col, Bourgault etc. Hole & Slot at 44.5mm to 51mm centres.
-------	-----------------	---	-----	-----	---

FreeCall 1800 088 538

9

FreeFax 1800 802 394

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

AGPOINT PART NO.	Size	Thick mm	Bundle Qty	Bundle Kg	Drum Qty	Application (Guide Only)
---------------------	------	-------------	---------------	--------------	-------------	-----------------------------

Takes 2 x 7/16" Plow Bolts

No.61U Universal Bolt-On Point	38 Degree Fits Most makes
---------------------------------------	----------------------------------

61U x 2 1/2 Plain	2 1/2 "	6mm	25	9.1	1000	Fits Shearer, Ford, Gyrat etc.
61U x 4 Dart	4"	6mm	25	10.4	800	Takes Crushed Cuphead Bolt: S4, S5 or S6
61U x 5 Dart	5"	6mm	25	11.2	750	or Special Bolt: AG4, AG5, AG6, AG7 or AG8
61U x 6 Dart	6"	6mm	25	13.5	500	
61U x 7 Dart	7"	6mm	10	7.2	400	
61U x 8 Dart	8"	6mm	10	8.7	400	Use Tine Washer N538

No.61N Bolt-On Point	40 Degree Fits Alfarm, Napier etc.
-----------------------------	---

61N x 6* Plain	6"	6mm	25	13.5	500	Fits Napier, Alfarm etc.
61N x 7* Plain	7"	6mm	10	7.2	400	Takes Crushed Cuphead Bolt: S4, S5 or S6
						or Special Bolt: AG4, AG5, AG6, AG7 or AG8

No.63T Bolt-On Point	35 Degree High Breasted Style
-----------------------------	--------------------------------------

63T x 4 1/2 Dart	4 1/2"	6mm	25	11.1	750	Fits MF, Chamberlain etc.
63T x 5 1/2 Dart	5 1/2"	6mm	25	13.6	500	Note: This part has 7/16" hole & takes Special Bolt AG1, AG2 & AG2L

No.64A Bolt-On Point	Reversible
-----------------------------	-------------------

64A Plain	1 1/4"	6mm	25	9.4	1500	Fits most fluted tines. Takes 3/8 or 7/16" Cuphead Bolt & Nut. Use S2 or S4 & N538 washer.
-----------	--------	-----	----	-----	------	--

FreeCall 1800 088 538

10

FreeFax 1800 802 394

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

AGPOINT PART NO.	Size	Thick mm	Bundle Qty	Bundle Kg	Drum Qty	Application (Guide Only)
---------------------	------	-------------	---------------	--------------	-------------	-----------------------------

No.64 Bolt-On Point						Reversible
----------------------------	--	--	--	--	--	-------------------

64 Plain	2 1/2 "	6mm	25	13.5	800	Fits most fluted tines. Takes 3/8 or 7/16" Cuphead Bolt & Nut. Use S2, S4 or AG2, AG4 & N538 washer.
----------	---------	-----	----	------	-----	--

No.65 Bolt-On Point						Reversible
----------------------------	--	--	--	--	--	-------------------

65 Plain	1/2"	6mm	25	10.0	800	Fits most fluted tines. Takes 3/8 or 7/16" Cuphead Bolt & Nut. Use S2 or S4 & N538 washer.
----------	------	-----	----	------	-----	--

No.715 Bolt-On Point						Reversible
-----------------------------	--	--	--	--	--	-------------------

715 Plain	40mm	6mm	25	5.5	1500	Fits various tines with 7/16" hole. Takes 7/16' Crushed Cuphead Bolt S4 to S6 or Special Bolt: AG4 to AG8
-----------	------	-----	----	-----	------	--

No.15780 Bolt-On Point						Reversible
-------------------------------	--	--	--	--	--	-------------------

15780 Plain	1 1/4"	6mm	25	9.5	1250	Fits Konskilde "S" Spring tines Takes 3/8" marlow B&N.
-------------	--------	-----	----	-----	------	---

No.74A Bolt-On Point						Plain Style
-----------------------------	--	--	--	--	--	--------------------

74A x 3 Plain	3"	5mm	25	12.0	1200	Fits Horwood Bagshaw Combine.
74A x 4 Plain	4"	5mm	25	13.4	1000	Takes special headed bolt & nut.
74A x 5 Plain	5"	5mm	25	13.9	1000	Use N538 washer.
74A x 6* Plain	6"	5mm	10	7.6	750	

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

AGPOINT PART NO.	Size	Thick mm	Bundle Qty	Bundle Kg	Drum Qty	Application (Guide Only)
No.16108 Series Bolt-On Point						41 Degree Sweep
16108 Dart	8"	5mm	10	7.5	350	Fits Alfarm, Janke, Horwood Bagshaw
16109 Dart	9"	5mm	10	8.1	350	AFM and others with 43 degree tine.
16110 Dart	10"	5mm	10	8.5	300	Takes Crushed Cuphead Bolt: S4, S5 or S6
16112 Dart	12"	5mm	10	8.8	250	or Special Bolt: AG4, AG5, AG6, AG7 or AG8. Use Tine Washer N538
No.16308 Series Bolt-On Point						46 Degree Sweep
16308 Dart	8"	5mm	10	7.5	350	Fits Ackland, Shearer, Gason & others with
16309* Dart	9"	5mm	10	8.1	350	49 degree tine.
16310 Dart	10"	5mm	10	8.5	300	Takes Crushed Cuphead Bolt: S4, S5 or S6
						or Special Bolt: AG4, AG5, AG6, AG7 or AG8. Use Tine Washer N538
* To be deleted from range once existing stocks have been sold						
No.M1 Marlow Point Slip-On Type						43 Degree Slip-On Point
M1 x 4 1/2 Dart	4 1/2"	5mm	25	9.8	600	Fits MF, Chamberlain etc.
M1 x 5 1/2 Dart	5 1/2 "	5mm	25	12.3	500	Takes Marlow Clip & Bolt Assy.
M1 x 6 1/2 Dart	6 1/2"	5mm	25	14.6	400	
M1 x 7 1/2 Dart	7 1/2 "	5mm	10	7.8	350	
No.M2 Marlow Point Slip-On Type						46 Degree Slip-On Point
M2 x 2 Plain	2"	5mm	25	6.8	1000	Fits Most makes of combines or cultivators
M2 x 2 1/2 Plain	2 1/2"	5mm	25	6.8	1000	with fluted or similar foot
M2 x 4 Dart	4"	5mm	25	8.6	750	(Steeper set than M3)
M2 x 5 Dart	5"	5mm	25	9.8	600	

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

AGPOINT PART NO.	Size	Thick mm	Bundle Qty	Bundle Kg	Drum Qty	Application (Guide Only)
M2 x 6 Dart	6"	5mm	25	12.4	450	
M2 x 7 Dart	7"	5mm	25	14.6	400	Takes Marlow Clip & Bolt Assy.
M2 x 8 Dart	8"	5mm	10	7.8	350	

No.M2Tx 6mm Marlow Point Slip-On Type						46 Degree Slip-On Point
M2T x 6 Dart	6"	6mm	25	14.8	400	Fits Most makes of combines or cultivators
M2T x 7 Dart	7"	6mm	10	7.1	350	with fluted or similar foot.(Steeper set than M3)
M2T x 8 Dart	8"	6mm	10	9.2	300	Takes Marlow Clip & Bolt Assy.

No.M2LP Marlow Point Slip-On Type						Lucerne Point
M2LP Plain	10mm	5mm	25	9.9	750	Fits Most makes of combines or cultivators
M2LPL Plain	10mm	5mm	25	12.0	600	Takes Marlow Clip & Bolt Assy.

No.M2SP Marlow Point Slip-On Type						Seeding Point
M2SP Plain	20mm	5mm	25	10.1	750	Fits Most makes of combines or cultivators
						Takes Marlow Clip & Bolt Assy.
						6" Long x 20mm wide

No.M2PP Marlow Point Slip-On Type						Seeding Point
M2PP Plain	35mm	5mm	25	10.1	750	Fits Most makes of combines or cultivators
						Takes Marlow Clip & Bolt Assy.
						6" Long x 35mm wide

No.M3 Marlow Point Slip-On Type						49 Degree Slip-On Point
M3 x 4 Dart	4"	5mm	25	8.6	750	Fits Most makes of combines or cultivators

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

AGPOINT PART NO.	Size	Thick mm	Bundle Qty	Bundle Kg	Drum Qty	Application (Guide Only)
M3 x 5 Dart	5"	5mm	25	9.8	600	with fluted or similar foot.(Flatter set than M2) Takes Marlow Clip & Bolt Assy.
M3 x 6 Dart	6 "	5mm	25	12.4	450	
M3 x 7 Dart	7"	5mm	25	14.6	400	
M3 x 8 Dart	8"	5mm	10	7.7	350	

No.M3Tx 6mm Marlow Point Slip-On Type					49 Degree Slip-On Point	
M3T x 6 Dart	6"	6mm	25	14.8	400	Fits Most makes of combines or cultivators with fluted or similar foot.(Flatter set than M2) Takes Marlow Clip & Bolt Assy.
M3T x 7 Dart	7"	6mm	10	7.1	350	
M3T x 8 Dart	8"	6mm	10	9.2	300	

No.MC-11 Marlow Clip					Suit Slip-On Type: M1,M2 &M3 Points	
MC-11	7/16 "	6mm	50	10.0	4000	Takes Special AG Series Bolt & Nut available in either 3/8" or 7/16". Must be fitted with a spring washer & not tightened beyond 60ft/lb. Do not lubricate!

No.M4 Marlow Point Slip-On Type					52 Degree Slip-On Point	
M4SP Plain	20mm	5mm	25	10.5	750	Fits Connor Shea wideline cultivator Takes Special MC21193 clip & MB1 Bolt with N538 washer.
M4 x 2 Plain	2 "	5mm	25	10.4	900	
M4 x 4 Dart	4 "	5mm	25	12.6	600	
M4 x 5 Dart	5 "	5mm	25	14.6	500	
M4 x 6 Dart	6 "	5mm	25	15.2	500	
M4 x 7 Dart	7"	5mm	10	6.5	400	

FreeCall 1800 088 538

14

FreeFax 1800 802 394

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

AGPOINT PART NO.	Size	Thick mm	Bundle Qty	Bundle Kg	Drum Qty	Application (Guide Only)
---------------------	------	-------------	---------------	--------------	-------------	-----------------------------

M4 x 8 Dart	8"	5mm	10	6.6	400	
-------------	----	-----	----	-----	-----	--

No.M4 Marlow Point Slip-On Type	Suit M4 Point
---------------------------------	---------------

MC21193	3/8 "	4mm	25	2.7	4000	Fits M4 point for Connor Shea Takes Special MB1 Bolt with N538 washer
---------	-------	-----	----	-----	------	--

No.M5 Slip-On Style Sweep	Slip-On Sweep - 43 Degree
---------------------------	---------------------------

M5SP Plain	35mm	6mm	10	8.3	350	Fits early model John Deere 1000 series with
M5 x 2L Dart	2 "	6mm	10	6.8	450	3/8" holes, White, Gason 5100, MF259 &
M5 x 4 Dart	4"	6mm	10	8.3	450	Versatile cultivators.
M5 x 6 Dart	6"	6mm	10	10.3	300	
M5 x 7 Dart	7"	6mm	10	11.0	300	Takes Clip 15552
M5 x 8 Dart	8"	6mm	10	12.0	250	
M5 x 9 Dart	9"	6mm	10	12.2	250	Steeper set than M6 or M7
M5 x 10 Dart	10"	6mm	10	12.4	200	

No.M6 Slip-On Style Sweep	Slip-On Sweep - 50 Degree
---------------------------	---------------------------

M6 x 4* Dart	4"	6mm	10	8.3	450	Fits IHC-Vibrashank & Hesston cultivators
M6 x 6* Dart	6"	6mm	10	10.3	300	& John Deere with slotted hole.
M6 x 7* Dart	7"	6mm	10	11.0	300	

FreeCall 1800 088 538

15

FreeFax 1800 802 394

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

AGPOINT PART NO.	Size	Thick mm	Bundle Qty	Bundle Kg	Drum Qty	Application (Guide Only)
M6 x 8* Dart	8"	6mm	10	12.0	250	Takes Clip 15552
M6 x 9* Dart	9"	6mm	10	12.2	250	
M6 x 10* Dart	10"	6mm	10	12.4	200	Flatter set than M5 or M7

No.M7 Slip-On Style Sweep						Slip-On Sweep - 47 Degree
M5 x 2L Dart (use M5)	2"	6mm	10	6.8	450	Fits North American field cultivators.
M7 x 4 Dart	4"	6mm	10	8.3	450	FlexiCoil, Morris, IHC-Vibrashank, Bourgault & Horwood Bagshaw ScariBar
M7 x 7 Dart	7"	6mm	10	11.0	300	Takes Clip 15336 or 15552
M7 x 8 Dart	8"	6mm	10	12.0	250	Flatter set than M5
M7 x 9 Dart	9"	6mm	10	12.2	250	

No.15552 Slip-On Clip						Slip-On Sweep Clips
15552 Slip-On Clip	7/16 "	5mm	25	5.9	2000	Fits IHC-Vibrashank, Hesston, AFM, Gason Hiniker, MF259, FlexiCoil, Versatile, Bourgault & John Deere with slotted 7/16" hole at 44.5mm (1 3/4") centres. Takes 7/16" or 1/2" CSK Bolt & Nut.

No.M8T Slip-On Sweep						Slim-Wedge Sweeps
M8T x 2 Dart	2"	8mm	10	9.5	400	Fits North American field cultivators
M8T x 4 Dart	4"	8mm	5	5.8	300	FlexiCoil, IHC-Vibrashank, Hesston, Hiniker & Bourgault, Horwood Bagshaw Scaribar, Gason 6100, Morris etc.
M8T x 6 Dart	6"	8mm	5	7.1	250	
M8T x 7 Dart	7"	8mm	5	8.0	200	
M8T x 8 Dart	8"	8mm	5	8.9	200	
M8T x 9 Dart	9"	8mm	5	9.5	150	Refer Cast Clips from 15553 to 15561
M8T x 10 Dart	10"	8mm	5	10.0	150	

FreeCall 1800 088 538

16

FreeFax 1800 802 394

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

AGPOINT PART NO.	Size	Thick mm	Bundle Qty	Bundle Kg	Drum Qty	Application (Guide Only)
M8T x 11 Dart	11"	8mm	5	10.8	100	
M8T x 12 Dart	12"	8mm	5	11.8	100	
M8T x 14 Dart	14"	8mm	5	13.1	100	
M8T x 16 Dart	16"	8mm	5	15.1	80	

* Please Note: The larger sweeps are for (secondary) light to medium cultivation only

No.M9T Marathon Slip-On Sweep						Slim-Wedge Sweeps
M9Tx8 Plain	8"	8mm	5	8.9	200	Fits North American field cultivators
M9Tx9 Plain	9"	8mm	5	9.5	150	FlexiCoil, IHC-Vibrashank, Hesston, Hiniker
M9Tx10 Plain	10"	8mm	5	10.0	150	& Bourgault, Horwood Bagshaw Scaribar,
M9Tx11 Plain	11"	8mm	5	10.8	150	Gason 6100, Morris etc.
M9Tx12 Plain	12"	8mm	5	11.8	100	
M9Tx14 Plain	14"	8mm	5	13.1	100	Refer Cast Clips from 15553 to 15561

No.15553 Slimwedge Cast Wedge						43 Degree
15553	7/16"	Cast	1	0.4	Each	Fits AFM, Gyal & Janke. 44.5mm (1 3/4") hole centre 7/16" CSK

No.15554 Slimwedge Cast Wedge						47 Degree
15554	1/2"	Cast	1	0.4	Each	Fits Gason EcoTill & ScariTill, Ezee-On MF259, Horwood Bagshaw ScariBar, AFM Bourgault, Versatile etc.

FreeCall 1800 088 538

17

FreeFax 1800 802 394

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

AGPOINT PART NO.	Size	Thick mm	Bundle Qty	Bundle Kg	Drum Qty	Application (Guide Only)
---------------------	------	-------------	---------------	--------------	-------------	-----------------------------

44.5mm (1 3/4") hole centre 1/2" CSK

No.15555 Slimwedge Cast Wedge	47 Degree
--------------------------------------	------------------

15555	7/16 "	Cast	1	0.4	Each	Fits IHC-Vibrashank, Gason Hiniker & Flexi-Coil.
-------	--------	------	---	-----	------	--

44.5mm (1 3/4") hole centre 7/16" CSK

No.15557 Slimwedge Cast Wedge	47 Degree
--------------------------------------	------------------

15557	1/2"	Cast	1	0.4	Each	Fits Gason EcoTill & Gason ScariTill, Horwood Bagshaw ScariBar- Edge On etc.
-------	------	------	---	-----	------	--

57mm (2 1/4") hole centre 1/2" CSK

No.15556 Slimwedge Cast Wedge	50 Degree
--------------------------------------	------------------

15556 <i>Long Wedge</i>	1/2"	Cast	1	0.5	Each	Fits most chisel plows with 1/2" x 57mm hole centres ie. J Deere, AFM Chisel Plow, Case PTX Bars & Morris 50 degree.
-------------------------	------	------	---	-----	------	---

57mm (2 1/4") hole centre 1/2" CSK

No.15558 Slimwedge Cast Wedge	50 Degree
--------------------------------------	------------------

15558 <i>Short Wedge</i>	1/2"	Cast	1	0.5	Each	Fits MF, Riteway, Friggstad, FlexiCoil, Fusion Horwood Bagshaw Scaribar- Flat On Noble, Hesston
--------------------------	------	------	---	-----	------	--

57mm (2 1/4") hole centre 1/2" CSK

No.15660 Slimwedge Cast Wedge	Trashworker
--------------------------------------	--------------------

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

AGPOINT PART NO.	Size	Thick mm	Bundle Qty	Bundle Kg	Drum Qty	Application (Guide Only)
15560	9/16"	Cast	1	0.5	Each	Fits Shearer Trashworker 76mm (3") hole centre 9/16" SH1 bolt

No.15661 Slimwedge Cast Wedge						Most Scarifiers
15561	1/2"	Cast	1	0.5	Each	Converts most scarifiers with 1/2" hole to slimwedge system

M8T-RC & M8T-RT Retaining Clip & Removal Tool					Agpoint Locking System	
M8T-RC Retaining Clip		Zinc	100	Bag	\$0.50	Retaining Clip for Agpoint locking system
M8T-RT Removal Tool		Painted	1	Each	\$12.00	Removal Tool for Agpoint locking system

Slimwedge Locking System Pat Pending No.2002950488

Slimline Points						Slimline Tines
16101 Lucerne	20mm	5mm	20	6.8	900	To fit all Slimline Tines ie. Alfarm, Gason & Symonds
16102 Plain	2"	5mm	20	6.7	700	
15724 Dart	4"	5mm	20	7.1	600	
15726 Dart	6"	5mm	20	9.9	400	
15727 Dart	7"	5mm	10	5.9	300	
15728 Dart	8"	5mm	10	7.6	250	

Ripper Points						Fits Various
RI 6-01341 Double Ended	3"	5/8"	4	9.8	250	2 x 1/2" holes at 51mm centres
RI 6-01344 Double Ended	3"	3/4"	4	12.0	250	2 x 1/2" holes at 51mm centres
RI 6-01345 Double Ended	3"	5/8"	4	10.2	250	2 x 1/2" holes at 63mm centres
RI 6-01348 Double Ended	3"	5/8"	4	13.3	250	2 x 1/2" holes at 70mm centres

FreeCall 1800 088 538

19

FreeFax 1800 802 394

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

AGPOINT PART NO.	Size	Thick mm	Bundle Qty	Bundle Kg	Drum Qty	Application (Guide Only)
RI 6-01349 Double Ended	3"	3/4"	4	10.5	250	4 x 1/2" holes at 50mm-112mm centres
RI 6-06275 Double Ended	2 1/2"	3/4"	4	12.0	250	1/2" holes at 50mm,63mm & 110mm centres
RI 6-01352 Single Ended	3"	5/8"	4	9.9	300	2 x 1/2" holes at 70mm centres
RI 6-01353 Single Ended	3"	1"	4	16.0	300	2 x 1/2" holes at 115mm centres

Soil Buster					6-01354P1
SB6-01354	10"	10mm	1	5.0	Heavy Duty Soil Buster 5/8" slotted hole for 50mm to 90 mm centres

Clamp & Set Screw-Feed Down Point					Fits 314H & 315H
WCK91 Cast Clamp			1	0.5	Each Fits 314H & 315H clamp on feed down points Uses two per tine

Tine Washer					
N538			1	0.3	Each Takes 3/8" or 7/16" bolt

Tine Clip & Bolt					
JLS1	1/4"		1	0.1	Each Fits most makes