

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

| AGPOINT PART NO. | Size | Thick mm | Bundle Qty | Bundle Kg | Drum Qty | Application (Guide Only) |
|---------------------|------|-------------|---------------|--------------|-------------|-----------------------------|
|---------------------|------|-------------|---------------|--------------|-------------|-----------------------------|

No.8A Key Hole Bolt On Scarifier Point

Fits Connor Shea

| | | | | | | |
|-------------------|--------|-----|----|------|-----|-------------------------------|
| 8ALP Fluted Plain | 1 1/2" | 6mm | 10 | 8.2 | 400 | Equiv to Napier 11701 |
| 8A x 6 Plain | 6" | 6mm | 10 | 9.1 | 350 | |
| 8A x 8 Plain | 8" | 6mm | 10 | 11.0 | 250 | Take 1/2" CSK Plow Bolt & Nut |
| 8A x 9 Plain | 9" | 6mm | 10 | 11.9 | 200 | Use Bolt P/N CSK16 |
| 8A x 10 Plain | 10" | 6mm | 10 | 14.6 | 150 | |

No.10 Bolt-On Scarifier Point

Fits Chamberlain, Horwood Bagshaw etc.

| | | | | | | |
|----------------------------|--------|-----|----|------|------|-------------------------------------|
| 10 x 6 Dart | 6" | 6mm | 10 | 8.4 | 750 | Takes 1/2" Cuphead Bolt & Nut |
| 10 x 7 Dart | 7" | 6mm | 10 | 10.4 | 600 | Use Bolt part number BRH15 or BRH16 |
| 10 x 8 Dart | 8" | 6mm | 10 | 11.4 | 550 | |
| 10LP Lucerne Chisel Point | 12mm | 6mm | 10 | 6.0 | 500 | |
| 10RP Ripper Point (Dimple) | 2 1/2" | 6mm | 10 | 6.0 | 1000 | |

No.10LW Bolt-On Scarifier Point

Fits Chamberlain, Horwood Bagshaw etc.

| | | | | | | |
|-------------------------|----|-----|----|------|-----|--|
| 10LW x 7 Plain (Dimple) | 7" | 6mm | 10 | 10.2 | 600 | Low wing buster type Takes 1/2" Cuphead Bolt & Nut Use Bolt P/N BRH15 or BRH16 |
|-------------------------|----|-----|----|------|-----|--|

Grip-On Clips For Scarifiers

Grip-on Clip

| | | | | | | |
|------|----|-----|----|-----|------|---|
| 31KI | SH | 5mm | 25 | 8.2 | 2000 | Fits Shearer, CSN, Ford etc. |
| 32KI | HB | 5mm | 25 | 8.2 | 2000 | Fits H Bagshaw, Chamberlain, IHC Use Bolt P/N CSK15 or CSK16 |

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

| AGPOINT PART NO. | Size | Thick mm | Bundle Qty | Bundle Kg | Drum Qty | Application (Guide Only) |
|--------------------------------------|------|-------------|---------------|--------------|-------------|---------------------------------|
| No.15 Grip-On Scarifier Point | | | | | | Grip-On Shares |
| 15 x 4 Dart | 4" | 5mm | 10 | 7.1 | 400 | To fit most makes of scarifiers |
| 15 x 5 Dart | 5" | 5mm | 10 | 7.7 | 350 | Takes No.31KI or 32KI clips |
| 15 x 6 Dart | 6" | 5mm | 10 | 8.1 | 350 | |
| 15 x 7 Dart | 7" | 5mm | 10 | 9.6 | 300 | |
| 15 x 8 Dart | 8" | 5mm | 10 | 10.1 | 250 | |
| 15 x 9 Dart | 9" | 5mm | 10 | 11.9 | 200 | |
| 15 x 10 Dart | 10" | 5mm | 10 | 12.0 | 200 | |

* Plain available subject to minimum production run +/-

| No.20 Universal Scarifier Point | | | | | | Fits Chamberlain, Horwood Bagshaw, Shearer etc. |
|--|--------|------|----|------|------|--|
| 20 x 4 Dart | 4" | 6mm | 10 | 6.1 | 1000 | Suits most makes of scarifiers |
| 20 x 5 Dart | 5" | 6mm | 10 | 7.6 | 800 | Takes 1/2" Cuphead Bolt & Nut |
| 20 x 6 Dart | 6" | 6mm | 10 | 9.1 | 700 | Use Bolt P/N BRH15 or BRH16 |
| 20 x 7 Dart | 7" | 6mm | 10 | 10.2 | 600 | |
| 20 x 8 Dart | 8" | 6mm | 10 | 12.5 | 500 | |
| 20 x 9 Dart | 9" | 6mm | 10 | 14.1 | 400 | |
| 20 x 10 Dart | 10" | 6mm | 5 | 9.0 | 300 | |
| 20LP Chisel | 12mm | 6mm | 10 | 6.7 | 500 | Use Bolt P/N CSK9, CSK15 or CSK16 |
| 20RP Ripper | 2 1/2" | 10mm | 10 | 7.9 | 800 | Use Bolt P/N BRH15 or BRH16 |

| No.20LW Universal Scarifier Point | | | | | | Fits Chamberlain, Horwood Bagshaw, Shearer etc. |
|--|--|--|--|--|--|--|
|--|--|--|--|--|--|--|

FreeCall 1800 088 538

2

FreeFax 1800 802 394

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

| AGPOINT PART NO. | Size | Thick mm | Bundle Qty | Bundle Kg | Drum Qty | Application (Guide Only) |
|---------------------|------|-------------|---------------|--------------|-------------|--------------------------------|
| 20LW x 3 Dimple | 3" | 6mm | 10 | 5.5 | 1000 | Low wing buster type |
| 20LW x 4 Dart | 4" | 6mm | 10 | 7.9 | 700 | Suits most makes of scarifiers |
| 20LW x 5 Dart | 5" | 6mm | 10 | 8.3 | 650 | Takes 1/2" Cuphead Bolt & Nut |
| 20LW x 6 Dart | 6" | 6mm | 10 | 8.7 | 600 | Use Bolt P/N BRH15 or BRH16 |
| 20LW x 7 Dart | 7" | 6mm | 10 | 10.1 | 550 | |

| | | | | | | |
|--------------------------------------|---|--|--|--|--|--|
| No.50 Bolt-On Scarifier Sweep | Fits Chamberlain, H/Bagshaw, Shearer, MF, IHC etc. | | | | | |
|--------------------------------------|---|--|--|--|--|--|

| | | | | | | |
|---------------|-----|-----|----|------|-----|-------------------------------|
| 50 x 10 Plain | 10" | 6mm | 10 | 13.2 | 300 | Takes 1/2" Cuphead Bolt & Nut |
| 50 x 12 Plain | 12" | 6mm | 5 | 8.2 | 250 | Use Bolt P/N BRH15 or BRH16 |
| 50 x 14 Plain | 14" | 6mm | 5 | 10.0 | 200 | |

| | | | | | | |
|---------------------------------------|-------------------------|--|--|--|--|--|
| No.50N Bolt-On Scarifier Sweep | Fits Ford-Napier | | | | | |
|---------------------------------------|-------------------------|--|--|--|--|--|

| | | | | | | |
|----------------|-----|-----|----|------|-----|-------------------------------|
| 50N x 10 Plain | 10" | 6mm | 10 | 13.2 | 300 | Takes 1/2" Cuphead Bolt & Nut |
| 50N x 12 Plain | 12" | 6mm | 5 | 8.2 | 250 | Use Bolt P/N BRH15 or BRH16 |
| 50N x 14 Plain | 14" | 6mm | 5 | 10.0 | 200 | |

| | | | | | | |
|----------------------------|------------------------|--|--|--|--|--|
| No.53 Bolt-On Sweep | Fits Coil Tines | | | | | |
|----------------------------|------------------------|--|--|--|--|--|

| | | | | | | |
|---------------|-----|-----|----|------|-----|------------------------------------|
| 53 x 5 Plain | 5" | 6mm | 10 | 9.0 | 450 | Fits McKay, MF, Gibbons etc. |
| 53 x 6 Plain | 6" | 6mm | 10 | 9.6 | 400 | 44.5mm-51.5mm slotted hole centres |
| 53 x 7 Plain | 7" | 6mm | 10 | 10.8 | 350 | (1/3/4" to 2") |
| 53 x 8 Plain | 8" | 6mm | 10 | 11.9 | 300 | Takes 2 x 7/16" CSK Plow Bolts |
| 53 x 10 Plain | 10" | 6mm | 5 | 7.2 | 200 | |
| 53 x 12 Plain | 12" | 6mm | 5 | 7.7 | 150 | |

| | | | | | | |
|------------------------------|------------------------|--|--|--|--|--|
| No.101T Bolt-On Sweep | 43 Degree Sweep | | | | | |
|------------------------------|------------------------|--|--|--|--|--|

| | | | | | | |
|---------------|----|-----|---|-----|-----|---------------------------------------|
| 101T x 4 Dart | 4" | 8mm | 5 | 5.4 | 290 | Fits AFM, Gyrat Penetrator & Ag Boss, |
|---------------|----|-----|---|-----|-----|---------------------------------------|

FreeCall 1800 088 538

3

FreeFax 1800 802 394

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

| AGPOINT PART NO. | Size | Thick mm | Bundle Qty | Bundle Kg | Drum Qty | Application (Guide Only) |
|---------------------|------|-------------|---------------|--------------|-------------|--|
| 101T x 6 Dart | 6" | 8mm | 5 | 6.5 | 270 | Janke, Gason 4185 (7/16" holes) & other with 43 degree tines. 44.5mm (1 3/4") hole centres Takes 2 x 7/16" or 1/2" CSK Plow Bolts Use Bolt P/N CSK9 or CSK16 |
| 101T x 8 Dart | 8" | 8mm | 5 | 8.2 | 250 | |
| 101T x 9 Dart | 9" | 8mm | 5 | 8.8 | 240 | |
| 101T x 10 Dart | 10" | 8mm | 5 | 9.5 | 220 | |
| 101T x 12 Dart | 12" | 8mm | 5 | 11.0 | 170 | |
| 101T x 14 Dart | 14" | 8mm | 5 | 12.7 | 150 | |

| No.202T Bolt-On Sweep | | | | | | 47 Degree Sweep |
|-----------------------|-----|-----|---|------|-----|--|
| 202T x 4 Dart | 4" | 8mm | 5 | 5.4 | 290 | Fits IHC V/shank, Leon, Flexi-Coil, Gason, Hesston, Morris, Bourgault, Ezee-On, H Bagshaw-ScariBar 2 bolt edge-on tine only & other wth 47 degree tines. Takes 2 x 7/16" or 1/2" CSK Plow Bolts Use Bolt P/N CSK9 or CSK16 |
| 202T x 6 Dart | 6" | 8mm | 5 | 6.5 | 270 | |
| 202T x 8 Dart | 8" | 8mm | 5 | 8.2 | 250 | |
| 202T x 9 Dart | 9" | 8mm | 5 | 8.8 | 240 | |
| 202T x 10 Dart | 10" | 8mm | 5 | 9.5 | 220 | |
| 202T x 12 Dart | 12" | 8mm | 5 | 11.0 | 170 | |
| 202T x 14 Dart | 14" | 8mm | 5 | 12.7 | 150 | |

| No.303T Glide-A-Wing Bolt-On Sweep | | | | | | 43 Degree Sweep |
|------------------------------------|-----|-----|---|------|-----|---|
| 303T x 10 Plain | 10" | 8mm | 5 | 9.5 | 220 | Fits AFM, Gyal Penetrator & Ag Boss, Janke & other with 43 degree tines. 44.5mm (1 3/4") hole centres Takes 2 x 7/16" or 1/2" CSK Plow Bolts Use Bolt P/N CSK9 or CSK16 |
| 303T x 12 Plain | 12" | 8mm | 5 | 11.2 | 170 | |
| 303T x 14 Plain | 14" | 8mm | 5 | 12.6 | 150 | |

| No.404T Glide-A-Wing Bolt-On Sweep | | | | | | 47 Degree Sweep |
|------------------------------------|-----|-----|---|------|-----|--|
| 404T x 10 Plain | 10" | 8mm | 5 | 9.5 | 220 | Fits IHC V/shank, Leon, Flexi-Coil, Gason, Hesston, Morris, Bourgault, Ezee-On, |
| 404T x 12 Plain | 12" | 8mm | 5 | 11.0 | 170 | |

FreeCall 1800 088 538

4

FreeFax 1800 802 394

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

| AGPOINT PART NO. | Size | Thick mm | Bundle Qty | Bundle Kg | Drum Qty | Application (Guide Only) |
|---------------------|------|-------------|---------------|--------------|-------------|--|
| 404T x 14 Plain | 14" | 8mm | 5 | 12.7 | 150 | H Bagshaw-Scari Seeder 2 bolt edge-on tine only & other wth 47 degree tines. Takes 2 x 7/16" CSK Plow Bolts Use Bolt P/N CSK9 or CSK16 |

| 43 Degree Standard Style Chisel Plow Sweep | | | | | | 43 Degree Sweep |
|--|-----|-----|---|-----|-----|---|
| 43-8-8 Dart | 8" | 8mm | 1 | 2.4 | 150 | Fits Morris Magnum 1, Allis Chalmers |
| 43-10-8 Dart | 10" | 8mm | 1 | 2.8 | 120 | Taylorway, Gyrat Penetrator, IHC4700 etc. |
| 43-12-8 Dart | 12" | 8mm | 1 | 3.4 | 110 | Takes 2 x 1/2" Plow Bolts at 57mm centres |
| 43-14-8 Dart | 14" | 8mm | 1 | 3.8 | 100 | |
| 43-16-8 Dart | 16" | 8mm | 1 | 4.3 | 80 | Use Bolt P/N CSK17, CSK18 or CSK19 |

| 50 Degree Standard Style Chisel Plow Sweep | | | | | | 50 Degree Sweep |
|--|-----|-----|---|-----|-----|---|
| 50-8-8 Dart | 8" | 8mm | 1 | 2.4 | 150 | Fits J Deere, Massey Ferguson, AFM, |
| 50-10-8 Dart | 10" | 8mm | 1 | 2.8 | 120 | Hesston, Riteway, New Holland, Symonds, |
| 50-12-8 Dart | 12" | 8mm | 1 | 3.4 | 110 | Morris Magnum 2, Connor Shea, Versatile |
| 50-14-8 Dart | 14" | 8mm | 1 | 3.8 | 90 | Friggstad, Gason Eco Till, Yeomans, Noble, |
| 50-16-8 Dart | 16" | 8mm | 1 | 4.3 | 80 | Flexi-Coil 550 |
| 50-18-8 Dart | 18" | 8mm | 1 | 5.2 | 60 | Takes 2 x 1/2" Plow Bolts at 57mm centres Use Bolt P/N CSK17, CSK18 or CSK19 |

| 50 Degree Penetrator Style Chisel Plow Sweep | | | | | | 50 Degree Sweep |
|--|-----|-----|---|-----|-----|---|
| P50-8-8 Dart | 8" | 8mm | 1 | 2.4 | 150 | Fits J Deere, Massey Ferguson, AFM, |
| P50-10-8 Dart | 10" | 8mm | 1 | 2.8 | 120 | Hesston, Riteway, New Holland, Symonds, |
| P50-12-8 Dart | 12" | 8mm | 1 | 3.4 | 110 | Morris Magnum 2, Connor Shea, Versatile |

FreeCall 1800 088 538

5

FreeFax 1800 802 394

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

| AGPOINT PART NO. | Size | Thick mm | Bundle Qty | Bundle Kg | Drum Qty | Application (Guide Only) |
|---------------------|------|-------------|---------------|--------------|-------------|---|
| P50-14-8 Dart | 14" | 8mm | 1 | 3.8 | 90 | Friggstad, Gason Eco Till, Yeomans, Noble, Flexi-Coil 550 Takes 2 x 1/2" Plow Bolts at 57mm centres Use Bolt P/N CSK17, CSK18 or CSK19 |
| P50-16-8 Dart | 16" | 8mm | 1 | 4.3 | 80 | |
| P50-18-8 Dart | 18" | 8mm | 1 | 5.2 | 60 | |

| 50 Degree Glide-A-Wing Style Chisel Plow Sweep | | | | | | 50 Degree Sweep |
|--|-----|-----|---|-----|-----|--|
| U50-10-8 Plain | 10" | 8mm | 1 | 2.8 | 120 | Fits J Deere, Massey Ferguson, AFM, Hesston, Riteway, New Holland, Symonds, Morris Magnum 2, Connor Shea, Versatile Friggstad, Gason Eco Till, Yeomans, Noble, Flexi-Coil 550 Takes 2 x 1/2" Plow Bolts at 57mm centres Use Bolt P/N CSK17, CSK18 or CSK19 |
| U50-12-8 Plain | 12" | 8mm | 1 | 3.4 | 110 | |
| U50-14-8 Plain | 14" | 8mm | 1 | 3.8 | 90 | |
| U50-16-8 Plain | 16" | 8mm | 1 | 4.3 | 80 | |
| U50-18-8 Plain | 18" | 8mm | 1 | 5.2 | 60 | |

| Shearer Standard Style Chisel Plow Sweep | | | | | | 50 Degree Sweep |
|--|-----|-----|---|-----|-----|---|
| 15908 Dart | 8" | 8mm | 1 | 2.8 | 120 | Fits Shearer Trashworker, Econodraft & Ford.Takes 9/16" Special Bolt at 76.2mm centres. Use Bolt P/N SH1 or SH2 |
| 15912 Dart | 12" | 8mm | 1 | 3.6 | 80 | |
| 15916 Dart | 16" | 8mm | 1 | 4.5 | 70 | |
| 15918 Dart | 18" | 8mm | 1 | 5.1 | 60 | |
| 15820 Dart | 20" | 8mm | 1 | 5.6 | 60 | |

| Shearer Penetrator Style Chisel Plow Sweep | | | | | | 50 Degree Sweep |
|--|-----|-----|---|-----|-----|---|
| 16411 Dart | 11" | 8mm | 1 | 3.3 | 100 | Fits Shearer Trashworker, Econodraft & Ford.Takes 9/16" Special Bolt at 76.2mm centres. Use Bolt P/N SH1 or SH2 |
| 16416 Dart | 16" | 8mm | 1 | 4.5 | 70 | |
| 16418 Dart | 18" | 8mm | 1 | 5.1 | 50 | |

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

| AGPOINT PART NO. | Size | Thick mm | Bundle Qty | Bundle Kg | Drum Qty | Application (Guide Only) |
|---------------------|------|-------------|---------------|--------------|-------------|-----------------------------|
|---------------------|------|-------------|---------------|--------------|-------------|-----------------------------|

| | |
|---|------------------------|
| Gessner Penetrator Style Chisel Plow Sweep | 50 Degree Sweep |
|---|------------------------|

| | | | | | | |
|------------|------|-----|---|-----|----|--|
| 16264 Dart | 16 " | 8mm | 1 | 4.3 | 70 | Takes 2 x 5/8" CSK Plow Bolts at 57mm centres. |
| 16265 Dart | 18 " | 8mm | 1 | 5.2 | 60 | |

| | |
|---|------------------------|
| Horwood Bagshaw Standard Style Chisel Plow Sweep | Horwood Bagshaw |
|---|------------------------|

| | | | | | | |
|-------------|--------|------|---|-----|-----|--|
| 16502 Plain | 2.1/2" | 12mm | 1 | 1.4 | 350 | Fits Horwood Bagshaw Stubblemaster & 350 Scaribar (single bolt hole models only) |
| 16508 Dart | 8" | 8mm | 1 | 2.5 | 150 | |
| 16512 Dart | 12" | 8mm | 1 | 3.4 | 100 | Takes 7/16" & 5/8" CSK Plow Bolts |
| 16516 Dart | 16" | 8mm | 1 | 4.4 | 70 | |
| 16518 Dart | 18" | 8mm | 1 | 4.8 | 50 | |

| |
|-------------------------|
| Feed Down Points |
|-------------------------|

| | | | | | | |
|------|-----|----------|---|-----|-----|---|
| 314H | 2 " | 1/2 inch | 1 | 2.6 | 100 | Short Tine (6-01377, 6-01335) Fits Yeoman, Graham Hoeme & Napier Grasslands Use two WCK91 Clamps & Set Screws |
| 315H | 2 " | 1/2 inch | 1 | 3.7 | 50 | |
| | | | | | | Long Tine (6-01374, 6-01336) Fits Yeoman, Graham Hoeme & Napier Grasslands Use two WCK91 Clamps & Set Screws |

| | |
|--|-------------------------------------|
| No.31CS Reversible Chisel Point | Fits Connor Shea (6-01327P1) |
|--|-------------------------------------|

| | | | | | | |
|------|--------|----------|---|------|-----|---|
| 31CS | 2 1/2" | 1/2 inch | 5 | 10.1 | 300 | Takes 2 x 1/2" CSK Plow Bolts at 63.5mm |
|------|--------|----------|---|------|-----|---|

| | |
|--|--|
| No.31DJ Reversible Chisel Point | Fits Various As Below (6-01321P1) |
|--|--|

| | | | | | | |
|------|-----|----------|---|-----|-----|--|
| 31DJ | 2 " | 1/2 inch | 5 | 7.7 | 400 | Fits John Deere, Graham Hoeme, Morris Gason Hiniker, Versatile & most Nth Amer |
|------|-----|----------|---|-----|-----|--|

FreeCall 1800 088 538

7

FreeFax 1800 802 394

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

| AGPOINT PART NO. | Size | Thick mm | Bundle Qty | Bundle Kg | Drum Qty | Application (Guide Only) |
|---------------------|------|-------------|---------------|--------------|-------------|-----------------------------|
|---------------------|------|-------------|---------------|--------------|-------------|-----------------------------|

Takes 7/16" or 1/2" CSK Plow Bolts at 57mm centres

| No.31F Reversible Chisel Point | | | | | | Fits Various As Below (RC54002 & RC54205) |
|--------------------------------|--|--|--|--|--|---|
|--------------------------------|--|--|--|--|--|---|

| | | | | | | |
|-----------|--------|-----------|---|-----|-----|---|
| 31F x 2 | 2 " | 5/16 inch | 5 | 3.6 | 650 | Fits MF, David Brown, Flexi-Coil, Bourgault and most coil tines. Hole & Slot 44.5mm to 51mm centres. Takes 7/16" CSK Plow Bolt. |
| 31F 2 1/2 | 2 1/2" | 5/16 inch | 5 | 4.6 | 600 | |

| No.31H Reversible Chisel Point | | | | | | Fits Howard (6-01328P1) |
|--------------------------------|--|--|--|--|--|-------------------------|
|--------------------------------|--|--|--|--|--|-------------------------|

| | | | | | | |
|---------|-----|----------|---|-----|-----|-----------------------------|
| 31H x 2 | 2 " | 1/2 inch | 5 | 9.9 | 400 | Fits Howard 3 x 9/16" holes |
|---------|-----|----------|---|-----|-----|-----------------------------|

| No.31JB Reversible Chisel Point | | | | | | Fits Berends, Jarrett, Yeomans, Bonel (6-01329P1) |
|---------------------------------|--|--|--|--|--|---|
|---------------------------------|--|--|--|--|--|---|

| | | | | | | |
|--------------|--------|----------|---|------|-----|--|
| 31JB x 2 1/2 | 2 1/2" | 1/2 inch | 5 | 11.8 | 250 | Fits Berends, Jarrett, Yeomans, Bonel Takes 2 x 1/2" Plow Bolts at 57mm centres |
|--------------|--------|----------|---|------|-----|--|

| No.31M & 31MH Reversible Chisel Point | | | | | | Fits Various As Below |
|---------------------------------------|--|--|--|--|--|-----------------------|
|---------------------------------------|--|--|--|--|--|-----------------------|

| | | | | | | |
|------|-----|----------|---|------|-----|---|
| 31M | 2 " | 5/8 inch | 5 | 12.1 | 300 | Fits J Deere, AFM, Morris, Friggstad, Gason & Most North American Machines with 43 degree Use Bolt P/N CSK17, CSK18 or CSK19 |
| 31MH | 2 " | 3/4 inch | 5 | 14.8 | 250 | |

| No.31MG Reversible Chisel Plow Point | | | | | | Fits Gessner |
|--------------------------------------|--|--|--|--|--|--------------|
|--------------------------------------|--|--|--|--|--|--------------|

| | | | | | | |
|----------|-----|----------|---|------|-----|--|
| 31MG - 2 | 2 " | 3/4 inch | 4 | 13.6 | 180 | Takes 2 x 5/8" CSK Plow Bolts at 57mm centres. |
| 31MG - 3 | 3 " | 3/4 inch | 3 | 14.9 | 135 | |

| No.31SH & 31SHH Reversible Chisel Point | | | | | | Fits Shearer |
|---|--|--|--|--|--|--------------|
|---|--|--|--|--|--|--------------|

| | | | | | | |
|-------|-----|----------|---|------|-----|---|
| 31SH | 2 " | 5/8 inch | 5 | 11.9 | 300 | Fits Shearer Trashworker, Econodraft & Ford. Takes 9/16" Special Bolt at 76.2mm |
| 31SHH | 2 " | 3/4 inch | 5 | 14.2 | 200 | |

FreeCall 1800 088 538

8

FreeFax 1800 802 394

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

| AGPOINT PART NO. | Size | Thick mm | Bundle Qty | Bundle Kg | Drum Qty | Application (Guide Only) |
|---------------------|------|-------------|---------------|--------------|-------------|-----------------------------|
|---------------------|------|-------------|---------------|--------------|-------------|-----------------------------|

centres. Use Bolt P/N SH1 or SH2

| No.31SL Reversible Chisel Point | Fits Various As Below |
|---------------------------------|-----------------------|
|---------------------------------|-----------------------|

| | | | | | |
|----------|---------------|---|------|-----|--|
| 31SL - 1 | 40mm 1/2 inch | 5 | 7.0 | 500 | MF, Gibbons, Agpoint Coil Tines |
| 31SL - 2 | 40mm 5/8 inch | 5 | 7.8 | 400 | Takes 7/16" Plow Bolts at 50mm centres |
| 31SL - 3 | 50mm 5/8 inch | 5 | 9.7 | 350 | |
| 31SL - 4 | 65mm 5/8 inch | 5 | 11.5 | 300 | |

| No.31ST Single Ended Chisel Point | Fits Straight Shanks |
|-----------------------------------|----------------------|
|-----------------------------------|----------------------|

| | | | | | |
|--------|--------------|---|--|-----|---|
| 31ST-1 | 2 " 3/4 inch | 5 | | 300 | Fits Gessner, Gason, H Bagshaw, Simplicity, Gyrat & most other makes with straight tine. Takes 2 x 1/2" Plow Bolts at 57mm centres |
|--------|--------------|---|--|-----|---|

| No.31US Reversible Chisel Point | Fits Various As Below |
|---------------------------------|-----------------------|
|---------------------------------|-----------------------|

| | | | | | |
|------|--------------|---|-----|-----|--|
| 31US | 2 " 1/2 inch | 5 | 6.1 | 500 | Fits Leon, Morris, IHC-Vibrashank Hesston, Flexi-Coil, Bourgault etc. Takes 2 x 7/16" Plow Bolts at 44.5mm centres |
|------|--------------|---|-----|-----|--|

| No.31VI Reversible Chisel Point | Fits Vicon Style Jumbo Buster |
|---------------------------------|-------------------------------|
|---------------------------------|-------------------------------|

| | | | | | |
|------|--------------|---|------|-----|--|
| 31VI | 3 " 3/8 inch | 5 | 11.7 | 250 | Fits Vicon Style Jumbo Buster Takes 3 x 1/2" Plow Bolts at 67mm centres |
|------|--------------|---|------|-----|--|

| No.12640 Reversible Chisel Point | Fits Various Below |
|----------------------------------|--------------------|
|----------------------------------|--------------------|

| | | | | | |
|-------|-----------------|---|-----|-----|---|
| 12640 | 2 1/2" 3/8 inch | 5 | 7.7 | 400 | Fits Coil Tines, Leon, Morris, Hesston IHC-Vibrashank, Flexi-Col, Bourgault etc. Hole & Slot at 44.5mm to 51mm centres. |
|-------|-----------------|---|-----|-----|---|

FreeCall 1800 088 538

9

FreeFax 1800 802 394

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

| AGPOINT PART NO. | Size | Thick mm | Bundle Qty | Bundle Kg | Drum Qty | Application (Guide Only) |
|---------------------|------|-------------|---------------|--------------|-------------|-----------------------------|
|---------------------|------|-------------|---------------|--------------|-------------|-----------------------------|

Takes 2 x 7/16" Plow Bolts

| | |
|---------------------------------------|----------------------------------|
| No.61U Universal Bolt-On Point | 38 Degree Fits Most makes |
|---------------------------------------|----------------------------------|

| | | | | | | |
|-------------------|---------|-----|----|------|------|---|
| 61U x 2 1/2 Plain | 2 1/2 " | 6mm | 25 | 9.1 | 1000 | Fits Shearer, Ford, Gyrat etc. |
| 61U x 4 Dart | 4" | 6mm | 25 | 10.4 | 800 | Takes Crushed Cuphead Bolt: S4, S5 or S6 |
| 61U x 5 Dart | 5" | 6mm | 25 | 11.2 | 750 | or Special Bolt: AG4, AG5, AG6, AG7 or AG8 |
| 61U x 6 Dart | 6" | 6mm | 25 | 13.5 | 500 | |
| 61U x 7 Dart | 7" | 6mm | 10 | 7.2 | 400 | |
| 61U x 8 Dart | 8" | 6mm | 10 | 8.7 | 400 | Use Tine Washer N538 |

| | |
|-----------------------------|---|
| No.61N Bolt-On Point | 40 Degree Fits Alfarm, Napier etc. |
|-----------------------------|---|

| | | | | | | |
|----------------|----|-----|----|------|-----|---|
| 61N x 6* Plain | 6" | 6mm | 25 | 13.5 | 500 | Fits Napier, Alfarm etc. |
| 61N x 7* Plain | 7" | 6mm | 10 | 7.2 | 400 | Takes Crushed Cuphead Bolt: S4, S5 or S6 |
| | | | | | | or Special Bolt: AG4, AG5, AG6, AG7 or AG8 |

| | |
|-----------------------------|--------------------------------------|
| No.63T Bolt-On Point | 35 Degree High Breasted Style |
|-----------------------------|--------------------------------------|

| | | | | | | |
|------------------|--------|-----|----|------|-----|--|
| 63T x 4 1/2 Dart | 4 1/2" | 6mm | 25 | 11.1 | 750 | Fits MF, Chamberlain etc. |
| 63T x 5 1/2 Dart | 5 1/2" | 6mm | 25 | 13.6 | 500 | Note: This part has 7/16" hole & takes Special Bolt AG1, AG2 & AG2L |

| | |
|-----------------------------|-------------------|
| No.64A Bolt-On Point | Reversible |
|-----------------------------|-------------------|

| | | | | | | |
|-----------|--------|-----|----|-----|------|--|
| 64A Plain | 1 1/4" | 6mm | 25 | 9.4 | 1500 | Fits most fluted tines. Takes 3/8 or 7/16" Cuphead Bolt & Nut. Use S2 or S4 & N538 washer. |
|-----------|--------|-----|----|-----|------|--|

FreeCall 1800 088 538

10

FreeFax 1800 802 394

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

| AGPOINT PART NO. | Size | Thick mm | Bundle Qty | Bundle Kg | Drum Qty | Application (Guide Only) |
|---------------------|------|-------------|---------------|--------------|-------------|-----------------------------|
|---------------------|------|-------------|---------------|--------------|-------------|-----------------------------|

| | | | | | | |
|----------------------------|-------------------|--|--|--|--|--|
| No.64 Bolt-On Point | Reversible | | | | | |
|----------------------------|-------------------|--|--|--|--|--|

| | | | | | | |
|----------|---------|-----|----|------|-----|--|
| 64 Plain | 2 1/2 " | 6mm | 25 | 13.5 | 800 | Fits most fluted tines. Takes 3/8 or 7/16" Cuphead Bolt & Nut. Use S2, S4 or AG2, AG4 & N538 washer. |
|----------|---------|-----|----|------|-----|--|

| | | | | | | |
|----------------------------|-------------------|--|--|--|--|--|
| No.65 Bolt-On Point | Reversible | | | | | |
|----------------------------|-------------------|--|--|--|--|--|

| | | | | | | |
|----------|------|-----|----|------|-----|--|
| 65 Plain | 1/2" | 6mm | 25 | 10.0 | 800 | Fits most fluted tines. Takes 3/8 or 7/16" Cuphead Bolt & Nut. Use S2 or S4 & N538 washer. |
|----------|------|-----|----|------|-----|--|

| | | | | | | |
|-----------------------------|-------------------|--|--|--|--|--|
| No.715 Bolt-On Point | Reversible | | | | | |
|-----------------------------|-------------------|--|--|--|--|--|

| | | | | | | |
|-----------|------|-----|----|-----|------|--|
| 715 Plain | 40mm | 6mm | 25 | 5.5 | 1500 | Fits various tines with 7/16" hole. Takes 7/16' Crushed Cuphead Bolt S4 to S6 or Special Bolt: AG4 to AG8 |
|-----------|------|-----|----|-----|------|--|

| | | | | | | |
|-------------------------------|-------------------|--|--|--|--|--|
| No.15780 Bolt-On Point | Reversible | | | | | |
|-------------------------------|-------------------|--|--|--|--|--|

| | | | | | | |
|-------------|--------|-----|----|-----|------|---|
| 15780 Plain | 1 1/4" | 6mm | 25 | 9.5 | 1250 | Fits Konskilde "S" Spring tines Takes 3/8" marlow B&N. |
|-------------|--------|-----|----|-----|------|---|

| | | | | | | |
|-----------------------------|--------------------|--|--|--|--|--|
| No.74A Bolt-On Point | Plain Style | | | | | |
|-----------------------------|--------------------|--|--|--|--|--|

| | | | | | | |
|----------------|----|-----|----|------|------|----------------------------------|
| 74A x 3 Plain | 3" | 5mm | 25 | 12.0 | 1200 | Fits Horwood Bagshaw Combine. |
| 74A x 4 Plain | 4" | 5mm | 25 | 13.4 | 1000 | Takes special headed bolt & nut. |
| 74A x 5 Plain | 5" | 5mm | 25 | 13.9 | 1000 | Use N538 washer. |
| 74A x 6* Plain | 6" | 5mm | 10 | 7.6 | 750 | |

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

| AGPOINT PART NO. | Size | Thick mm | Bundle Qty | Bundle Kg | Drum Qty | Application (Guide Only) |
|--|---------|-------------|---------------|--------------|-------------|---|
| No.16108 Series Bolt-On Point | | | | | | 41 Degree Sweep |
| 16108 Dart | 8" | 5mm | 10 | 7.5 | 350 | Fits Alfarm, Janke, Horwood Bagshaw |
| 16109 Dart | 9" | 5mm | 10 | 8.1 | 350 | AFM and others with 43 degree tine. |
| 16110 Dart | 10" | 5mm | 10 | 8.5 | 300 | Takes Crushed Cuphead Bolt: S4, S5 or S6 |
| 16112 Dart | 12" | 5mm | 10 | 8.8 | 250 | or Special Bolt: AG4, AG5, AG6, AG7 or AG8. Use Tine Washer N538 |
| No.16308 Series Bolt-On Point | | | | | | 46 Degree Sweep |
| 16308 Dart | 8" | 5mm | 10 | 7.5 | 350 | Fits Ackland, Shearer, Gason & others with |
| 16309* Dart | 9" | 5mm | 10 | 8.1 | 350 | 49 degree tine. |
| 16310 Dart | 10" | 5mm | 10 | 8.5 | 300 | Takes Crushed Cuphead Bolt: S4, S5 or S6 |
| * To be deleted from range once existing stocks have been sold | | | | | | or Special Bolt: AG4, AG5, AG6, AG7 or AG8. Use Tine Washer N538 |
| No.M1 Marlow Point Slip-On Type | | | | | | 43 Degree Slip-On Point |
| M1 x 4 1/2 Dart | 4 1/2" | 5mm | 25 | 9.8 | 600 | Fits MF, Chamberlain etc. |
| M1 x 5 1/2 Dart | 5 1/2 " | 5mm | 25 | 12.3 | 500 | Takes Marlow Clip & Bolt Assy. |
| M1 x 6 1/2 Dart | 6 1/2" | 5mm | 25 | 14.6 | 400 | |
| M1 x 7 1/2 Dart | 7 1/2 " | 5mm | 10 | 7.8 | 350 | |
| No.M2 Marlow Point Slip-On Type | | | | | | 46 Degree Slip-On Point |
| M2 x 2 Plain | 2" | 5mm | 25 | 6.8 | 1000 | Fits Most makes of combines or cultivators |
| M2 x 2 1/2 Plain | 2 1/2" | 5mm | 25 | 6.8 | 1000 | with fluted or similar foot |
| M2 x 4 Dart | 4" | 5mm | 25 | 8.6 | 750 | (Steeper set than M3) |
| M2 x 5 Dart | 5" | 5mm | 25 | 9.8 | 600 | |

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

| AGPOINT PART NO. | Size | Thick mm | Bundle Qty | Bundle Kg | Drum Qty | Application (Guide Only) |
|---------------------|------|-------------|---------------|--------------|-------------|--------------------------------|
| M2 x 6 Dart | 6" | 5mm | 25 | 12.4 | 450 | |
| M2 x 7 Dart | 7" | 5mm | 25 | 14.6 | 400 | Takes Marlow Clip & Bolt Assy. |
| M2 x 8 Dart | 8" | 5mm | 10 | 7.8 | 350 | |

| No.M2Tx 6mm Marlow Point Slip-On Type | | | | | | 46 Degree Slip-On Point |
|---------------------------------------|----|-----|----|------|-----|---|
| M2T x 6 Dart | 6" | 6mm | 25 | 14.8 | 400 | Fits Most makes of combines or cultivators |
| M2T x 7 Dart | 7" | 6mm | 10 | 7.1 | 350 | with fluted or similar foot.(Steeper set than M3) |
| M2T x 8 Dart | 8" | 6mm | 10 | 9.2 | 300 | Takes Marlow Clip & Bolt Assy. |

| No.M2LP Marlow Point Slip-On Type | | | | | | Lucerne Point |
|-----------------------------------|------|-----|----|------|-----|--|
| M2LP Plain | 10mm | 5mm | 25 | 9.9 | 750 | Fits Most makes of combines or cultivators |
| M2LPL Plain | 10mm | 5mm | 25 | 12.0 | 600 | Takes Marlow Clip & Bolt Assy. |

| No.M2SP Marlow Point Slip-On Type | | | | | | Seeding Point |
|-----------------------------------|------|-----|----|------|-----|--|
| M2SP Plain | 20mm | 5mm | 25 | 10.1 | 750 | Fits Most makes of combines or cultivators |
| | | | | | | Takes Marlow Clip & Bolt Assy. |
| | | | | | | 6" Long x 20mm wide |

| No.M2PP Marlow Point Slip-On Type | | | | | | Seeding Point |
|-----------------------------------|------|-----|----|------|-----|--|
| M2PP Plain | 35mm | 5mm | 25 | 10.1 | 750 | Fits Most makes of combines or cultivators |
| | | | | | | Takes Marlow Clip & Bolt Assy. |
| | | | | | | 6" Long x 35mm wide |

| No.M3 Marlow Point Slip-On Type | | | | | | 49 Degree Slip-On Point |
|---------------------------------|----|-----|----|-----|-----|--|
| M3 x 4 Dart | 4" | 5mm | 25 | 8.6 | 750 | Fits Most makes of combines or cultivators |

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

| AGPOINT PART NO. | Size | Thick mm | Bundle Qty | Bundle Kg | Drum Qty | Application (Guide Only) |
|---------------------|------|-------------|---------------|--------------|-------------|---|
| M3 x 5 Dart | 5" | 5mm | 25 | 9.8 | 600 | with fluted or similar foot.(Flatter set than M2) |
| M3 x 6 Dart | 6 " | 5mm | 25 | 12.4 | 450 | Takes Marlow Clip & Bolt Assy. |
| M3 x 7 Dart | 7" | 5mm | 25 | 14.6 | 400 | |
| M3 x 8 Dart | 8" | 5mm | 10 | 7.7 | 350 | |

| No.M3Tx 6mm Marlow Point Slip-On Type | | | | | 49 Degree Slip-On Point | |
|---------------------------------------|----|-----|----|------|-------------------------|---|
| M3T x 6 Dart | 6" | 6mm | 25 | 14.8 | 400 | Fits Most makes of combines or cultivators |
| M3T x 7 Dart | 7" | 6mm | 10 | 7.1 | 350 | with fluted or similar foot.(Flatter set than M2) |
| M3T x 8 Dart | 8" | 6mm | 10 | 9.2 | 300 | Takes Marlow Clip & Bolt Assy. |

| No.MC-11 Marlow Clip | | | | | Suit Slip-On Type: M1,M2 &M3 Points | |
|----------------------|--------|-----|----|------|-------------------------------------|--|
| MC-11 | 7/16 " | 6mm | 50 | 10.0 | 4000 | Takes Special AG Series Bolt & Nut available in either 3/8" or 7/16". Must be fitted with a spring washer & not tightened beyond 60ft/lb. Do not lubricate! |

| No.M4 Marlow Point Slip-On Type | | | | | 52 Degree Slip-On Point | |
|---------------------------------|------|-----|----|------|-------------------------|---------------------------------------|
| M4SP Plain | 20mm | 5mm | 25 | 10.5 | 750 | Fits Connor Shea wideline cultivator |
| M4 x 2 Plain | 2 " | 5mm | 25 | 10.4 | 900 | Takes Special MC21193 clip & MB1 Bolt |
| M4 x 4 Dart | 4 " | 5mm | 25 | 12.6 | 600 | with N538 washer. |
| M4 x 5 Dart | 5 " | 5mm | 25 | 14.6 | 500 | |
| M4 x 6 Dart | 6 " | 5mm | 25 | 15.2 | 500 | |
| M4 x 7 Dart | 7" | 5mm | 10 | 6.5 | 400 | |

FreeCall 1800 088 538

14

FreeFax 1800 802 394

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

| AGPOINT PART NO. | Size | Thick mm | Bundle Qty | Bundle Kg | Drum Qty | Application (Guide Only) |
|---------------------|------|-------------|---------------|--------------|-------------|-----------------------------|
|---------------------|------|-------------|---------------|--------------|-------------|-----------------------------|

| | | | | | | |
|-------------|----|-----|----|-----|-----|--|
| M4 x 8 Dart | 8" | 5mm | 10 | 6.6 | 400 | |
|-------------|----|-----|----|-----|-----|--|

| No.M4 Marlow Point Slip-On Type | Suit M4 Point |
|---------------------------------|---------------|
|---------------------------------|---------------|

| | | | | | | |
|---------|-------|-----|----|-----|------|--|
| MC21193 | 3/8 " | 4mm | 25 | 2.7 | 4000 | Fits M4 point for Connor Shea Takes Special MB1 Bolt with N538 washer |
|---------|-------|-----|----|-----|------|--|

| No.M5 Slip-On Style Sweep | Slip-On Sweep - 43 Degree |
|---------------------------|---------------------------|
|---------------------------|---------------------------|

| | | | | | | |
|--------------|------|-----|----|------|-----|--|
| M5SP Plain | 35mm | 6mm | 10 | 8.3 | 350 | Fits early model John Deere 1000 series with 3/8" holes, White, Gason 5100, MF259 & Versatile cultivators. |
| M5 x 2L Dart | 2 " | 6mm | 10 | 6.8 | 450 | |
| M5 x 4 Dart | 4" | 6mm | 10 | 8.3 | 450 | |
| M5 x 6 Dart | 6" | 6mm | 10 | 10.3 | 300 | |
| M5 x 7 Dart | 7" | 6mm | 10 | 11.0 | 300 | Takes Clip 15552 |
| M5 x 8 Dart | 8" | 6mm | 10 | 12.0 | 250 | Steeper set than M6 or M7 |
| M5 x 9 Dart | 9" | 6mm | 10 | 12.2 | 250 | |
| M5 x 10 Dart | 10" | 6mm | 10 | 12.4 | 200 | |

| No.M6 Slip-On Style Sweep | Slip-On Sweep - 50 Degree |
|---------------------------|---------------------------|
|---------------------------|---------------------------|

| | | | | | | |
|--------------|----|-----|----|------|-----|--|
| M6 x 4* Dart | 4" | 6mm | 10 | 8.3 | 450 | Fits IHC-Vibrashank & Hesston cultivators & John Deere with slotted hole. |
| M6 x 6* Dart | 6" | 6mm | 10 | 10.3 | 300 | |
| M6 x 7* Dart | 7" | 6mm | 10 | 11.0 | 300 | |

FreeCall 1800 088 538

15

FreeFax 1800 802 394

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

| AGPOINT PART NO. | Size | Thick mm | Bundle Qty | Bundle Kg | Drum Qty | Application (Guide Only) |
|---------------------|------|-------------|---------------|--------------|-------------|----------------------------------|
| M6 x 8* Dart | 8" | 6mm | 10 | 12.0 | 250 | Takes Clip 15552 |
| M6 x 9* Dart | 9" | 6mm | 10 | 12.2 | 250 | |
| M6 x 10* Dart | 10" | 6mm | 10 | 12.4 | 200 | Flatter set than M5 or M7 |

| No.M7 Slip-On Style Sweep | | | | | | Slip-On Sweep - 47 Degree |
|---------------------------|----|-----|----|------|-----|--|
| M5 x 2L Dart (use M5) | 2" | 6mm | 10 | 6.8 | 450 | Fits North American field cultivators. |
| M7 x 4 Dart | 4" | 6mm | 10 | 8.3 | 450 | FlexiCoil, Morris, IHC-Vibrashank, Bourgault & Horwood Bagshaw ScariBar |
| M7 x 7 Dart | 7" | 6mm | 10 | 11.0 | 300 | Takes Clip 15336 or 15552 |
| M7 x 8 Dart | 8" | 6mm | 10 | 12.0 | 250 | Flatter set than M5 |
| M7 x 9 Dart | 9" | 6mm | 10 | 12.2 | 250 | |

| No.15552 Slip-On Clip | | | | | | Slip-On Sweep Clips |
|-----------------------|--------|-----|----|-----|------|---|
| 15552 Slip-On Clip | 7/16 " | 5mm | 25 | 5.9 | 2000 | Fits IHC-Vibrashank, Hesston, AFM, Gason Hiniker, MF259, FlexiCoil, Versatile, Bourgault & John Deere with slotted 7/16" hole at 44.5mm (1 3/4") centres. Takes 7/16" or 1/2" CSK Bolt & Nut. |

| No.M8T Slip-On Sweep | | | | | | Slim-Wedge Sweeps |
|----------------------|-----|-----|----|------|-----|--|
| M8T x 2 Dart | 2" | 8mm | 10 | 9.5 | 400 | Fits North American field cultivators |
| M8T x 4 Dart | 4" | 8mm | 5 | 5.8 | 300 | FlexiCoil, IHC-Vibrashank, Hesston, Hiniker & Bourgault, Horwood Bagshaw Scaribar, Gason 6100, Morris etc. |
| M8T x 6 Dart | 6" | 8mm | 5 | 7.1 | 250 | |
| M8T x 7 Dart | 7" | 8mm | 5 | 8.0 | 200 | |
| M8T x 8 Dart | 8" | 8mm | 5 | 8.9 | 200 | |
| M8T x 9 Dart | 9" | 8mm | 5 | 9.5 | 150 | Refer Cast Clips from 15553 to 15561 |
| M8T x 10 Dart | 10" | 8mm | 5 | 10.0 | 150 | |

FreeCall 1800 088 538

16

FreeFax 1800 802 394

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

| AGPOINT PART NO. | Size | Thick mm | Bundle Qty | Bundle Kg | Drum Qty | Application (Guide Only) |
|---------------------|------|-------------|---------------|--------------|-------------|-----------------------------|
| M8T x 11 Dart | 11" | 8mm | 5 | 10.8 | 100 | |
| M8T x 12 Dart | 12" | 8mm | 5 | 11.8 | 100 | |
| M8T x 14 Dart | 14" | 8mm | 5 | 13.1 | 100 | |
| M8T x 16 Dart | 16" | 8mm | 5 | 15.1 | 80 | |

* Please Note: The larger sweeps are for (secondary) light to medium cultivation only

| No.M9T Marathon Slip-On Sweep | | | | | | Slim-Wedge Sweeps |
|-------------------------------|-----|-----|---|------|-----|---|
| M9Tx8 Plain | 8" | 8mm | 5 | 8.9 | 200 | Fits North American field cultivators |
| M9Tx9 Plain | 9" | 8mm | 5 | 9.5 | 150 | FlexiCoil, IHC-Vibrashank, Hesston, Hiniker |
| M9Tx10 Plain | 10" | 8mm | 5 | 10.0 | 150 | & Bourgault, Horwood Bagshaw Scaribar, |
| M9Tx11 Plain | 11" | 8mm | 5 | 10.8 | 150 | Gason 6100, Morris etc. |
| M9Tx12 Plain | 12" | 8mm | 5 | 11.8 | 100 | |
| M9Tx14 Plain | 14" | 8mm | 5 | 13.1 | 100 | Refer Cast Clips from 15553 to 15561 |

| No.15553 Slimwedge Cast Wedge | | | | | | 43 Degree |
|-------------------------------|-------|------|---|-----|------|--|
| 15553 | 7/16" | Cast | 1 | 0.4 | Each | Fits AFM, Gyal & Janke. 44.5mm (1 3/4") hole centre 7/16" CSK |

| No.15554 Slimwedge Cast Wedge | | | | | | 47 Degree |
|-------------------------------|------|------|---|-----|------|--|
| 15554 | 1/2" | Cast | 1 | 0.4 | Each | Fits Gason EcoTill & ScariTill, Ezee-On MF259, Horwood Bagshaw ScariBar, AFM Bourgault, Versatile etc. |

FreeCall 1800 088 538

17

FreeFax 1800 802 394

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

| AGPOINT PART NO. | Size | Thick mm | Bundle Qty | Bundle Kg | Drum Qty | Application (Guide Only) |
|---------------------|------|-------------|---------------|--------------|-------------|-----------------------------|
|---------------------|------|-------------|---------------|--------------|-------------|-----------------------------|

44.5mm (1 3/4") hole centre 1/2" CSK

| | |
|--------------------------------------|------------------|
| No.15555 Slimwedge Cast Wedge | 47 Degree |
|--------------------------------------|------------------|

| | | | | | | |
|-------|--------|------|---|-----|------|--|
| 15555 | 7/16 " | Cast | 1 | 0.4 | Each | Fits IHC-Vibrashank, Gason Hiniker & Flexi-Coil. |
|-------|--------|------|---|-----|------|--|

44.5mm (1 3/4") hole centre 7/16" CSK

| | |
|--------------------------------------|------------------|
| No.15557 Slimwedge Cast Wedge | 47 Degree |
|--------------------------------------|------------------|

| | | | | | | |
|-------|------|------|---|-----|------|--|
| 15557 | 1/2" | Cast | 1 | 0.4 | Each | Fits Gason EcoTill & Gason ScariTill, Horwood Bagshaw ScariBar- Edge On etc. |
|-------|------|------|---|-----|------|--|

57mm (2 1/4") hole centre 1/2" CSK

| | |
|--------------------------------------|------------------|
| No.15556 Slimwedge Cast Wedge | 50 Degree |
|--------------------------------------|------------------|

| | | | | | | |
|-------------------------|------|------|---|-----|------|---|
| 15556 <i>Long Wedge</i> | 1/2" | Cast | 1 | 0.5 | Each | Fits most chisel plows with 1/2" x 57mm hole centres ie. J Deere, AFM Chisel Plow, Case PTX Bars & Morris 50 degree. |
|-------------------------|------|------|---|-----|------|---|

57mm (2 1/4") hole centre 1/2" CSK

| | |
|--------------------------------------|------------------|
| No.15558 Slimwedge Cast Wedge | 50 Degree |
|--------------------------------------|------------------|

| | | | | | | |
|--------------------------|------|------|---|-----|------|--|
| 15558 <i>Short Wedge</i> | 1/2" | Cast | 1 | 0.5 | Each | Fits MF, Riteway, Friggstad, FlexiCoil, Fusion Horwood Bagshaw Scaribar- Flat On Noble, Hesston |
|--------------------------|------|------|---|-----|------|--|

57mm (2 1/4") hole centre 1/2" CSK

| | |
|--------------------------------------|--------------------|
| No.15660 Slimwedge Cast Wedge | Trashworker |
|--------------------------------------|--------------------|

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

| AGPOINT PART NO. | Size | Thick mm | Bundle Qty | Bundle Kg | Drum Qty | Application (Guide Only) |
|---------------------|-------|-------------|---------------|--------------|-------------|---|
| 15560 | 9/16" | Cast | 1 | 0.5 | Each | Fits Shearer Trashworker 76mm (3") hole centre 9/16" SH1 bolt |

| No.15661 Slimwedge Cast Wedge | | | | | | Most Scarifiers |
|-------------------------------|------|------|---|-----|------|---|
| 15561 | 1/2" | Cast | 1 | 0.5 | Each | Converts most scarifiers with 1/2" hole to slimwedge system |

| M8T-RC & M8T-RT Retaining Clip & Removal Tool | | | | | Agpoint Locking System | |
|---|---------|-----|--|------|------------------------|---|
| M8T-RC Retaining Clip | Zinc | 100 | | Bag | \$0.50 | Retaining Clip for Agpoint locking system |
| M8T-RT Removal Tool | Painted | 1 | | Each | \$12.00 | Removal Tool for Agpoint locking system |

Slimwedge Locking System Pat Pending No.2002950488

| Slimline Points | | | | | | Slimline Tines |
|-----------------|------|-----|----|-----|-----|--|
| 16101 Lucerne | 20mm | 5mm | 20 | 6.8 | 900 | To fit all Slimline Tines ie. Alfarm, Gason & Symonds |
| 16102 Plain | 2" | 5mm | 20 | 6.7 | 700 | |
| 15724 Dart | 4" | 5mm | 20 | 7.1 | 600 | |
| 15726 Dart | 6" | 5mm | 20 | 9.9 | 400 | |
| 15727 Dart | 7" | 5mm | 10 | 5.9 | 300 | |
| 15728 Dart | 8" | 5mm | 10 | 7.6 | 250 | |

| Ripper Points | | | | | | Fits Various |
|-------------------------|----|------|---|------|-----|--------------------------------|
| RI 6-01341 Double Ended | 3" | 5/8" | 4 | 9.8 | 250 | 2 x 1/2" holes at 51mm centres |
| RI 6-01344 Double Ended | 3" | 3/4" | 4 | 12.0 | 250 | 2 x 1/2" holes at 51mm centres |
| RI 6-01345 Double Ended | 3" | 5/8" | 4 | 10.2 | 250 | 2 x 1/2" holes at 63mm centres |
| RI 6-01348 Double Ended | 3" | 5/8" | 4 | 13.3 | 250 | 2 x 1/2" holes at 70mm centres |

FreeCall 1800 088 538

19

FreeFax 1800 802 394

Agpoint Australia

True Blue Australian Made Points, Sweeps & Chisels

| AGPOINT PART NO. | Size | Thick mm | Bundle Qty | Bundle Kg | Drum Qty | Application (Guide Only) |
|-------------------------|--------|-------------|---------------|--------------|-------------|---|
| RI 6-01349 Double Ended | 3" | 3/4" | 4 | 10.5 | 250 | 4 x 1/2" holes at 50mm-112mm centres |
| RI 6-06275 Double Ended | 2 1/2" | 3/4" | 4 | 12.0 | 250 | 1/2" holes at 50mm,63mm & 110mm centres |
| RI 6-01352 Single Ended | 3" | 5/8" | 4 | 9.9 | 300 | 2 x 1/2" holes at 70mm centres |
| RI 6-01353 Single Ended | 3" | 1" | 4 | 16.0 | 300 | 2 x 1/2" holes at 115mm centres |

| Soil Buster | | | | | 6-01354P1 |
|-------------|-----|------|---|-----|---|
| SB6-01354 | 10" | 10mm | 1 | 5.0 | Heavy Duty Soil Buster 5/8" slotted hole for 50mm to 90 mm centres |

| Clamp & Set Screw-Feed Down Point | | | | | Fits 314H & 315H |
|-----------------------------------|--|--|---|-----|---|
| WCK91 Cast Clamp | | | 1 | 0.5 | Each Fits 314H & 315H clamp on feed down points Uses two per tine |

| Tine Washer | | | | | |
|-------------|--|--|---|-----|----------------------------------|
| N538 | | | 1 | 0.3 | Each Takes 3/8" or 7/16" bolt |

| Tine Clip & Bolt | | | | | |
|------------------|------|--|---|-----|-------------------------|
| JLS1 | 1/4" | | 1 | 0.1 | Each Fits most makes |