

Agpoint Australia

Wear Enhanced....Ag-Tuff....Tuff Stuff

AGPOINT PART NO.	Size	Thick mm	Bundle Qty	Bundle Kg	Drum Qty	Application (Guide Only)
---------------------	------	-------------	---------------	--------------	-------------	-----------------------------

No.8A Key Hole Bolt On Scarifier Point

Fits Connor Shea

8ALP-AT Ag-Tuff Fluted	1 1/2"	6mm	10	8.6	400	Equiv to Napier 11701
8A x 8-AT Ag-Tuff	8"	6mm	10	11.3	250	Take 1/2" CSK Plow Bolt & Nut Use Bolt P/N CSK16

No.10 Bolt-On Scarifier Point

Fits Chamberlain, Horwood Bagshaw etc.

10 x 7-AT* Ag-Tuff	7"	6mm	10	10.3	600	Takes 1/2" Cuphead Bolt & Nut Use Bolt part number BRH15 or BRH16
--------------------	----	-----	----	------	-----	--

Priced to clear

No.20 Universal Scarifier Point

Fits Chamberlain, Horwood Bagshaw, Shearer etc.

20 x 6-AT Ag-Tuff	6 "	6mm	10	8.8	600	Suits most makes of scarifiers
20 x 7-AT Ag-Tuff	7 "	6mm	10	9.8	550	Takes 1/2" Cuphead Bolt & Nut
20 x 8-AT Ag-Tuff	8 "	6mm	10	12.8	500	Use Bolt P/N BRH15 or BRH16
20LP-AT Ag-Tuff	12mm	6mm	10	6.3	450	Use Bolt P/N CSK9, CSK15 or CSK16
20LP-TG Tungsten Tile	12mm	6mm	10	6.9	450	Use Bolt P/N CSK9, CSK15 or CSK16
20RP-AT Ag-Tuff	65mm	10mm	10	8.3	800	Use Bolt P/N BRH15 or BRH16

No.202T Bolt-On Sweep

47 Degree Sweep

202T x 8-AT* Ag-Tuff	8 "	8mm	5	8.9	250	Fits IHC V/shank, Leon, Flexi-Coil, Gason,
202T x 9-AT* Ag-Tuff	9 "	8mm	5	9.7	240	Hesston, Morris, Bourgault, Ezee-On, H Bagshaw-ScariBar 2 bolt edge-on tine only & other wth 47 degree tines.

Agpoint Australia

Wear Enhanced....Ag-Tuff....Tuff Stuff

AGPOINT PART NO.	Size	Thick mm	Bundle Qty	Bundle Kg	Drum Qty	Application (Guide Only)
---------------------	------	-------------	---------------	--------------	-------------	-----------------------------

50 Degree Standard Style Chisel Plow Sweep						50 Degree Sweep
---	--	--	--	--	--	------------------------

50-8-8-AT Ag-Tuff	8 "	8mm	1	2.6	150	Fits J Deere, Massey Ferguson, AFM,
50-16-8-AT Ag-Tuff	16"	8mm	1	4.2	80	Hesston, Riteway, New Holland, Symonds, Morris Magnum 2, Connor Shea, Versatile Friggstad, Gason Eco Till, Yeomans, Noble, Flexi-Coil 550

* Made to order and subject to minimum drum lots

Takes 2 x 1/2" Plow Bolts at 57mm centres
Use Bolt P/N CSK17, CSK18 or CSK19

32HDP-1 Heavy Duty Knife Point						Fits Various
---------------------------------------	--	--	--	--	--	---------------------

32HDP-1AT Ag-Tuff 7/16" HOLES STD			5	6.0	400	Fits IHC V/shank, Leon, Flexi-Coil, Gason,
32HDP-1TG Tungsten Tiles 7/16" HOLES STD				8.5	200	Hesston, Morris, Bourgault, Ezee-On, H Bagshaw ScariBar & other 2 bolt hole
32HDP-1TGK 1/2" HOLES: STD LENGTH			5	8.5	200	44.5mm (1 3/4") hole centres
32HDP-1TGKS SHORT TG 1/2" HOLES			5	8.5	200	16mm wide x 50mm deep

New Short Version

32HDP-2 Heavy Duty Knife Point						Fits Various
---------------------------------------	--	--	--	--	--	---------------------

32HDP-2AT Ag-Tuff	16mm	50mm	5	6.0	400	Fits AFM, Morris, John Deere, Friggstad
32HDP-2TG Tungsten Tiles	16mm	50mm	5	8.5	200	Gason-Hiniker, Versatile, H Bagshaw Scari Seeder 2 bolt hole edge-on
32HDP-2TGS SHORT TG	16mm	50mm	5	8.5	200	Takes 2 x 1/2" Plow Bolts at 57mm centres

New Short Version

No.61U Universal Bolt-On Point						38 Degree Fits Most makes
---------------------------------------	--	--	--	--	--	----------------------------------

FreeCall 1800 088 538

2

FreeFax 1800 802 394

Agpoint Australia

Wear Enhanced....Ag-Tuff....Tuff Stuff

AGPOINT PART NO.	Size	Thick mm	Bundle Qty	Bundle Kg	Drum Qty	Application (Guide Only)
61U x 4-AT Ag-Tuff	4 "	6mm	25	11.4	800	Fits Shearer, Ford, Gyrat etc.
61U x 5-AT Ag-Tuff	5 "	6mm	25	12.5	750	Takes Crushed Cuphead Bolt: S4, S5 or S6
61U x 6-AT Ag-Tuff	6 "	6mm	25	14.9	500	or Special Bolt: AG4, AG5, AG6, AG7 or AG8
61U x 7-AT Ag-Tuff	7 "	6mm	10	7.7	400	
61U x 8-AT Ag-Tuff	8 "	6mm	10	10.2	350	Use Tine Washer N538

No.61SPW & 61SPWL Universal Wing Seeder Point						Fits Most makes Combines
61SPW-AT Ag-Tuff	80mm	6mm	10	6.4	500	Fits Shearer, Ford, Gyrat etc.
61SPWL-AT Ag-Tuff	95mm	6mm	10	7.8	350	Takes Crushed Cuphead Bolt: S4, S5 or S6 or Special Bolt: AG4, AG5, AG6, AG7 or AG8 . Use Tine Washer N538

No.65 Bolt-On Point						Lucerne Chisel
65-AT	12mm	6mm	25	12.0	800	Fits most fluted tines. Takes 3/8 or 7/16" Crushed Cuphead Bolt. Use S2 or S4 & N538 washer.

No.715 Bolt-On Point						Aqua Point
715-AT Ag-Tuff	40mm	6mm	25	5.5	1500	Fits various tines with 7/16" hole. Takes 7/16" Crushed Cuphead Bolt S4 to S6 or Special Bolt: AG4 to AG8

No.16108 Series Bolt-On Point						41 Degree Sweep
16108-AT Ag-Tuff	8 "	5mm	10	8.3	350	Fits Alfarm, Janke, Horwood Bagshaw

FreeCall 1800 088 538

3

FreeFax 1800 802 394

Agpoint Australia

Wear Enhanced....Ag-Tuff....Tuff Stuff

AGPOINT PART NO.	Size	Thick mm	Bundle Qty	Bundle Kg	Drum Qty	Application (Guide Only)
---------------------	------	-------------	---------------	--------------	-------------	-----------------------------

AFM and others with 43 degree tine.
Takes Crushed Cuphead Bolt: S4 to S6
or Special Bolt: **AG4 to AG8**

No.M1 Marlow Point Slip-On Type						43 Degree Slip-On Point
---------------------------------	--	--	--	--	--	-------------------------

M1 x 4 1/2-AT Ag-Tuff	4 1/2 "	5mm	25	11.2	600	Fits MF, Chamberlain etc.
M1 x 5 1/2-AT Ag-Tuff	5 1/2 "	5mm	25	12.4	500	Takes Marlow Clip & Bolt Assy.

No.M2 Marlow Point Slip-On Type						46 Degree Slip-On Point
---------------------------------	--	--	--	--	--	-------------------------

M2 x 2-AT Ag-Tuff	2 "	5mm	25	8.2	1000	Fits Most makes of combines or cultivators with fluted or similar foot
M2x2 1/2-AT Ag-Tuff	2 1/2"	5mm	25	8.6	750	
M2 x 4-AT Ag-Tuff	4 "	5mm	25	9.4	750	(Steeper set than M3)
M2 x 5-AT Ag-Tuff	5 "	5mm	25	11.1	600	Takes Marlow Clip & Bolt Assy.

No.M2Tx 6mm Marlow Point Slip-On Type						46 Degree Slip-On Point
---------------------------------------	--	--	--	--	--	-------------------------

M2T x 6-AT Ag-Tuff	6 "	6mm	25	14.7	400	Fits Most makes of combines or cultivators with fluted or similar foot.(Steeper set than M3)
M2T x 7-AT Ag-Tuff	7 "	6mm	10	7.7	350	
M2T x 8-AT Ag-Tuff	8 "	6mm	10	8.8	300	Takes Marlow Clip & Bolt Assy.

No.M2LP Marlow Point Slip-On Type						Lucerne Point
-----------------------------------	--	--	--	--	--	---------------

M2LP-XAT Extra Ag-Tuff	10mm	5mm	25	10.4	750	Fits Most makes of combines or cultivators Takes Marlow Clip & Bolt Assy.
------------------------	------	-----	----	------	-----	--

No.M2SP Marlow Point Slip-On Type						Seeding Point
-----------------------------------	--	--	--	--	--	---------------

M2SP-XAT Extra Ag-Tuff	20mm	5mm	25	10.4	750	Fits Most makes of combines or cultivators Takes Marlow Clip & Bolt Assy.
------------------------	------	-----	----	------	-----	--

Agpoint Australia

Wear Enhanced....Ag-Tuff....Tuff Stuff

AGPOINT PART NO.	Size	Thick mm	Bundle Qty	Bundle Kg	Drum Qty	Application (Guide Only)
---------------------	------	-------------	---------------	--------------	-------------	-----------------------------

6" Long x 20mm wide

No.M2SPW & M2SPWL Marlow Wing Seeder Point	Seeding Point
--	---------------

M2SPW-AT Ag-Tuff	80mm	6mm	10	6.4	500	Fits Most makes of combines or cultivators
M2SPWL-AT Ag-Tuff	95mm	6mm	10	7.8	350	Takes Marlow Clip & Bolt Assy.

No.M3 Marlow Point Slip-On Type	49 Degree Slip-On Point
---------------------------------	-------------------------

M3 x 4-AT Ag-Tuff	4 "	5mm	25	9.4	750	Fits Most makes of combines or cultivators
M3 x 5-AT Ag-Tuff	5 "	5mm	25	11.1	600	with fluted or similar foot.(Flatter set than M2) Takes Marlow Clip & Bolt Assy.

No.M3Tx 6mm Marlow Point Slip-On Type	49 Degree Slip-On Point
---------------------------------------	-------------------------

M3T x 6-AT Ag-Tuff	6 "	6mm	25	14.7	400	Fits Most makes of combines or cultivators
M3T x 7-AT Ag-Tuff	7 "	6mm	10	7.7	350	with fluted or similar foot.(Flatter set than M2) Takes Marlow Clip & Bolt Assy.

No.M4 Marlow Point Slip-On Type	52 Degree Slip-On Point
---------------------------------	-------------------------

M4SP-AT Ag-Tuff	20mm	5mm	25	11.9	750	Fits Connor Shea wideline cultivator Takes Special MC21193 clip & MB1 Bolt with N538 washer.
-----------------	------	-----	----	------	-----	--

No.M5 Slip-On Style Sweep	Slip-On Sweep - 43 Degree
---------------------------	---------------------------

M5SP-AT Ag-Tuff	35mm	6mm	10	8.9	350	Fits early model John Deere 1000 series with
M5 x 4-AT Ag-Tuff	4 "	6mm	10	8.4	450	3/8" holes, White, Gason 5100, MF259 &
M5 x 6-AT Ag-Tuff	6 "	6mm	10	10.8	300	Versatile cultivators.

FreeCall 1800 088 538

5

FreeFax 1800 802 394

Agpoint Australia

Wear Enhanced....Ag-Tuff....Tuff Stuff

AGPOINT PART NO.	Size	Thick mm	Bundle Qty	Bundle Kg	Drum Qty	Application (Guide Only)
M5 x 7-AT Ag-Tuff	7 "	6mm	10	11.6	250	Takes Clip 15552
M5 x 8-AT Ag-Tuff	8 "	6mm	10	12.7	250	Steeper set than M6 or M7

No.M7 Slip-On Style Sweep						Slip-On Sweep - 47 Degree
M7 x 7-AT Ag-Tuff	7 "	6mm	10	11.6	300	Fits North American field cultivators.
M7 x 8-AT Ag-Tuff	8 "	6mm	10	12.7	250	FlexiCoil, Morris, IHC-Vibrashank, Bourgault & H B ScariBar. Takes Clip 15552

No.M8T Slip-On Sweep						Slim-Wedge Sweeps
M8T x 2-AT Ag-Tuff	2 "	8mm	10	9.5	500	Fits North American field cultivators
M8T x 4-AT Ag-Tuff	4 "	8mm	5	5.8	300	FlexiCoil, IHC-Vibrashank, Hesston, Hiniker & Bourgault, Horwood Bagshaw Scaribar, Gason 6100, Morris etc.
M8T x 6-AT Ag-Tuff	6 "	8mm	5	7.1	300	
M8T x 7-AT Ag-Tuff	7 "	8mm	5	8.0	250	
M8T x 8-AT Ag-Tuff	8 "	8mm	5	8.9	250	
M8T x 9-AT Ag-Tuff	9 "	8mm	5	9.5	150	Refer Cast Clips from 15553 to 15561
M8T x 10-AT Ag-Tuff	10 "	8mm	5	10.0	150	
M8T x 12-AT Ag-Tuff	12 "	8mm	5	11.8	100	
M8T x 14-AT* Ag-Tuff	14 "	8mm	5	13.1	100	

*To be deleted from range once stocks sold. Please Note: The larger sweeps are for (secondary) light to medium cultivation only

No.M8SPWL-AT Slip-On Sweep						Slim-Wedge
M8SPWL-AT Ag-Tuff	100mm	6mm	1		200	Fits North American field cultivators FlexiCoil, IHC-Vibrashank, Hesston, Hiniker & Bourgault, Horwood Bagshaw Scaribar, Gason 6100, Morris etc.

Short Neck: will not take retaining clip

FreeCall 1800 088 538

6

FreeFax 1800 802 394

Agpoint Australia

Wear Enhanced....Ag-Tuff....Tuff Stuff

AGPOINT PART NO.	Size	Thick mm	Bundle Qty	Bundle Kg	Drum Qty	Application (Guide Only)
---------------------	------	-------------	---------------	--------------	-------------	-----------------------------

No.M8THDP - 47° Heavy Duty Knife Points	Slim-Wedge
---	------------

M8THDP4-AT Ag-Tuff	18mm	8mm	5		400	Fits North American field cultivators
M8THDP4-TG Tile & AT	18mm	8mm	5		300	FlexiCoil, IHC-Vibrashank, Hesston, Hiniker
M8THDP6-AT Ag-Tuff	18mm	8mm	5		400	& Bourgault, Horwood Bagshaw Scaribar,
M8THDP6-TG Tile & AT	18mm	8mm	5		300	Gason 6100, Morris etc.

4 & 6 in part number denotes approx length of blade & working depth

No.M8THDPS - 70° Heavy Duty Knife Points	Slim-Wedge
--	------------

M8THDPS4-TG Tile 70°	18mm	8mm	5		300	Fits North American field cultivators
M8THDPS6-TG Tile 70°	18mm	8mm	5		300	FlexiCoil, IHC-Vibrashank, Hesston, Hiniker
						& Bourgault, Horwood Bagshaw Scaribar,
						Gason 6100, Morris etc.

70° for less soil disturbance

4 & 6 in part number denotes approx length of blade & working depth

No.M8TWS - Heavy Duty Wing Seeder Points	Slim-Wedge
--	------------

M8TWS4-AT Ag-Tuff	18mm	8mm	5		200	Fits North American field cultivators
M8TWS4-TG Tile & AT	18mm	8mm	5		200	FlexiCoil, IHC-Vibrashank, Hesston, Hiniker
						& Bourgault, Horwood Bagshaw Scaribar,
M8TWS6-AT Ag-Tuff	18mm	8mm	5		180	Gason 6100, Morris etc.
M8TWS6-TG Tile & AT	18mm	8mm	5		180	

4 & 6 in part number denotes approx length of blade & working depth

Slimline Points	Slimline Tines
-----------------	----------------

16101-AT Ag-Tuff	20mm	5mm	20	7.1	900	To fit all Slimline Tines ie. Alfarm, Gason & Symonds
------------------	------	-----	----	-----	-----	--

Agpoint Australia

Wear Enhanced....Ag-Tuff....Tuff Stuff

AGPOINT PART NO.	Size	Thick mm	Bundle Qty	Bundle Kg	Drum Qty	Application (Guide Only)
Baker Boot						CSN, Agroplow & Clough
TTN102	40mm	Cast	1		each	To fit various ie CSN, AgroPlow, Clough Replaces CSN Part No. 989-881
No.31CSB Cast Seeding Boot (2 Tiles + Ag-Tuff)						Fits Various Below
31CSB Cast Seeding Point	25mm	Cast	1		each	Fits M8TCCA, 61CCA. 31CC, 32CC & various with 16mm male.
No.32CSB Cast Seeding Boot (8 Tiles)						Fits Various Below
32CSB Cast Seeding Point	25mm	Cast	1		each	Fits M8TCCA, 61CCA. 31CC, 32CC & various with 16mm male.
No.33CSB Cast Seeding Boot (4 Tiles)						Fits Various Below
33CSB Cast Seeding Point	25mm	Cast	1		each	Fits M8TCCA, 61CCA. 31CC, 32CC & various with 16mm male. Replaces R0040 Grey
No.34CSB Cast Seeding Boot (5 Tiles Reversible)						Fits Various Below
34CSB Cast Seeding Point	25mm	Cast	1		each	Fits M8TCCA, 61CCA. 31CC, 32CC & various with 16mm male. Replaces R0040 Gold
No.35CSB Cast Seeding Boot (4 Tiles Long)						Fits Various Below
35CSB Cast Seeding Point	25mm	Cast	1		each	Fits M8TCCA, 61CCA. 31CC, 32CC & various with 16mm male. Replaces R0030 Grey
No.36CSB Cast Seeding Boot (7 Tiles Long Reversible)						Fits Various Below
36CSB Cast Seeding Point	25mm	Cast	1		each	Fits M8TCCA, 61CCA. 31CC, 32CC & various with 16mm male. Replaces R0030 Silver
No.40CSB Cast Point (Male)						Fits Various Below

FreeCall 1800 088 538

8

FreeFax 1800 802 394

Agpoint Australia

Wear Enhanced....Ag-Tuff....Tuff Stuff

AGPOINT PART NO.	Size	Thick mm	Bundle Qty	Bundle Kg	Drum Qty	Application (Guide Only)
---------------------	------	-------------	---------------	--------------	-------------	-----------------------------

40CSB Cast Seeding Point	25mm	Cast	1		each	Suits Keech Female Adaptors
--------------------------	------	------	---	--	------	-----------------------------

No.41CSB Cast Cast Point (Male) Heavy Duty

Fits Various Below

41CSB Cast Seeding Point	25mm	Cast	1		each	Suits Keech Female Adaptors
--------------------------	------	------	---	--	------	-----------------------------

No.61CCA Cast Seeding Adaptor

Fits Most Makes Single Bolt Hole Cultivators

61CCA		Cast	1		each	Fits Shearer, Fors, Gyrat etc. Use cast point range as above. Replaces Cast Points A0020
-------	--	------	---	--	------	--

No.31CC Cast Carrier

Fits Various Below

31CC	16mm	Cast	1		each	Fits IHC Vibrashank, Leon, Hesston, Morris, Flexi-Coil, Bourgault, Ezee-On, Gyrat, AFM, & Nth American Mach with 47 degree tines.
------	------	------	---	--	------	---

Takes 31CSB to 36CSB Cast Seeding Boot Range

44.5mm (1 3/4") hole Centres.

2 x 7/16" hex B&N.

Replaces Cast Points P/No.A0040 or A0045

No.32CCA Cast Carrier

Fits Various Below

32CC	16mm	Cast	1		each	Fits AFM, Morris, J Deere, Friggstad, AFM, Gason Hiniker, Versatile, H Bagshaw, Gyrat, Scari-Bar x 2 bolt hole edge on tine only 57mm hole centres with 1/2" hex B&N Replaces Cast Points P/No.A0030 or A0057
------	------	------	---	--	------	---

Takes 31CSB to 36CSB Cast Seeding Boot Range

No.A3S Female Adaptor

Weld On Adaptor

A3S Female Weld On Adaptor		Cast	1		each	Weld On Adaptor take Male Keech points
----------------------------	--	------	---	--	------	--

FreeCall 1800 088 538

9

FreeFax 1800 802 394

Agpoint Australia

Wear Enhanced....Ag-Tuff....Tuff Stuff

AGPOINT PART NO.	Size	Thick mm	Bundle Qty	Bundle Kg	Drum Qty	Application (Guide Only)
No.A4S Female to Male Adaptor			Pin Fit Or Weld On Adaptor			
A4S Female to Male Pin Fit/W-On adaptor	Cast		1		each	Converts Keech adaptor & above A3S adaptor to take 31CSB to 36CSB point range