



Agpoint Australia

Agpoint Discs & Coulters.....Your Guarantee of Quality!!!



Part No	Guage mm	Style	Dish mm	Centre Hole	Radial Holes	P.C.D. mm	Similar To McCOY	Application	Unit KG
13" Diameter									
133-1B	3	PLAIN	25	N.C.H.	5 x 6.4MM DIA.	95.2		CS,MF	2.30
133-1RB	3	PLAIN-RFB	25	N.C.H.	5 x 7.1MM DIA.	95.2	4150	CSN 450 ,SH (H99-43)	2.30
133-2B	3	PLAIN	25	46MM DIA.	7 x 7.1MM DIA.	101.6	4252	SH (10342)	2.30
134-5B	4	PLAIN	25	52MM DIA.	5 x 7MM DIA.	96		Garnell,Gyral	3.00
14" Diameter									
145-3B	5	PLAIN	30	NCH	6 x 7.0 MM SQ.	110		DISC WEEDER ASSY	3.50
16" Diameter									
164-IH	4	PLAIN-FB	28	25MM SQ.				IH	4.00
164-4D	4	PLAIN-FC	20	62MM DIA.	5 x 14MM DIA.	106			4.00
164-722SD	4	SCALLOP	35	24MM & 25.5MM SQ.				ELLIS	3.80
17" Diameter									
174-CH	4	PLAIN	40	25.5MM DIA.	3 x 10.3MM DIA.	112.8		CH	4.50
174-IH	4	PLAIN	32	25MM SQ.				IH	4.50
174-SH	4	PLAIN	16	30MM SQ.				SH (H346-166)	4.50
18" Diameter									
184-126D	4	PLAIN	56	27MM x 30MM SQ.			18008C	NG,JA	4.70
185-092SD	5	SCALLOP	56	30MM x 33MM SQ.			18006C	DB103,MF,NG,BNL, JA,CSN	6.50
19" Diameter									
194-SH	4	PLAIN	19	30MM SQ.				SH (Z901)	5.10
20" Diameter									
204-022D	4	PLAIN	64	27MM X 30MM SQ.			20011C	HB,SH,JA,BNL,NG,CSN340,GR,MF534 & 581,NH340	6.10
204-102SD	4	SCALLOP	68	27MM X 30MM SQ.			20012C	SH,JA,BNL,NG,MF	5.80
204-3SB	4	SCALLOP	51	70MM DIA.	4 X 18MM DIA.	137		GZY (Grumpy)	5.80
204-6SB	4	FILLER	51	70MM DIA.	4 X 18MM DIA.	137		GZY (Grumpy)	5.80



Agpoint Australia

Agpoint Discs & Coulters.....Your Guarantee of Quality!!!



Part No	Guage mm	Style	Dish mm	Centre Hole	Radial Holes	P.C.D. mm	Similar To McCOY	Application	Unit KG
20" Diameter (cont.)									
204-7FD	4	PLAIN-FB	50	27MM X 30MM SQ.			20014C	IH,MF	5.80
204-7SFD	4	SCALL-FB	51	27MM X 31MM SQ.			20013C	IH,MF	5.80
204-586	4	PLAIN	51	38MM DIA. (PILOT HOLE)	3 x 10.3MM SQ.CSK	152.4		HODGE HILLER	6.10
205-102SD*	5	SCALLOP	68	27MM X 30MM SQ.			20018C	SH,JA,BNL,NG,MF	5.80
205-49D	5	PLAIN	51	30MM X 33MM SQ.			20017C	IH,GL90,A1-A2-A3,CSN,NH,SH	7.20
206-991S	6	SCALLOP	58	41.5MM SQ.				TRIPLE DISC HILLER,GS,CW	9.75
22" Diameter									
224-566SD	4	SCALLOP	60	27MM X 30MM SQ.				SH,BNL,NG (050/340/690)	7.70
225-3SB	5	SCALLOP	70	70MM DIA.	4 X 18MM DIA.	137	22044	GZY (Grumpy)	7.70
225-6SB	5	FILLER	70	70MM DIA.	4 X 18MM DIA.	137		GZY (Grumpy)	7.25
225-021D	5	PLAIN	76	39MM X 41MM SQ.			22021C	FORWARD,HB,SH	10.50
225-058D	5	PLAIN	86	30MM X 33MM SQ.			22025c	CA,CH,MF(Suncleave)	10.50
225-824D	5	PLAIN	70	27MM X 30MM SQ.				WESTERN	10.50
225-060SD	5	SCALLOP	70	33MM x 40MM SQ.				JA,BNL,WY	9.80
225-166S	5	SCALLOP	64	30MM SQ.			22041C	HGE,SH 500/505/608,MF,NG,TW	9.80
225-166SD	5	SCALLOP	64	30MM X 33MM SQ.				HGE,SH 500/505/608,MF,NG,TW	9.80
225-171SB	5	SCALLOP	70	70MM DIA.	6 X 17.5MM DIA.	112.8	22043	CS (Baby Giant)	9.80
225-558SD	5	SCALLOP	64	30MM X 33MM SQ.			22041C	HGE,NG 340,BNL,SH,HB,MF,TW	9.80
225-9SFD	5	SCALL-FB	64	27MM X 31MM SQ.			22042C	CH,IH,MF	9.80
225-1081SD	5	SCALLOP	70	39MM X 41MM SQ.			22040C	JA,HU,TW,WY,BNL	9.80
225-1158D	5	PLAIN	70	30MM x 33MM SQ.			22025C	CSN,GR,FORD,CH	10.50
225-703SD	5	SCALLOP	70	30MM x 33MM SQ.			22041C	CSN,FE,GR,HB,HE,JA,TW,NG	9.80
226-1SB	6	SCALLOP	70	70MM DIA.	6 X 17.5MM DIA.	112.8	22051	CS (Baby Giant)	10.70
226-6SB	6	FILLER	70	100MM DIA.	6 X 22.2MM DIA.	185		GZY	10.70
226-992S	6	SCALLOP	70	41.5MM SQ.				GS,CW,TRIPLE DISC HILLER	10.70
23" Diameter									
235-069*	5	PLAIN	87	33MM SQ.				CH	11.00
235-191*	5	PLAIN	76	40MM SQ.				SH	11.00
235-578*	5	PLAIN	76	27MM SQ.				Western Plow	11.00



Agpoint Australia

Agpoint Discs & Coulters.....Your Guarantee of Quality!!!



Part No	Guage mm	Style	Dish mm	Centre Hole	Radial Holes	P.C.D. mm	Similar To McCOY	Application	Unit KG
24" Diameter									
244-234	4	PLAIN	83	27MM DIA.	4 X 11.9MM SQ. CSK	165.2		MF 63/67	10.20
244-240	4	PLAIN	95	33MM SQ.			24064	CA,CH	10.20
244-582*	4	PLAIN	83	N.C.H.	3 X 17MM SQ.C/LEAF			CS (Series 4)	10.20
245-2*	5	PLAIN	95	40MM SQ.				HB,SH (Twin),IH,BH,WY	11.60
245-226S	5	SCALLOP	68	30MM SQ.			24072C	NG,SH,HGE	10.80
245-237SD	5	SCALLOP	68	40MM X 41.5MM SQ.			24094C/95C	NG 032,JA,DB	10.80
245-241	5	PLAIN	96	33MM SQ.			24084	CA,CH	11.60
245-288SD	5	SCALLOP	76	30MM X 33MM SQ.			24092C	NG,SH	10.80
245-2RB	5	PLAIN-RFB	83	DOME	6 X 13.5MM SQ. C/LEAF	204	24088	CS(Series 1 to 3)	11.60
245-3WB	5	FLUTED	78	70MM DIA.	4 X 18MM DIA.	137		GRIZZLY (Grumpy)	11.60
245-37S	5	SCALLOP	76	33MM SQ.				BH	10.80
245-395	5	PLAIN	86	27MM DIA.	4 X 11.9MM SQ. CSK	165.2	24083	MF 63/67/63-5	11.60
245-398	5	PLAIN	86	40MM SQ.			24085C	HB (Westlander),WY,SH (Sov)	11.60
245-477S	5	SCALLOP	86	70MM DIA.	6 X 17.5 MM DIA.	112.8	24093	CS (Baby Giant)	10.80
245-478*	5	PLAIN	83	70MM DIA.	6 X 17.5 MM DIA.	112.8	24087	CS (Baby Giant)	11.60
245-531E	5	PLAIN	83	31MM SQ.	4 X 13.5MM DIA. EMB	181	24081	IH (1-6)	11.60
245-538	5	PLAIN	86	27MM DIA.	6 X 12.7MM DIA. CSK	165.2	24080	SH (5 GP)	11.60
245-581	5	PLAIN	86	N.C.H.	3 X 17MM SQ. C/LEAF	184	24086	CS (Series 4, 3 Bolt-Hole)	11.60
245-608	5	PLAIN	76	40MM SQ.			24085C	SH (Sov), IH (Unibeam), HB	11.60
245-1130D	5	PLAIN	80	39MM X 41MM SQ.			24085C	IH,CSN,HB,SH,FORD,WY,BH	11.60
245-1157D	5	PLAIN	66	30MM X 33MM SQ.				HODGE,CSN,GR,SH,	11.60
246-10SD	6	SCALLOP	76	54MM X 60MM SQ.			24102	IH(3-5),SH500	13.50
246-1SB	6	SCALLOP	86	70MM DIA.	6 X 17.5MM DIA.	112.8	24103	CS (Baby Giant)	13.50
246-226S	6	SCALLOP	68	30MM SQ.			24074C	SH, CSN, HODGE	13.50
246-226SD	6	SCALLOP	65	30MM X 33MM SQ.			24074C	CSN,FORD,NG,MF,TW,BH	13.50
246-2SB*	6	SCALLOP	76	78MM DIA.	6 X 22.2MM DIA.	190	24104	CSN L/GIANT,BNL,EN	13.50
246-3SB	6	SCALLOP	76	70MM DIA.	4 X 18MM DIA.	137	24099S	GZY (Grumpy)	13.50
246-6SB	6	FILLER	76	100MM DIA.	6 X 22.2MM DIA.	185		GZY	13.50
246-26SB	6	SCALLOP	76	100MM DIA.	6 X 22.2MM DIA.	185	24107	GZY	13.50
246-32*	6	PLAIN	76	42MM SQ.				ALFM 100, FORD 280, SH	14.70



Agpoint Australia

Agpoint Discs & Coulters.....Your Guarantee of Quality!!!



Part No	Guage mm	Style	Dish mm	Centre Hole	Radial Holes	P.C.D. mm	Similar To McCOY	Application	Unit KG
24" Diameter (cont.)									
246-38SD	6	SCALLOP	76	40MM x 42MM SQ.			24101C	BNL, GR, ALFM	13.50
246-41	6	PLAIN	76	46MM DIA.				MIL,KEL,KRS,SH(Sunflower),DELMAD,BALDAN	14.70
246-41S	6	SCALLOP	76	46MM DIA.			24106	MIL,KEL,KRS,SH(Sunflower),DELMAD,BALDAN	13.50
246-43SD	6	SCALLOP	76	30MM X 33MM SQ.			24100C	SH,BH,CH	13.50
246-241	6	PLAIN	96	33MM SQ.				CH	14.70
246-521S	6	SCALLOP	76	30MM SQ.			24100C	BH,SH (505/606)	13.50
246-561*	6	PLAIN	68	40MM SQ.			24090C	CN,MF	14.70
246-562SD	6	SCALLOP	68	40MM x 41.5MM SQ.			24105C	JA,TW,NG 670, MF 700, Allis	14.30
246-548SD	6	SCALLOP	95	30MM x 33MM SQ.			24100S	SH606, SH505	13.50
246-1077D	6	PLAIN	76	30MM X 33MM SQ.			24091C	HB, CSN, JD, SH, BH	14.70
246-7S*	6	SCALLOP	73	52MM DIA.				STEIGER,EZEE-ON	13.50
248-7	8	PLAIN	83	52MM DIA.				STEIGER,EZEE-ON	15.42
248-7S	8	SCALLOP	83	52MM DIA.				STEIGER,EZEE-ON	15.42
26" Diameter									
265-086	5	PLAIN	102	28.5MM DIA.	5 X 12MM SQ. CSK	210	26117	MF564,569 & 65	14.20
265-123*	5	PLAIN	90	21MM DIA.	3 X 17SQ.	184	26123	CSN Series 4	14.20
265-415SD	5	SCALLOP	68	30MM X 33MM SQ.				TW,NG 690	13.50
265-476D	5	PLAIN	86	39MM X 41MM SQ.			26121C	AF,CSN570,HB,SH, CH, JA	14.20
265-589	5	PLAIN	92	27MM DIA.	6 X 12.7MM DIA.CSK	165.2	26122	SH (5GP)	14.20
265-603	5	PLAIN	89	33MM SQ.			26119	CA,CH	14.20
265-603D	5	PLAIN	89	30MM X 33MM SQ.			26119	CA,CH,BH,TW,CSN	14.20
266-138S	use 266-20SB as alternative		67	130MM DIA.,	4 X 13 MM SQ. CSK (INSIDE)	228		BNL TRASH INC.	16.00
266-16SD	6	SCALLOP	89	54MM x 60MM SQ.			26143C	IH (3-5), SH (700)	16.00
266-1SB	6	SCALLOP	89	78MM DIA.	6 X 22.2MM DIA.	190.6	26140	CS (Little Giant), BNL	16.00
266-3SB	6	SCALLOP	89	70MM DIA.	4 X 18MM DIA.	137	26137	GZY (Grumpy)	16.00
266-3WB	6	FLUTED	89	70MM DIA.	4 X 18MM DIA.	137	26137W	GZY (Grumpy)	16.00
266-6SB	6	FILLER	89	100MM DIA.	6 X 22.2MM DIA.	185		GZY	15.00
266-20SB	use 266-138S as alternative		70	28.5MM DIA.	4 X 13.5MM SQ. CSK	230		HODGE	16.00
266-26SB	6	SCALLOP	89	100MM DIA.	6 X 22.2MM DIA.	185	26139	GZY	16.00
266-26WB	6	FLUTED	89	100MM DIA.	6 X 22.2MM DIA.	185	26139W	GZY	16.00



Agpoint Australia

Agpoint Discs & Coulters.....Your Guarantee of Quality!!!



Part No	Guage mm	Style	Dish mm	Centre Hole	Radial Holes	P.C.D. mm	Similar To McCOY	Application	Unit KG
26" Diameter (Cont.)									
266-27SB	6	SCALLOP	57	25MM DIA.	4 X 18MM DIA.	230		MSW	16.00
266-340S	6	SCALLOP	90	70MM DIA.	6 X 18MM DIA.	113	26144	CSN BABY GIANT,710,760	16.00
266-39SB	6	SCALLOP	57	40MM SQ.	5 X 17MM DIA.	203		SILKWOOD IMP.	16.00
266-49SD	6	SCALLOP	89	39.5MM X41.5MM SQ.			26141C	JA, GR, CN,NG,HU,SH	16.00
266-106*	6	PLAIN	92	45MM DIA.				MILLER	17.00
266-589	6	PLAIN	90	21MM DIA.	6 X 12.7MM DIA.CSK	165.2	26164	SH (5GP)	17.00
266-593S	6	SCALLOP	76	42MM SQ.			26142C	JA, GR, NG	16.00
266-7S	6	SCALLOP	90	52MM DIA.				FE, EZY,STG,CW	16.00
266-5SD	6	SCALLOP	70	40MM X 42MM SQ.			26142C	TW, JA (Alt to S49)	16.00
266-9SD	6	SCALLOP	68	30MM X 33MM SQ.			26160C	TW,HE,JA,FORD690	16.00
266-603	6	PLAIN	89	33MM SQ.			26124C	CH	17.00
266-603D	6	PLAIN	80	30MM X 33MM SQ.			26124C	BH,TW,CSN,CH	17.00
266-1SF	6	SCALLOP-FB	82	39MM SQ.			26161	IH 770, IH596	16.00
268-1SF	8	SCALLOP-FB	82	39MM SQ.			26162	IH 770, IH596	20.70
268-1SB	8	SCALLOP	89	78MM DIA.	6 X22.5MM DIA.	190	26153	CSN,BONEL, ENNOR	20.70
268-2SB	8	SCALLOP	89	100MM DIA.	6 X22.5MM DIA.	185	26151	GZY, BELMAC	20.70
268-2WB	8	FLUTED	89	100MM DIA.	6 X22.5MM DIA.	185	26151W	GZY, BELMAC	20.70
268-49SD	8	SCALLOP	90	39MM X 41MM SQ.			26154C	CSN,GR,FORD,GR,HE,BNL,AL	20.70
268-7	8	PLAIN	95	52MM DIA.			26128	EZN,STG,CW	23.00
268-7S	8	SCALLOP	95	52MM DIA.			26152	EZN,STG,CW	20.70
28" Diameter									
286-161SB	6	SCALLOP	67	130MM DIA.,	4 X 13MM DIA.	228		BNL	19.50
286-162SB	6	SCALLOP	67	32MM DIA.	4 X 13MM DIA.	228		BNL TRASH INC.	19.50
286-29SD	6	SCALLOP	65	39.5MM X 41.5MM SQ.			28166C	CN,SH,NG,BNL,HGE,JA,TW	19.50
286-31B	6	PLAIN	115	28.5MM DIA.	4 X 13.5MM SQ. CSK	230	28165	CN,IH,BNL,HGE	21.00
286-1SF	6	SCALL-FB	96	39MM SQ.			28179-6	IH(770)	19.50
286-8SB	6	SCALLOP	105	100MM DIA.	6 X 22.2MM DIA.	185	28168S	GRIZZLY, BELMAC	19.50
286-8WB	6	FLUTED	105	100MM DIA.	6 X 22.2MM DIA.	185	28168SW	GRIZZLY, BELMAC	19.50
286-293B	6	PLAIN	108	28.5MM DIA.	5 X 12MM SQ. CSK	210	28163	MF	21.00
286-606SD	6	SCALLOP	94	39.5MM X 41.5MM SQ.			28167C	BNL,HGE,NG, SH, JA, NB	19.50



Agpoint Australia

Agpoint Discs & Coulters.....Your Guarantee of Quality!!!



Part No	Guage mm	Style	Dish mm	Centre Hole	Radial Holes	P.C.D. mm	Similar To McCOY	Application	Unit KG
28" Diameter (Cont.)									
286-848SDB	6	SCALLOP	65	39.5MM X 41.5MM SQ.	4 X 18MM DIA.	230		BNL TRASH INC. HE, JA, SH	19.50
286-1013SB	6	SCALLOP	105	78MM DIA.	6 X 22.2MM DIA.	190	28170	BNL,EN,CSN780 L/GIANT	19.50
286-1021S	6	SCALLOP	94	60MM SQ.			28185C	IH 3-5	19.50
288-1086SB	8	SCALLOP	105	78MM DIA.	6 X 22.2MM DIA.	190	28171	BNL, EN,CSN780 L/GIANT	24.00
288-1073SD	8	SCALLOP	105	39MM X 41MM SQ.			28175C	SH,CSN,HGE,BNL	24.00
288-1SB	8	SCALLOP	105	100MM DIA.	6 X 22.2MM DIA.	185	28169S	GRIZZLY, BELMAC	24.00
288-1WB	8	FLUTED	105	100MM DIA.	6 X 22.2MM DIA.	185	28168W	GRIZZLY, BELMAC	24.00
288-1SF	8	SCALL-FB	95	39MM SQ.			28179	IH	24.00
288-16S*	8	SCALLOP	66	52MM DIA.				CW, ML, EZN, STG	24.00
288-17S	8	SCALLOP	93	52MM DIA.			28178	CW	24.00
30" Diameter									
306-14B	6	PLAIN	115	28.5MM DIA.	4 X 13.5MM SQ. CSK.	230	30182	BNL,CH,HGE,IH	24.20
32" Diameter									
328-1SF	8	SCALL-FB	111	46MM SQ.			32190	IH 770	32.50
328-189SB	8	SCALLOP	108	78MM DIA.	6 X 22.2MM DIA.	190	32208	CSN,BNL,ENNOR	32.50
3210-10SD	10	SCALLOP	111	62MM DIA. x 59MM SQ.			32193C	ALFARM 080, TOWNER	39.00
3210-198SB*	10	SCALLOP	112	62MM DIA.	6 X 20MM DIA.	190		BNL BIGFOOT	39.00
3210-2SB	10	SCALLOP	105	100MM DIA.	6 X 22.2MM DIA.	185	32199S	GZY	39.00
3210-201SB	10	SCALLOP	108	78MM DIA.	6 X 22.2MM DIA.	190	32210	CSN,BNL,ENNOR	39.00
36" Diameter									
3612-208SB	12	SCALLOP	140	64MM Dia.	6 X 18MM SQ CSK	254	36208	SAVANNAH	62.00