



Agpoint Australia

Agpoint Boron Discs & Coulters.....Your Guarantee of Quality!!!

Recommended Retail Price List No. 173

Prices Subject To Change Without Prior Notice



<u>Agpoint Part Number</u>	<u>Similar To</u> McCOY	<u>Guage</u> <u>mm</u>	<u>Style</u>	<u>Dish</u> <u>mm</u>	<u>Centre Hole</u>	<u>Radial Holes</u>	<u>P.C.D.</u> <u>mm</u>	<u>Application</u>	<u>Unit</u> <u>KG</u>
13" Diameter									
133-1RB	4150	3	PLAIN-RFB	27	N.C.H.	5 x 7.1MM DIA.	95.2	CSN 450 ,SH (H99-43)	2.30
133-2B	4252	3	PLAIN	24	46MM DIA.	7 x 7.1MM DIA.	101.6	SH (10342)	2.30
134-5B		4	PLAIN	24	52MM DIA.	5 x 7MM DIA.	96	Garnell,Gyral	3.00
14" Diameter									
145-3B		5	PLAIN	34	NCH	6 x 7.0 MM SQ.	110	DISC WEEDER ASSY	3.50
16" Diameter									
164-IH		4	PLAIN-FB	30	25MM SQ.	3 x 10.3MM DIA.	112	IH	4.00
164-CH		4	PLAIN	35	25MM DIA.			CH	4.00
164-722SD		4	SCALLOP	38	24MM & 25.5MM SQ.			ELLIS	3.80
17" Diameter									
174-IH		4	PLAIN-FB	38	25MM SQ.			IH	4.50
174-SH*		4	PLAIN	16	30MM SQ.			SH (H346-166)	4.50
18" Diameter									
18011	18011	4	MINI SC F/C	41	NCH	4 X 12MM DIA.	120	New CATROS SERIES 3 DB103,MF,NG,BNL, JA,CSN	4.70
185-092SD	18006C	5	SCALLOP	53	27MM X 30MM SQ.				6.50
19" Diameter									
194-SH*		4	PLAIN	19	30MM SQ.			SH (Z901)	5.10
20" Diameter									
204-022D	20011C	4	PLAIN	67	27MM X 30MM SQ.			HB,SH,JA,BNL,NG,CSN340,GR,MF534 & 581,NH340	6.10
204-102SD	20012C	4	SCALLOP	67	27MM X 30MM SQ.				SH,JA,BNL,NG,MF
204-3SB		4	SCALLOP	50	70MM DIA.	4 X 18MM DIA.	137	GZY (Grumpy)	5.80
204-6SB*		4	FILLER	50	70MM DIA.	4 X 18MM DIA.	137	GZY (Grumpy)	5.80
204-7SFD	20013C	4	SCALL-FB	51	27MM X 31MM SQ.			IH,MF	5.80



Agpoint Australia

Agpoint Boron Discs & Coulters.....Your Guarantee of Quality!!!

Recommended Retail Price List No. 173

Prices Subject To Change Without Prior Notice



Agpoint Part Number	Similar To McCOY	Guage mm	Style	Dish mm	Centre Hole	Radial Holes	P.C.D. mm	Application	Unit KG
20" Diameter (cont.)									
204-586		4	PLAIN	50	38MM DIA. (PILOT HOLE)	3 x 10.3MM SQ.CSK	152.4	HODGE HILLER	6.10
205-49D	20017C	5	PLAIN	57	30MM X 33MM SQ.			IH, GL90, A1-A2-A3, CSN, NH, SH	7.20
206-1SFB		6	SCALL-FC	52	NCH	5 X 13MM DIA.	106	New HORSCH JOKER	9.75
22" Diameter									
225-3SB	22044	5	SCALLOP	70	70MM DIA.	4 X 18MM DIA.	137	GZY (Grumpy), K LINE	7.70
225-6SB		5	FILLER	70	70MM DIA.	4 X 18MM DIA.	137	GZY (Grumpy)	7.25
225-021D	22021C	5	PLAIN	70	39MM X 41MM SQ.			FORWARD, HB, SH	10.50
225-824D	22024C	5	PLAIN	70	27MM X 30MM SQ.			WESTERN	10.50
225-060SD	22300 Blank	5	SCALLOP	70	33MM x 40MM SQ.			JA, BNL, WY	9.80
225-166S	22041C	5	SCALLOP	62	30MM SQ.			HGE, SH 500/505/608, MF, NG, TW	9.80
225-166SD		5	SCALLOP	62	30MM X 33MM SQ.			HGE, SH 500/505/608, MF, NG, TW, BNL, HB,	9.80
225-171SB	22043	5	SCALLOP	70	70MM DIA.	6 X 17.5MM DIA.	112.8	CS (Baby Giant)	9.80
225-558SD	22041C	Use 225-166SD	SCALLOP	62	30MM X 33MM SQ.			HGE, NG 340, BNL, SH, HB, MF, TW	9.80
225-9SFD	22042C	5	SCALL-FB	62	27MM X 31MM SQ.			CH, IH, MF	9.80
225-1081SD	22040C	5	SCALLOP	70	39MM X 41MM SQ.			JA, HU, TW, WY, BNL	9.80
225-703SD	22041C	5	SCALLOP	70	30MM x 33MM SQ.			CSN, FE, GR, HB, HE, JA, TW, NG	9.80
226-1SB	22051	6	SCALLOP	70	70MM DIA.	6 X 17.5MM DIA.	112.8	CS (Baby Giant)	10.70
226-3SB	22055	6	SCALLOP	70	70MM DIA.	4 X 18MM DIA.	137	New GZY (Grumpy), K LINE	10.70
226-6SB*		6	FILLER	70	100MM DIA.	6 X 22.2MM DIA.	185	GZY	10.70
226-992S	22053C	6	SCALLOP	70	41.5MM SQ.			GS, CW, TRIPLE DISC HILLER	10.70
23" Diameter									
235-1SFB		5	SCALLOP-FC	53	NCH	4 X 13MM DIA.	110	New POTTINGER TERRA	9.70



Agpoint Australia

Agpoint Boron Discs & Coulters.....Your Guarantee of Quality!!!

Recommended Retail Price List No. 173

Prices Subject To Change Without Prior Notice



Agpoint Part Number	Similar To McCOY	Guage mm	Style	Dish mm	Centre Hole	Radial Holes	P.C.D. mm	Application	Unit KG
24" Diameter									
244-240	24064	4	PLAIN	100	33MM SQ.			CA,CH	10.20
245-226S	24072C	5	SCALLOP	67	30MM SQ.			NG,SH,HGE	10.80
245-237SD	24094C/95C	5	SCALLOP	68	40MM X 41.5MM SQ.			NG 032,JA,DB	10.80
245-241	24084	5	PLAIN	100	33MM SQ.			CA,CH	11.60
245-288SD	24092C	5	SCALLOP	75	30MM X 33MM SQ.			NG,SH	10.80
245-2RB	24088	5	PLAIN-RFB	80	DOME	6 X 13.5MM SQ. C/LEAF	204	CS(Series 1 to 3)	11.60
245-3WB*		5	FLUTED	70	70MM DIA.	4 X 18MM DIA.	137	GRIZZLY (Grumpy)	11.60
245-395	24083	5	PLAIN	84	27MM DIA.	4 X 11.9MM SQ. CSK	165.2	MF 63/67/63-5	11.60
245-477S	24093	5	SCALLOP	84	70MM DIA.	6 X 17.5 MM DIA.	112.8	CS (Baby Giant)	10.80
245-531E USE	24081	5	PLAIN	80	26MM DIA.	4 X 13.5MM DIA. SQ EMB	181	IH (1-6)	11.60
245-538	24080	5	PLAIN	89	27MM DIA.	6 X 12.7MM DIA. CSK	165.2	SH (5 GP)	11.60
245-581	24086	5	PLAIN	84	N.C.H.	3 X 17MM SQ. C/LEAF	184	CS (Series 4, 3 Bolt-Hole)	11.60
245-608	24085C	5	PLAIN	75	40MM SQ.			SH (Sov), IH (Unibeam), HB	11.60
246-10SD	24102	6	SCALLOP	80	54MM X 60MM SQ.			IH(3-5),SH500	13.50
246-1SB	24103	6	SCALLOP	85	70MM DIA.	6 X 17.5MM DIA.	112.8	CS (Baby Giant)	13.50
246-109SF USE	24109	6	SCALLOP-SF	70	39MM SQ.			IHC596	13.50
246-226SD	24074C	6	SCALLOP	67	30MM X 33MM SQ.			CSN,FORD,NG,MF,TW,BH, SH, HODGE	13.50
246-3SB	24099S	6	SCALLOP	75	70MM DIA.	4 X 18MM DIA.	137	K Line, GZY (Grumpy)	13.50
246-6SB		6	FILLER	75	100MM DIA.	6 X 22.2MM DIA.	185	GZY	13.50
246-26SB	24107	6	SCALLOP	75	100MM DIA.	6 X 22.2MM DIA.	185	GZY	13.50
246-38SD	24101C	6	SCALLOP	75	40MM x 42MM SQ.			BNL, GR, ALFM	13.50
246-41		6	PLAIN	74	46MM DIA.			MIL,KEL,KRS,SH(Sunflower),DELMAD,BALDAN	14.70
246-41S	24106	6	SCALLOP	75	46MM DIA.			MIL,KEL,KRS,SH(Sunflower),DELMAD,BALDAN	13.50
246-43SD	24100C	6	SCALLOP	75	30MM X 33MM SQ.			SH,BH,CH	13.50
246-241		6	PLAIN	89	33MM SQ.			CH	14.70
246-521S*	24100C		Also use 246-43SD	75	30MM SQ.			BH,SH (505/606)	13.50
246-562SD	24105C	6	SCALLOP	68	40MM x 41.5MM SQ.			JA,TW,NG 670, MF 700, Allis	14.30
246-548SD	24100C	6	SCALLOP	90	30MM x 33MM SQ.			SH606, SH505	13.50
246-1077D	24091C	6	PLAIN	75	30MM X 33MM SQ.			HB, CSN, JD, SH, BH	14.70
246-1SFB		6	SCALL-FC	66	NCH	6 X 12.7MM DIA.	125	New HORSCH JOKER HD	13.50



Agpoint Australia

Agpoint Boron Discs & Coulters.....Your Guarantee of Quality!!!

Recommended Retail Price List No. 173

Prices Subject To Change Without Prior Notice



Agpoint Part Number	Similar To McCOY	Guage mm	Style	Dish mm	Centre Hole	Radial Holes	P.C.D. mm	Application	Unit KG
26" Diameter									
265-086 USE	26117	5	PLAIN	100	28.5MM DIA.	5 X 12MM SQ. CSK	210	MF564,569 & 65	14.20
265-415SD		5	SCALLOP	68	30MM X 33MM SQ.			TW,NG 690	13.50
265-589	26122	5	PLAIN	88	27MM DIA.	6 X 12.7MM DIA.CSK	165.2	SH (5GP)	14.20
265-603	26119	5	PLAIN	88	33MM SQ.			CA,CH	14.20
266-138S		6	SCALLOP	68	130MM DIA.,	4 X 13 MM SQ. CSK (INSIDE)	228	BNL TRASH INC.	16.00
266-16SD	26143C	6	SCALLOP	88	54MM x 60MM SQ.			IH (3-5), SH (700)	16.00
266-1SB	26140	6	SCALLOP	87	78MM DIA.	6 X 22.2MM DIA.	190.6	CS (Little Giant), BNL	16.00
266-3SB	26137	6	SCALLOP	88	70MM DIA.	4 X 18MM DIA.	137	GZY (Grumpy)	16.00
266-3WB	26137W	6	FLUTED	82	70MM DIA.	4 X 18MM DIA.	137	GZY (Grumpy)	16.00
266-6SB*		6	FILLER	89	100MM DIA.	6 X 22.2MM DIA.	185	GZY	15.00
266-20SB		6	SCALLOP	68	28.5MM DIA.	4 X 13.5MM SQ. CSK	230	HODGE	16.00
266-26SB	26139S	6	SCALLOP	89	100MM DIA.	6 X 22.2MM DIA.	185	GZY	16.00
266-26WB	26139W	6	FLUTED	82	100MM DIA.	6 X 22.2MM DIA.	185	GZY	16.00
266-27SB		6	SCALLOP	60	25MM DIA.	4 X 18MM DIA.	230	MSW	16.00
266-49SD	26141C	6	SCALLOP	88	39.5MM X41.5MM SQ.			JA, GR, CN,NG,HU,SH, KUHN DISCOVER XM2	16.00
266-589	26164	6	PLAIN	88	27MM DIA.	6 X 12.7MM DIA.CSK	165.2	SH (5GP)	17.00
266-593S	26142C	6	SCALLOP	79	42MM SQ.			JA, GR, NG	16.00
266-5SD	26142C	6	SCALLOP	68	40MM X 42MM SQ.			TW, JA (Alt to S49)	16.00
266-9SD	26160C	6	SCALLOP	68	30MM X 33MM SQ.			TW,HE,JA,FORD690	16.00
266-603D	26124C	6	PLAIN	88	30MM X 33MM SQ.			BH,TW,CSN,CH	17.00
266-1SF	26161	6	SCALLOP-FB	80	39MM SQ.			IH 770, IH596	16.00
268-1SB	26153	8	SCALLOP	87	78MM DIA.	6 X22.5MM DIA.	190	CSN,BONEL, ENNOR	20.70
268-2SB	26151	8	SCALLOP	88	100MM DIA.	6 X22.5MM DIA.	185	GZY, BELMAC	20.70
268-2WB	26151W	8	FLUTED	90	100MM DIA.	6 X22.5MM DIA.	185	GZY, BELMAC	20.70
268-49SD	26154C	8	SCALLOP	88	39MM X 41MM SQ.			CSN,GR,FORD,GR,HE,BNL,AL	20.70
268-7	26128	8	PLAIN	94	52MM DIA.			EZN,STG,CW	23.00
268-7S	26152	8	SCALLOP	95	52MM DIA.			EZN,STG,CW	20.70



Agpoint Australia

Agpoint Boron Discs & Coulters.....Your Guarantee of Quality!!!

Recommended Retail Price List No. 173

Prices Subject To Change Without Prior Notice



Agpoint Part Number	Similar To McCOY	Guage mm	Style	Dish mm	Centre Hole	Radial Holes	P.C.D. mm	Application	Unit KG
28" Diameter									
286-29SD	28166C	6	SCALLOP	61	39.5MM X 41.5MM SQ.			CN,SH,NG,BNL,HGE,JA,TW	19.50
286-31B	28165	6	PLAIN	111	28.5MM DIA.	4 X 13.5MM SQ. CSK	230	CN,IH,BNL,HGE	21.00
286-1SF	28179-6	6	SCALL-FB	93	39MM SQ.			IH(770)	19.50
286-8SB	28168S	6	SCALLOP	104	100MM DIA.	6 X 22.2MM DIA.	185	GRIZZLY, BELMAC	19.50
286-8WB	28168W	6	FLUTED	100	100MM DIA.	6 X 22.2MM DIA.	185	GRIZZLY, BELMAC	19.50
286-293B	28163	6	PLAIN	104	28.5MM DIA.	5 X 12MM SQ. CSK	210	MF	21.00
286-606SD	28167C	6	SCALLOP	93	39.5MM X 41.5MM SQ.			BNL,HGE,NG, SH, JA, NB	19.50
286-848SDB		6	SCALLOP	70	39.5MM X 41.5MM SQ.	4 X 18MM DIA.	230	BNL TRASH INC. HE, JA, SH	19.50
286-1013SB	28170	6	SCALLOP	104	78MM DIA.	6 X 22.2MM DIA.	190	BNL,EN,CSN780 L/GIANT	19.50
286-1021S	28185C	6	SCALLOP	100	60MM SQ.			IH 3-5	19.50
288-1086SB	28171	8	SCALLOP	104	78MM DIA.	6 X 22.2MM DIA.	190	BNL, EN,CSN780 L/GIANT	24.00
288-1073SD	28175C	8	SCALLOP	104	39MM X 41MM SQ.			SH,CSN,HGE,BNL	24.00
288-1SB	28169S	8	SCALLOP	104	100MM DIA.	6 X 22.2MM DIA.	185	GRIZZLY, BELMAC	24.00
288-1WB	28169W	8	FLUTED	100	100MM DIA.	6 X 22.2MM DIA.	185	GRIZZLY, BELMAC	24.00
288-1SF	28179	8	SCALL-FB	93	39MM SQ.			IH	24.00
288-17S	28178	8	SCALLOP	104	52MM DIA.			CW	24.00
2810-2SB		10	SCALLOP	104	100MM DIA.	6 X 22.2MM DIA.	185	NEW!!!! GRIZZLY	30.00
30" Diameter									
306-14B	30182	6	PLAIN	116	28.5MM DIA.	4 X 13.5MM SQ. CSK.	230	BNL,CH,HGE,IH	24.20
32" Diameter									
328-1SF	32190	8	SCALL-FB	125	46MM SQ.			IH 780	32.50
3210-10SD	32193C	10	SCALLOP	111	62MM DIA. x 59MM SQ.			ALFARM 080, TOWNER	39.00
3210-10SD*	Priced to quit	10	SCALLOP	125	62MM DIA. x 59MM SQ.			ALFARM 080: NOT SUITABLE FOR BACKING PLATE USE	39.00
3210-2SB	32199S	10	SCALLOP	110	100MM DIA.	6 X 22.2MM DIA.	185	GZY	39.00
3212-10SD use	32196C	12	SCALLOP	122	62MM DIA. x 59MM SQ.			ALFARM 080, TOWNER	39.00
36" Diameter									
<i>Inside Bevel creates a stronger edge that will allow the disc to penetrate hard soil more easily. An outside bevel on a disc allows you to work faster. Notches on a disc help pulp residues.</i>									
3612-2SB	Inside Bevel	12	SCALLOP	123	100MM DIA.	6 X 22.2MM DIA.	185	New GRIZZLY TINY 290 & 390	62.00
3612-208SB	36208	12	SCALLOP	137	64MM Dia.	6 X 18MM SQ CSK	254	SAVANNAH	62.00

FreeFax 1800 802 394

FreeCall 1800 088 538