

Agpoint Australia

Bolts & Nuts

<u>Part No.</u>	<u>Size</u>	<u>Box Qty</u>
CSK Type 3 Plough Bolts & Nuts		
CSK8	1 1/2" x 7/16"	100
CSK9	1 3/4" x 7/16"	100
CSK10	2" x 7/16"	100
CSK11	2 1/4" x 7/16"	100
CSK12	2 1/2" x 7/16"	100
CSK13	3" x 7/16"	100
CSK15	1 1/2" x 1/2"	50
CSK16	1 3/4" x 1/2"	50
CSK17	2" x 1/2"	50
CSK18	2 1/4" x 1/2"	50
CSK19	2 1/2" x 1/2"	50
CSK24	3" x 1/2"	50
CSK25	3 1/2" x 1/2"	50
Special Crushed Head Bolts & Nuts		
S2	1 3/4" x 3/8"	100
S2F (UNF)	1 3/4" x 3/8"	100
S3	1 5/8" x 7/16"	100
S4	1 3/4" x 7/16"	100
S4F (UNF)	1 3/4" x 7/16"	100
S5	1 7/8" x 7/16"	100
S6	2 1/8" x 7/16"	100
Special AG-Head Bolts & Nuts		
AG2	1 3/4" x 3/8"	100
AG2-L	2" x 3/8"	100
AG3	1 5/8" x 7/16"	100
AG4	1 3/4" x 7/16"	100
AG5	1 7/8" x 7/16"	100
AG6	2 1/8" x 7/16"	100
AG7	2 1/4" x 7/16"	100
AG8	2 1/2" x 7/16"	100

AG bolts & nuts will only be warranted when used with Genuine Agpoint product as we can not guarantee bolt hole tolerances on non genuine prod

Agpoint Australia

Bolts & Nuts

Part No.

Size

Box
Qty

Agpoint Australia

Bolts & Nuts

<u>Part No.</u>	<u>Size</u>	<u>Box Qty</u>
BRH Cuphead Bolts & Nuts		
BRH15	1 1/2" x 1/2"	50
BRH16	1 3/4" x 1/2"	50
BRH17	2" x 1/2"	50

Shearer Trashworker Bolts & Nuts		
SH1	2 1/4" x 9/16"	50
SH2	2 3/4" x 9/16"	50

Recommended tightening torque values for SAE Grade 8 Bolts

3/8" UNC = 38ft.lbs	1/2" UNC = 92ft.lbs
3/8" UNF = 43ft.lbs	1/2" UNF = 104ft.lbs
7/16" UNC = 61ft.lbs	9/16" UNC = 133ft.lbs
7/16" UNF = 67ft.lbs	

The use of lubricants is not recommended as it alters the above tabl