



Agpoint Australia

Bolts & Nuts



Recommended Retail Price List No. 173

Prices Subject To Change Without Prior Notice

<u>Part No.</u>	<u>Size</u>	<u>Box Qty</u>	<u>RRP</u> <u>GST Not Inc.</u>
Unless otherwise specified Point and Sweep bolts (not U Bolts) Australian made ex Ajax Engineered Fasteners			
Gold plated finish GR8 SAE unless otherwise stated			

CSK Type 3 Plough Bolts & Nuts

CSK8	1 1/2" x 7/16"	100
CSK9	1 3/4" x 7/16"	100
CSK10	2" x 7/16"	100
CSK11	2 1/4" x 7/16"	100
CSK12	2 1/2" x 7/16"	100
CSK13	3" x 7/16"	100
CSK15	1 1/2" x 1/2"	50
CSK16	1 3/4" x 1/2"	50
CSK17	2" x 1/2"	50
CSK18	2 1/4" x 1/2"	50
CSK19	2 1/2" x 1/2"	50
CSK24	3" x 1/2"	50
CSK25	3 1/2" x 1/2"	50
CSK33	2 1/2" x 5/8" "NEW"	50



Special Crushed Head Bolts & Nuts

S4	1 3/4" x 7/16"	100
S5	1 7/8" x 7/16"	100
S6	2 1/8" x 7/16"	100



Special AG-Head Bolts & Nuts

AG2	1 3/4" x 3/8"	100
AG2-L	2" x 3/8"	100
AG4	1 3/4" x 7/16"	100
AG5	1 7/8" x 7/16"	100
AG6	2 1/8" x 7/16"	100
AG7	2 1/4" x 7/16"	100
AG8	2 1/2" x 7/16"	100



BRH Cuphead Bolts & Nuts

BRH15	1 1/2" x 1/2"	50
BRH16	1 3/4" x 1/2"	50
BRH17	2" x 1/2"	50



Shearer Trashworker Bolts & Nuts

SH1	2 1/4" x 9/16"	50
SH2 use GWB6815	2 3/4" x 9/16"	50

Discount Not Allowed on broken box quantities for all bolts & nuts

FreeCall 1800 088 538

1

FreeFax 1800 802 394



Agpoint Australia

Bolts & Nuts



Recommended Retail Price List No. 173

Prices Subject To Change Without Prior Notice

<u>Part No.</u>	<u>Size</u>	<u>Box Qty</u>	<u>RRP</u> <u>GST Not Inc.</u>
-----------------	-------------	----------------	-----------------------------------

Unless otherwise specified Point and Sweep bolts (not U Bolts) Australian made ex Ajax Engineered Fasteners
Gold plated finish GR8 SAE unless otherwise stated

Hexagon Head - Grade 9 High Tensile Bolts & Nuts

CB716-212UNC	2 1/2" x 7/16"	50	
CB12-212UNC	2 1/2" x 1/2"	50	

Shear Pins

TIAPAG016	GWSP061	Agpoint, Agroplow, Keech Gessner, Bonel	Each Per 50
GWSP071		Agroplow	
GWSP095		Agroplow	


Length between clip grooves: Standard TIAPAG16 = 61mm, GWSP071 = 71mm, GWSP095 = 95mm

M8T Retaining Clip & Removal Tool

M8T-RC	Retaining Clip	100
M8T-RT	Removal Tool	Each

U Bolts

	A	B	C	D	
UB42-07571	140	x 53	x 19	x 3 1/2"	10
UB42-07730	155	x 33	x 16	x 4"	10
UB42-315033	150	x 45	x 19	x 4"	10
UB42-315034	150	x 45	x 19	x 6"	10
UB42-07328	195	x 50	x 20	x 6"	10
UB42-315031	230	x 50	x 19	x 7"	10
UB42-315032	232	x 51	x 22	x 7"	10
UB42-315035	150	x 45	x 25	x 4"	10
UB42-07547	267	x 64	x 19	x 8"	10
GWUB353558	130	x 45	x 5/8"	x 91	10
GWUB040458	155	x 50	x 5/8"	x 102	10
GWUB060658	190	x 45	x 5/8"	x 152	10
GWUB070758	230	x 55	x 5/8"	x 180	10
GWUB080858	240	x 45	x 5/8"	x 202	10
GWUB040434	150	x 55	x 3/4"	x 102	10
GWUB040634	200	x 55	x 3/4"	x 102	10
GWUB060434	150	x 55	x 3/4"	x 152	10
GWUB060634	200	x 55	x 3/4"	x 152	10
GWUB060610	200	x 55	x 1"	x 152	10
GWUB070734	230	x 55	x 3/4"	x 180	10
GWUB080834	250	x 55	x 3/4"	202	10
GWUB070778	232	x 51	x 7/8"	x 180	10
GWUB080878*	267	x 64	x 7/8"	x 202	10



H/Tensile 8.8 Gold Passivated, Hydrogen De Embrittled & Stress Relieved ensuring highest standards are maintained.



Agpoint Australia

Bolts & Nuts



Recommended Retail Price List No. 173

Prices Subject To Change Without Prior Notice

<u>Part No.</u>	<u>Size</u>	<u>Box Qty</u>	<u>RRP</u> <u>GST Not Inc.</u>
-----------------	-------------	----------------	-----------------------------------

Unless otherwise specified Point and Sweep bolts (not U Bolts) Australian made ex Ajax Engineered Fasteners
Gold plated finish GR8 SAE unless otherwise stated

U Bolts To Bar Cross Reference

UB42-07571	3 1/2" x 3 1/2" Bar	3/4"	
GWUB353558	3 1/2" x 3 1/2" Bar	5/8"	
UB42-07730	4" x 4" Bar	5/8"	
GWUB040458	4" x 4" Bar	5/8"	
UB42-315033	4" x 4" Bar	3/4"	
GWUB040434	4" x 4" Bar	3/4"	
UB42-315035	4" x 4" Bar	1"	NEW!!!
GWUB040634	4" x 6" Bar	3/4"	
UB42-315034	6" x 4" Bar	3/4"	
GWUB060434	6" x 4" Bar	3/4"	
GWUB060658	6" x 6" Bar	5/8"	
UB42-07328	6" x 6" Bar	3/4"	
GWUB060634	6" x 6" Bar	3/4"	
GWUB060610	6" x 6" Bar	1"	NEW!!!
GWUB070758	7" x 7" Bar	5/8"	
UB42-315031	7" x 7" Bar	3/4"	
GWUB070734	7" x 7" Bar	3/4"	
UB42-315032	7" x 7" Bar	7/8"	
GWUB070778	7" x 7" Bar	7/8"	
GWUB080858	8" x 8" Bar	5/8"	
UB42-07547	8" x 8" Bar	3/4"	
GWUB080834	8" x 8" Bar	3/4"	
GWUB080878	8" x 8" Bar	7/8"	

Tightening torque values for SAE Grade 8 Bolts

3/8" UNC = 38ft.lbs	1/2" UNC = 92ft.lbs
3/8" UNF = 43ft.lbs	1/2" UNF = 104ft.lbs
7/16" UNC = 61ft.lbs	9/16" UNC = 133ft.lbs
7/16" UNF = 67ft.lbs	

The use of lubricants is not recommended as it alters the above table