

Issue Date 1st May 2012, replaces all previous updates

# BLADES FOR MOWERS & MOWER CONDITIONERS

## JOHN DEERE

| Blade Style | Agpoint No. |       | DIMENSIONS (MM) |        |       |    | COMMON MODELS  | Bare No. | OEM Number |         |
|-------------|-------------|-------|-----------------|--------|-------|----|--|----------|------------|---------|
|             |             |       | Hole Diam.      | Length | Width | Th |  |          |            |         |
| 9           | 701101      | Left  | 16.25           | 93     | 40    | 3  |  | B4140    | CC19333    |         |
| 9           | 701201      | Right | 16.25           | 93     | 40    | 3  |  | B4141    | CC19336    |         |
| 9           | 705501      | Left  | 16.25           | 95     | 45    | 4  | 1320, 1326, 1327, 240, 260   | B5392    | CC20500    | CC44007 |
| 9           | 705601      | Right | 16.25           | 95     | 45    | 4  |  | B5393    | CC20501    | CC44006 |
| 9           | 715101      | Left  | 18.2            | 123    | 45    | 4  | 1320, 1326, 1327, 270, (265 & 275<br>c/w Serial # breaks) HD Disc  | B5394    | CC21780    |         |
| 9           | 715001      | Right | 18.2            | 123    | 45    | 4  |  | B5395    | CC21781    |         |
| 9           | 709501      | Left  | 18.2            | 107    | 45    | 4  | 910, 915, 916, 920, 925, 926, 930, 935, 936,<br>945, 946, 955, 956, 990, 994, 995, 1350,<br>1360, 1460, 1470, (265 & 275 with serial | B7055    | CC26780    | E80206  |
| 9           | 709601      | Right | 18.2            | 107    | 45    | 4  |  | B7056    | CC26781    | E80208  |
| 6           | 706801      | Flat  | 18.2            | 130    | 50    | 4  |  |          | CC19993    | CC19996 |

Issue Date 1st May 2012, replaces all previous updates

# BLADES FOR MOWERS & MOWER CONDITIONERS

## CASE / HESSTON / MASSEY / NEW IDEA

| Blade Style | Apogee No. |       | DIMENSIONS (MM) |        |       |    | COMMON MODELS   | Bare No. | OEM Number               |
|-------------|------------|-------|-----------------|--------|-------|----|---|----------|--------------------------|
|             |            |       | Hole Diam.      | Length | Width | Th |   |          |                          |
| 9           | 709501     | Left  | 18.2            | 107    | 45    | 4  | 725, 8309, 83142, 8315, NI5070, NI5512, 8850, DC515, HST 8500 | B7055    | 700712889                |
| 9           | 709601     | Right | 18.2            | 107    | 45    | 4  |   | B7056    | 700712888                |
| 10          | 704107     | Left  | 18.5            | 107    | 47    | 4  |   |          | 700711858 700713983      |
| 10          | 705107     | Right | 18.5            | 107    | 47    | 4  |   |          | 700711857 700713984      |
| 10          | 704801     | Left  | 18.5            | 120    | 48    | 4  | 3204, 3250, 3206, 3309  | B4137    | ZA526216                 |
| 10          | 704901     | Right | 18.5            | 120    | 48    | 4  | (With Standard Disc)  | B4138    | ZA526215                 |
| 10          | 774984     | Left  | 23              | 120    | 50    | 4  | 3204, 3250, 32C 725, 8309, 83142, 8315, NI5070,               |          | 113384A1                 |
| 10          | 774985     | Right | 23              | 120    | 50    | 4  | (With Heavy Duty Disc)  |          | 113385A1                 |
| 10          | 768401     | Left  | 23              | 110    | 50    | 4  | MDX71, MDX81, MDX91, DCX101,                                  |          | 9847684                  |
| 10          | 768501     | Right | 23              | 110    | 50    | 4  | CX131, DCX161, RDX161   |          | 9847683                  |
| 9           | 701101     | Left  | 16.25           | 93     | 40    | 3  |   | B4140    | 3160 419R3 1133<br>939R1 |
| 9           | 701201     | Right | 16.25           | 93     | 40    | 3  |   | B4141    | 3160 420R3 1133<br>940R1 |
| 1           | 705401     | Flat  | 19              | 90     | 40    | 3  | Deutz-Fahr KM20/22, Krone, PZ MT52S                           | B145     | 1133937R1 3101549R1      |
| 1           | 704101     | Flat  | 19              | 96     | 40    | 3  |   | B5389    | 1133936R1 3101547R1      |
| 8           | 705101     | Flat  | 19              | 96     | 40    | 4  |   |          | 1133941R1 3164894R1      |
| 1           | 705001     | Flat  | 23              | 98     | 45    | 4  | MF  | B5442    | 1717 782M1               |
| 1           | 705701     | Flat  | 21              | 100    | 40    | 4  | MF  | B5396    | 878 104M2                |

# BLADES FOR MOWERS & MOWER CONDITIONERS

## UFO / LELY / VICON

| Blade Style | Agpoint No. |       | DIMENSIONS (MM) |        |       |    | COMMON MODELS   | Bare No. | OEM Number |
|-------------|-------------|-------|-----------------|--------|-------|----|---|----------|------------|
|             |             |       | Hole Diam.      | Length | Width | Th |   |          |            |
| 1           | 703509      | Flat  | 17              | 102    | 45    | 4  | H/Duty UFO Twin Drum Maxam, Trimax  | B7902    | UFO 141    |
| 10          | 704801      | Left  | 18.5            | 120    | 48    | 4  | E.F.I. Mower, Vicon CM135/165/167/205/240/247, AM2400, GMT2400, GMR2400, AM3200, GRM3200, GMT3200, UM3200 | B4137    | 90258699   |
| 10          | 704901      | Right | 18.5            | 120    | 48    | 4  |   | B4138    | 90258700   |
| 10          | 704107      | Left  | 18.5            | 107    | 47    | 4  | AM2800, CM216, CM217, CM2200, KM281(late models), DMP2800   | B6137    | 90261559   |
| 10          | 705107      | Right | 18.5            | 107    | 47    | 4  |   | B6138    | 90261560   |
| 10          | 741962      | Left  | 21              | 100    | 48    | 4  | UFO 3310  |          | NR331L     |
| 10          | 741963      | Right | 21              | 100    | 48    | 4  | UFO 3310  |          | NR331R     |
| 6           | 706801      | Flat  | 18.2            | 130    | 50    | 4  |   |          |            |

## J.F. / FARENDLOSE / GARNIER

| Blade Style | Agpoint No. |       | DIMENSIONS (MM) |        |       |    | COMMON MODELS                 | Bare No. | OEM Number            |
|-------------|-------------|-------|-----------------|--------|-------|----|-------------------------------|----------|-----------------------|
|             |             |       | Hole Diam.      | Length | Width | Th |                               |          |                       |
| 1           | 704101      | Flat  | 19              | 96     | 40    | 3  |                               | B5389    | 8-076.94              |
| 1           | 708801      | Flat  | 18.25           | 117    | 45    | 5  |                               |          | 172.2327.00 FR152.327 |
| 5           | 716801      | Left  | 19              | 90     | 46    | 4  |                               | B6788    | 1380.0006             |
| 5           | 716901      | Right | 19              | 90     | 46    | 4  |                               | B6789    | 1380.0007             |
| 9           | 707401      | Left  | 19              | 96     | 40    | 3  |                               |          | 1380.0016             |
| 9           | 707501      | Right | 19              | 96     | 40    | 3  |                               |          | 1380.0017             |
| 7           | 708601      | Flat  | 20.5            | 90     | 42    | 4  | JF                            | B5390    | 2220.101A             |
| 1           | 708501      | Flat  | 20 X 24         | 94     | 48    | 4  | * 20 x 24 Oblong hole, JF 245 | B5391    | JF 1380.0001          |

Issue Date 1st May 2012, replaces all previous updates

# BLADES FOR MOWERS & MOWER CONDITIONERS

## CLAAS / DEUTZ - FAHR

| Blade Style | Apogee No. |       | DIMENSIONS (MM) |        |       |    | COMMON MODELS                                | Bare No. | OEM Number             |            |
|-------------|------------|-------|-----------------|--------|-------|----|--|----------|------------------------|------------|
|             |            |       | Hole Diam.      | Length | Width | Th |  |          |                        |            |
| 9           | 716401     | Left  | 16.25           | 98     | 40    | 4  |  | B5401    | 946 884 0<br>6282      | 0656       |
| 9           | 716501     | Right | 16.25           | 98     | 40    | 4  |  | B5402    | 946 885 0<br>6282      | 0656       |
| 9           | 715101     | Left  | 18.2            | 123    | 45    | 4  |  | B5394    | 104 555 0              |            |
| 9           | 715001     | Right | 18.2            | 123    | 45    | 4  |  | B5395    | 104 556 0              |            |
| 5           | 706901     | Left  | 19              | 100    | 40    | 3  |  |          |                        |            |
| 5           | 707001     | Right | 19              | 100    | 40    | 3  |  |          |                        |            |
| 10          | 706202     | Left  | 19              | 100    | 48    | 3  | Class WM31F / WM165 / WM185 / WM210 / WM290F | B5385    | 904.178.7              |            |
| 10          | 706201     | Right | 19              | 100    | 48    | 3  |  | B5386    | 904.177.7              |            |
| 9           | 709301     | Left  | 19              | 112    | 48    | 4  | Class  | B5384    | 952 043 0              |            |
| 9           | 709401     | Right | 19              | 112    | 48    | 4  |  | B5383    | 952 042 0              |            |
| 1           | 705401     | Flat  | 19              | 90     | 40    | 3  | Deutz-Fahr KM20/22, Krone, PZ MT52S          | B145     | 977.516.               | 06561543   |
| 1           | 704101     | Flat  | 19              | 96     | 40    | 3  |  | B5389    | 978.241.3<br>0656 1542 | 949.240.0  |
| 4           | 702701     | Hump  | 21              | 105    | 46    | 3  | Zetor ZTR165, Deutz Fahr KM3.2IS             | B5399    | 104.004.0              |            |
| 1           | 715901     | Flat  | 21              | 108    | 46    | 3  |  | B5414    | 105.873.0              | 1058.878.0 |
| 9           | 707401     | Left  | 19              | 96     | 40    | 3  |  |          | 0656 1547              |            |
| 9           | 707501     | Right | 19              | 96     | 40    | 3  |  |          | 0656 1546              |            |

Issue Date 1st May 2012, replaces all previous updates

# BLADES FOR MOWERS & MOWER CONDITIONERS

## NEW HOLLAND / FORD / KUHN

| Blade Style | Agpoint No. |       | DIMENSIONS (MM) |        |       |    | COMMON MODELS   | Bare No. | OEM Number            |          |
|-------------|-------------|-------|-----------------|--------|-------|----|---|----------|-----------------------|----------|
|             |             |       | Hole Diam.      | Length | Width | Th |   |          |                       |          |
| 9           | 705501      | Left  | 16.25           | 95     | 45    | 4  | 442, 452, 462, GMD44, GMD55, GMD66, GMD67 (Standard Disc Models only)   | B5392    | NH 766726<br>56151210 | KUHN     |
| 9           | 705601      | Right | 16.25           | 95     | 45    | 4  |   | B5393    | NH 766727<br>56151310 | KUHN     |
| 9           | 715101      | Left  | 18.2            | 123    | 45    | 4  | 442, 452, 462, 463, 465, GMD44HD, GMD55HD, GMD66HD, GMD77HD, GMD600HD, GMD700HD, GMD800HD - All Heavy Duty Disc | B5394    | NH 784221<br>56451200 | KUHN     |
| 9           | 715001      | Right | 18.2            | 123    | 45    | 4  |   | B5395    | NH 784220<br>56451200 | KUHN     |
| 10          | 768401      | Left  | 22.7            | 110    | 50    | 4  | 615 - 617, 1409 - 1412, 1431, 1432, 1441, 1442, 2331, 2332, 2355, DCX101, DCX131, DCX161, RDX161                | B4177    | 9847684               |          |
| 10          | 768501      | Right | 22.7            | 110    | 50    | 4  |   | B4178    | 9847683               |          |
| 9           | 709501      | Left  | 18.2            | 107    | 45    | 4  | 408, 412, 415, 411(s/n 711816 on), GMD400, GMD500, GMD600, GMD700, GMD800, FC250, FC300, FC350                  | B7055    | NH 853820<br>55903210 | KUHN     |
| 9           | 709601      | Right | 18.2            | 107    | 45    | 4  |   | B7056    | NH 853819<br>55903310 | KUHN     |
| 9           | 701101      | Left  | 16.25           | 93     | 40    | 3  | KUHN GMD 44/55/66/77, New Holland, PZ, JD   | B4140    | NH 274096<br>56151200 | KUHN     |
| 9           | 701201      | Right | 16.25           | 93     | 40    | 3  |   | B4141    | NH 274097<br>56151300 | KUHN     |
| 10          | 741986      | Left  | 22.75           | 110    | 50    | 4  | New Holland 615, 616, 617, 1411, 1412<br>N/A 2010 SEASON  |          | 86621872              |          |
| 10          | 741987      | Right | 22.75           | 110    | 50    | 4  |   |          | 86621873              |          |
| 1           | 715901      | Flat  | 21              | 108    | 46    | 3  | New Holland   | B5414    | 108D                  |          |
| 1           | 705201      | Flat  | 20.5            | 109    | 40    | 3  |   |          | 583.720.00            |          |
| 6           | 709201      | Flat  | *               | 128    | 50    | 4  | * Oblong Hole 18.5 x 20.5mm   |          | 564.500.02            |          |
| 1           | 705301      | Flat  | 16.2            | 94     | 45    | 3  |   |          | 561500                | 549757   |
| 12          | 715801      | Flat  | 17.5            | 125    | 45    | 5  |   |          | 534444                |          |
| 6           | 706501      | Flat  | *               | 128    | 50    | 4  | * Oblong Hole 20.5 x 23mm   | B5403    | 56110300              |          |
| 6           | 709101      | Flat  | *               | 113    | 50    | 4  | * Oblong Hole 20.5 x 18.5mm   |          | 56451600              | 56840000 |

Issue Date 1st May 2012, replaces all previous updates

# BLADES FOR MOWERS & MOWER CONDITIONERS

## KRONE / WELGAR / ZETOR / PZ

| Blade Style | Apogee No. |       | DIMENSIONS (MM) |        |       |     | COMMON MODELS  | Bare No. | OEM Number                                   |
|-------------|------------|-------|-----------------|--------|-------|-----|--|----------|--|
|             |            |       | Hole Diam.      | Length | Width | Th  |  |          |  |
| 9           | 709301     | Left  | 19              | 112    | 48    | 4   | KRONE  | B5384    | 1398880                                      |
| 9           | 709401     | Right | 19              | 112    | 48    | 4   |  | B5383    | 1398890                                      |
| 1           | 705401     | Flat  | 19              | 90     | 40    | 3   | Deutz-Fahr KM20/22, Krone, PZ MT52S                  | B145     | 1431490 0982.15.01.00<br>3202.01.03.46 MT52S |
| 1           | 704101     | Flat  | 19              | 96     | 40    | 3   |  |          |  |
| 4           | 702701     | Hump  | 21              | 105    | 46    | 3   | PZ CM135/165/166/167/168/170/188/<br>210/211/212/220 | B5399    | CM120  |
| 9           | 701101     | Left  | 16.2            | 93     | 40    | 3   | PZ   | B4140    | DM160  |
| 9           | 701201     | Right | 16.2            | 93     | 40    | 3   | PZ   | B4141    | DM155  |
| 9           | 716401     | Left  | 16.2            | 98     | 40    | 4.3 | PZ 230/275/320                                       | B5401    | DM303  |
| 9           | 716501     | Right | 16.2            | 98     | 40    | 4.3 | PZ 230/275/320                                       | B5402    | DM304  |
| 10          | 706102     | Left  | 19              | 90     | 40    | 3   | WELGAR   |          | 0982.15.09.00                                |
| 10          | 706101     | Right | 19              | 90     | 40    | 3   | WELGAR   |          | 0982.15.08.00                                |
| 1           | 700401     | Flat  | 21              | 105    | 46    | 3   | PZ CM215   | B5400    | CM215  |

Issue Date 1st May 2012, replaces all previous updates

# BLADES FOR MOWERS & MOWER CONDITIONERS

## POTTINGER

| Blade Style | Agpoint No. |       | DIMENSIONS (MM) |        |       |    | COMMON MODELS | Bare No. | OEM Number |
|-------------|-------------|-------|-----------------|--------|-------|----|---------------|----------|------------|
|             |             |       | Hole Diam.      | Length | Width | Th |               |          |            |
| 10          | 741962      | Left  | 21              | 100    | 48    | 4  |               | NR434973 |            |
| 10          | 741963      | Right | 21              | 100    | 48    | 4  |               | NR434974 |            |

## TAARUP

| Blade Style | Agpoint No. |       | DIMENSIONS (MM) |        |       |    | COMMON MODELS               | Bare No. | OEM Number      |
|-------------|-------------|-------|-----------------|--------|-------|----|-----------------------------|----------|-----------------|
|             |             |       | Hole Diam.      | Length | Width | Th |                             |          |                 |
| 10          | 706601      | Left  | 20.5 x 23       | 126    | 48    | 4  | * Oblong Hole 20.5 x 23mm   | B5388    | 56.110.400      |
| 10          | 706701      | Right | 20.5 x 24       | 126    | 48    | 4  |                             | B5387    | 56.110.900      |
| 1           | 705201      | Flat  | 20.5            | 110    | 40    | 3  |                             |          | 58.372.000      |
| 6           | 706501      | Flat  | 20.5 x 22.8     | 128    | 50    | 4  | * Oblong Hole 20.5 x 22.8mm | B5403    | 56.110.300      |
| 6           | 706401      | Flat  | 20.5 x 22.9     | 131    | 50    | 4  | * Oblong Hole 20.5 x 22.8mm |          | <i>SUPERCUT</i> |

For Harvest Products contact:

South Australia : Agpoint Australia Ph 1800 088 538

Western Australia: McCalls Ag Ph 08 9427 1888

Queensland/Northern NSW: GWT Toowoomba 07 4636 9150

Southern NSW/Victoria: GWT Bendigo 03 5447 0466