



True Blue Australian Made Points, Sweeps & Chisels

Recommended Retail Price List No. 179 Effective 1st November 2023 (GST Not Included)

TRA				Please No	ote: Pric	<mark>es Subje</mark>	ct To Change	e Without Prior Notice	,	
AGPOINT	GWT	Size	Thickness	Bundle	Bundle	Drum	Unit	Application	Picture	for
PART NO.	PART NO.			Qty	Kg	Qty	Price Ea	(Guide Only)	illustration pu	rposes only
No.8A Key Hole Bolt On Sca	rifier Point							Fits Connor Shea	1	
8ALP Fluted Plain	SC80001	1 ½"	6mm	10	8.2	400		Equiv to Napier 11701		
8A x 6 Plain	SC80006	6"	6mm	10	9.1	350				
8A x 8 Plain	SC80008	8"	6mm	10	11.0	250		Take 1/2" CSK Plow Bolt & Nut		
8A x 9 Plain	SC80009	9"	6mm	10	11.9	200		Use Bolt P/N CSK16		
8A x 10 Plain	SC80010	10"	6mm	10	14.6	150				
									No.8ALP &	No.8A
No.10 Bolt-On Scarifier Poin								Fits Chamberlain, Horwood Bagshaw etc.		1 1
10 x 4 Dart	SC41004	4"	6mm	10	6.0	750				
10 x 5 Dart	SC41005	5"	6mm	10	8.0	750		Takes 1/2" Cuphead Bolt & Nut		
10 x 6 Dart	SC41006	6"	6mm	10	8.4	750		Use Bolt part number BRH15 or BRH16		
10 x 7 Dart	SC41007	7"	6mm	10	10.4	600				
10 x 8 Dart	SC41008	8"	6mm	10	11.4	550				
10 x 9 Dart	SC41009	9"	6mm	10	14.1	400				
10 x 10 Dart	SC41010	10"	6mm	5	9.0	300			No. 10 Dart	10RP 10LP
10LP* Lucerne Chisel Point	LC46000	12mm	6mm	10	6.0	500				
10RP Ripper Point (Dimple)		2 ½"	6mm	10	6.0	1000				
SC65002-8		2 ½"	8mm	10	6.0	1000				
* Denotes to be deleted from the range	once stocks have bee	en sold								
No.10LW Bolt-On Scarifier	Point							Fits Chamberlain, Horwood Bagshaw etc.		
10LW x 7 Plain (Dimple)		7"	6mm	10	10.2	600		Low wing buster type		
								Takes 1/2" Cuphead Bolt & Nut		
								Use Bolt P/N BRH15 or BRH16		

No. 10LW



20RP Ripper

SC20002RC

2 1/2"

10mm

Agpoint Australia



No. 20LP & No.20RP

True Blue Australian Made Points, Sweeps & Chisels

STRALI	Recomm	nended	l Retail I	Price Li	ist No.	179 E	ffective 1s	t November 2023 (GST Not Include	ed)
				Please No	ote: Pric	es Subje	ct To Change \	Without Prior Notice	
AGPOINT	GWT	Size	Thickness				Unit	Application	Picture for
PART NO.	PART NO.			Qty	Kg	Qty	Price Ea	(Guide Only)	illustration purposes only
Grip-On Clips For Scarifi	iers							Grip-on Clip	
31KI	SK15802C	SH	5mm	25	8.2	2000		Fits Shearer, CSN, Ford etc.	
32KI	SK15803C	НВ	5mm	25	8.2	2000		Fits H Bagshaw, Chamberlain, IHC	
								Use Bolt P/N CSK15 or CSK16	
									No.31KI & 32KI
No.15 Grip-On Scarifier I	Point							Grip-On Shares	
15 x 4 Dart	SK15804D	4"	5mm	10	7.1	400		To fit most makes of scarifiers	
15 x 5 Dart	SK15805D	5"	5mm	10	7.7	350		Takes No.31KI or 32KI clips	
15 x 6 Dart	SK15806D	6"	5mm	10	8.1	350			
15 x 7 Dart	SK15807D	7"	5mm	10	9.6	300			
15 x 8 Dart	SK15808D	8"	5mm	10	10.1	250			
15 x 9 Dart	SK15809D	9"	5mm	10	11.9	200			
15 x 10* Dart		10"	5mm	10	12.0	200			No.15
* Denotes to be deleted from the ran	U	en sold							
No.20 Universal Scarifier	Point						Fits Cha	mberlain, Horwood Bagshaw, Shearer etc.	
20 x 4 Dart	SC20004	4"	6mm	10	6.1	1000		Suits most makes of scarifiers	
20 x 5 Dart	SC20005	5"	6mm	10	7.6	800		Takes 1/2" Cuphead Bolt & Nut	
20 x 6 Dart	SC20006	6"	6mm	10	9.1	700		Use Bolt P/N BRH15 or BRH16	
20 x 7 Dart	SC20007	7"	6mm	10	10.2	600			9
20 x 8 Dart	SC20008	8"	6mm	10	12.5	500			
20 x 9 Dart	SC20009	9"	6mm	10	14.1	400			V ·
20 x 10 Dart	SC20010	10"	6mm	5	9.0	300			No. 20
20LP Chisel	SS47000	12mm	6mm	10	6.7	500		Use Bolt P/N CSK9, CSK15 or CSK16	

Use Bolt P/N BRH15 or BRH16

7.9

800

10



53 x 12 Plain

SW53012

12"

6mm

Agpoint Australia



True Blue Australian Made Points, Sweeps & Chisels

Recommended Retail Price List No. 179 Effective 1st November 2023 (GST Not Included)

STRAL	Recomm	enaea	ı ketali	Price L	IST NO.	1/9 E	mective T	st November 2023 (GS) Not Include	ea) 🔻
				Please N	ote: Pric	<mark>es Subj</mark> e	ct To Change	Without Prior Notice	
AGPOINT	GWT	Size	Thickness	Bundle	Bundle	Drum	Unit	Application	Picture for
PART NO.	PART NO.			Qty	Kg	Qty	Price Ea	(Guide Only)	illustration purposes only
No.20LW Universal Scar	ifier Point						Fits Ch	amberlain, Horwood Bagshaw, Shearer etc.	
20LW x 3 Dimple	SC49A03	3"	6mm	10	5.5	1000		Low wing buster type	
20LW x 4 Dart	SC49004	4"	6mm	10	7.9	700		Suits most makes of scarifiers	
20LW x 5 Dart	SC49005	5"	6mm	10	8.3	650		Takes 1/2" Cuphead Bolt & Nut	
20LW x 7 Dart	SC49007	7"	6mm	10	10.1	550		Use Bolt P/N BRH15 or BRH16	
No.50 Bolt-On Scarifier S	Sween						Fits Cham	berlain, H/Bagshaw, Shearer, MF, IHC etc.	
50 x 10 Plain	SW57010A	10"	6mm	10	13.2	300	Tits Chain	Takes 1/2" Cuphead Bolt & Nut	No. 20LW
50 x 12 Plain	SW57012A	12"	6mm	5	8.2	250		Use Bolt P/N BRH15 or BRH16	110. 202 11
SW57014A	5113701211	14"	6mm	5	0.2	230		Cisc Bolt 1/1 (Bitting of Bitting	
5113701411		17	Omm	3					
No.50N Bolt-On Scarifier	Sweep							Fits Ford-Napier	
50N x 12 Plain		12"	6mm	5	8.2	250		Takes 1/2" Cuphead Bolt & Nut	
								Use Bolt P/N BRH15 or BRH16	
									No.50 or No.50N Sweep
No.53 Bolt-On Sweep								Fits Coil Tines	
53 x 5 Plain	SW53005	5"	6mm	10	9.0	450		Suits many Cultivators using Coil Tines	
53 x 6 Plain	SW53006	6"	6mm	10	9.6	400		Fits Ford Crown, Harvey, Gibbins, MF Tiller,	
53 x 7 Plain	SW53007	7"	6mm	10	10.8	350		MF coil tynes & Agpoint coil tynes	
53 x 8 Plain	SW53008	8"	6mm	10	11.9	300		44.5mm-51.5mm slotted hole centres	
53 x 10 Plain	SW53010	10"	6mm	5	7.2	200		(1/3/4" to 2")	

7.7

150





No.53 Sweep

Takes 2 x 7/16" CSK Plow Bolts





True Blue Australian Made Points, Sweeps & Chisels

Recommended Retail Price List No. 179 Effective 1st November 2023 (GST Not Included)

	Please Note: Prices Subject To Change Without Prior Notice											
AGPOINT	GWT	Size	Thickness	Bundle	Bundle	Drum	Unit	Application	Picture for			
PART NO.	PART NO.			Qty	Kg	Qty	Price Ea	(Guide Only)	illustration purposes only			

No.101T Bolt-On Sweep							43 Degree Sweep
101T x 8 Dart	SW60608HD	8"	8mm	5	8.2	250	Fits AFM, Gyral Penetrator & Ag Boss,
101T x 10 Dart	SW60610HD	10"	8mm	5	9.5	220	Janke, Gason 4185 (7/16" holes) & other
							with 43 degree tines.
							44.5mm (1 3/4") hole centres
							Takes 2 x 7/16" or 1/2" CSK Plow Bolts



No.202T Bolt-On Sweep							47 Degree Sweep
202T x 4 Dart	SW50504HD	4"	8mm	5	5.4	290	Fits IHC V/shank, Leon, Flexi-Coil, Gason,
202T x 8 Dart	SW50508HD	8"	8mm	5	8.2	250	H Bagshaw-ScariBar 2 bolt edge-on
202T x 9 Dart	SW50509HD	9"	8mm	5	8.8	240	tine only & other wth 47 degree tines.
202T x 10 Dart	SW50510HD	10"	8mm	5	9.5	220	44.5mm (1 3/4") hole centres
202T x 12 Dart	SW50512HD	12"	8mm	5	11.0	170	Takes 2 x 7/16" or 1/2" CSK Plow Bolts
202T x 14 Dart	SW50514HD	14"	8mm	5	12.7	150	Use Bolt P/N CSK9 or CSK16

No.101T Sweep

No.303T Glide-A-Wing Bolt-On Sweep						43 Degree Sweep
303T x 12 Plain	12"	8mm	5	11.2	170	Fits AFM, Gyral Penetrator & Ag Boss,

No.202T Sweep

44.5mm (1 3/4") hole centres
Takes 2 x 7/16" or 1/2" CSK Plow Bolts
Use Bolt P/N CSK9 or CSK16

Janke & other with 43 degree tines.

Use Bolt P/N CSK9 or CSK16



No.303T Sweep





True Blue Australian Made Points, Sweeps & Chisels

U _{STRAL} I	Recomm	ende	d Retail F	Price L	ist No.	. 179 E	ffective :	1st November 2023 (GST Not Included	
				Please N	ote: Pric	es Subje	ct To Chang	ge Without Prior Notice	
AGPOINT	GWT	Size	Thickness				Unit	Application	Picture for
PART NO.	PART NO.			Qty	Kg	Qty	Price Ea	(Guide Only)	illustration purposes only
SW43 Series Bolt-On SUPA	WING Sweeps							43 Degree Sweep	-
SW43010SW	•	10"	8mm	5	9.5	220		Fits AFM, Gyral Penetrator & Ag Boss,	
SW43012SW		12"	8mm	5	11.0	170		Janke & other with 43 degree tines.	
SW43014SW		14"	8mm	5	12.7	150		44.5mm (1 3/4") hole centres	
								Takes 2 x 7/16" or 1/2" CSK Plow Bolts	
								Use Bolt P/N CSK9 or CSK16	SW43 Supa Wing Sweep
No.404T Glide-A-Wing Bolt-	On Sweep							47 Degree Sweep	
404T x 12 Plain		12"	8mm	5	11.0	170		Fits IHC V/shank, Leon, Flexi-Coil, Gason,	N ITI 4
404T x 14 Plain		14"	8mm	5	12.7	150		Hesston, Morris, Bourgault, Ezee-On,	
								H Bagshaw-Scari Seeder 2 bolt edge-on	
								tine only & other wth 47 degree tines.	
								44.5mm (1 3/4") hole centres	
								Takes 2 x 7/16" or 1/2" CSK Plow Bolts	No.404T Sweep
								Use Bolt P/N CSK9 or CSK16	
SW47 Series Bolt-On SUPA	WING Sweeps							47 Degree Sweep	
SW47010SW	•	10"	8mm	5	9.5	220		Fits IHC V/shank, Leon, Flexi-Coil, Gason,	
SW47012SW		12"	8mm	5	11.0	170		Hesston, Morris, Bourgault, Ezee-On,	
SW47014SW		14"	8mm	5	12.7	150		H Bagshaw-Scari Seeder 2 bolt edge-on	



SW47 Supa Wing Sweep

tine only & other wth 47 degree tines.

44.5mm (1 3/4") hole centres Takes 2 x 7/16" or 1/2" CSK Plow Bolts

Use Bolt P/N CSK9 or CSK16





True Blue Australian Made Points, Sweeps & Chisels

AGPOINT GWT Size Thickness Bundle Bundle Drum Unit Application Picture for PART NO PART NO PART NO PART NO PART NO PART NO Price Fa	Please Note: Prices Subject To Change Without Prior Notice											
PART NO PART NO Oty Kg Oty Price Fe (Guide Only) illustration purposes only			Size	Thickness	Bundle	Bundle	Drum	Unit	Application	Picture for		
TAKT NO. TAKT NO. Qty Rg Qty Tite Ea (Guide Gmy) indistration purposes on	PART NO.	PART NO.			Qty	Kg	Qty	Price Ea	(Guide Only)	illustration purposes only		

43 Degree Standard S	tyle Chisel Plow Swee	ep					43 Degree Sweep
43-16-8 Dart	SW43016D	16"	8mm	1	4.3	80	Fits Morris Magnum 1, Allis Chalmers
							Taylorway, Gyral Penetrator, IHC4700 etc.
							Takes 2 x 1/2" Plow Bolts at 57mm centres
							Use Bolt P/N CSK17, CSK18 or CSK19



43	Degree	Swee
----	--------	------

le Chisel Plow Swee	ep					50 Degree Sweep
SW50008D	8"	8mm	1	2.4	150	Fits J Deere, Massey Ferguson, AFM,
SW50010D	10"	8mm	1	2.8	120	Hesston, Riteway, New Holland, Symonds,
SW50012D	12"	8mm	1	3.4	110	Morris Magnum 2, Connor Shea, Versatile
SW50014D	14"	8mm	1	3.8	90	Friggstad, Gason Eco Till, Yeomans, Noble,
SW50016D	16"	8mm	1	4.3	80	Flexi-Coil 550, Gason 2900
SW50018D	18"	8mm	1	5.2	60	Takes 2 x 1/2" Plow Bolts at 57mm centres Use Bolt P/N CSK17, CSK18 or CSK19
	SW50008D SW50010D SW50012D SW50014D SW50016D	SW50010D 10" SW50012D 12" SW50014D 14" SW50016D 16"	SW50008D 8" 8mm SW50010D 10" 8mm SW50012D 12" 8mm SW50014D 14" 8mm SW50016D 16" 8mm	SW50008D 8" 8mm 1 SW50010D 10" 8mm 1 SW50012D 12" 8mm 1 SW50014D 14" 8mm 1 SW50016D 16" 8mm 1	SW50008D 8" 8mm 1 2.4 SW50010D 10" 8mm 1 2.8 SW50012D 12" 8mm 1 3.4 SW50014D 14" 8mm 1 3.8 SW50016D 16" 8mm 1 4.3	SW50008D 8" 8mm 1 2.4 150 SW50010D 10" 8mm 1 2.8 120 SW50012D 12" 8mm 1 3.4 110 SW50014D 14" 8mm 1 3.8 90 SW50016D 16" 8mm 1 4.3 80



50 Degree Sweep

SW50 Series Bolt-On FLAT	WING Sweeps				50 Degree Sweep
SW50022FW		8mm	1	Each	Callow Big Rig, FlexiCoil, Orion, Hesston
SW50026FW		8mm	1	Each	Lely, AFM, Jet Stream, Versatile
SW50030FW		8mm	1	Each	Takes 2 x 1/2" Plow Bolts at 57mm centres
					Use Bolt P/N CSK17, CSK18 or CSK19



SW50022FW





SW50 SUPA WING

True Blue Australian Made Points, Sweeps & Chisels

TRA-	Reconnin	lended						ge Without Prior Notice	<i>(u)</i>
AGPOINT	GWT	Size	Thickness				Unit	Application	Picture for
PART NO.	PART NO.	Size	Timemicss	Qty	Kg	Qty	Price Ea	(Guide Only)	illustration purposes only
								-	
50 Degree Penetrator Sty	yle Chisel Plow Sw	еер						50 Degree Sweep	
P50-8-8 Dart	SD50008	8"	8mm	1	2.4	150		Fits J Deere, Massey Ferguson, AFM,	
P50-10-8* Dart	SD50010*	10"	8mm	1	2.8	120		Hesston, Riteway, New Holland, Symonds,	
P50-12-8 Dart SD50012		12"	8mm	1	3.4	110		Morris Magnum 2, Connor Shea, Versatile	
P50-14-8 Dart	SD50014	14"	8mm	1	3.8	90		Friggstad, Gason Eco Till, Yeomans, Noble,	
P50-16-8 Dart	SD50016	16"	8mm	1	4.3	70		Flexi-Coil 550, Gason 2900	
P50-18-8 Dart	SD50018	18"	8mm	1	5.2	60		Takes 2 x 1/2" Plow Bolts at 57mm centres	•
* Denotes to be deleted from the r	ange once stocks have be	en sold						Use Bolt P/N CSK17, CSK18 or CSK19	Penetrator 50 Degree Sweep
50 Degree Glide-A-Wing	Style Chisel Plow	Sweep						50 Degree Sweep	
U50-12-8 Plain		12"	8mm	1	3.4	110		Fits J Deere, Massey Ferguson, AFM,	
U50-14-8* Plain		14"	8mm	1	4.3	80		Hesston, Riteway, New Holland, Symonds,	
U50-16-8 Plain		16"	8mm	1	4.3	80		Morris Magnum 2, Connor Shea, Versatile	
								Friggstad, Gason Eco Till, Yeomans, Noble,	
* Denotes to be deleted from the r	range once stocks have be	en sold						Flexi-Coil 550, Gason 2900	Glide-A-Wing 50 Degree Sweep
SW50 Series Bolt-On SU	IPA WING Sweeps	S						50 Degree Sweep	
SW50012SW		12"	8mm	1	3.4	110		Fits J Deere, Massey Ferguson, AFM,	
SW50014SW			8mm	1	3.8	90		Hesston, Riteway, New Holland, Symonds,	
SW50016SW		16"	8mm	1	4.3	70		Morris Magnum 2, Connor Shea, Versatile	
SW50018SW		18"	8mm	1	5.2	60		Friggstad, Gason Eco Till, Yeomans, Noble, Flexi-Coil 550, Gason 2900	





True Blue Australian Made Points, Sweeps & Chisels

Recommended Retail Price List No. 179 Effective 1st November 2023 (GST Not Included)

			F	Please No	ote: Pric	es Subje	ct To Chang	ge Without Prior Notice	
AGPOINT	GWT	Size	Thickness	Bundle	Bundle	Drum	Unit	Application	
PART NO.	PART NO.			Qty	Kg	Qty	Price Ea	(Guide Only)	
Shearer Standard Style	Chisel Plow Sweep	1						54 Degree Sweep	
15908 Dart	SW15908	8"	8mm	1	2.8	120		Fits Shearer Trashworker, Econodraft &	
15912 Dart	SW15912	12"	8mm	1	3.6	80		Ford.Takes 9/16" Special Bolt at 76.2mm	
15914 Dart	SW15914	14"	8mm	1	4.0	75		centres. Use Bolt P/N SH1 or SH2	
15916 Dart	SW15916	16"	8mm	1	4.5	70			
15918 Dart	SW15918	18"	8mm	1	5.1	60			
SW159 Series Shearer	Trashworker Bolt-(n SUP	A WING S	weeps				54 Degree Sweep	7
SW15916SW		16"	8mm	1	4.5	70		Fits Shearer Trashworker, Econodraft &	
SW15918SW		18"	8mm	1	5.1	60		Ford.Takes 9/16" Special Bolt at 76.2mm	
								centres. Use Bolt P/N SH1 or SH2	
Shearer Penetrator Sty	le Chisel Plow Swee	ep						54 Degree Sweep	1
16411 Dart	SD16411	11"	8mm	1	3.3	100		Fits Shearer Trashworker, Econodraft &	
16416 Dart	SD16416	16"	8mm	1	4.5	70		Ford.Takes 9/16" Special Bolt at 76.2mm	
16418 Dart	SD16418	18"	8mm	1	5.1	50		centres. Use Bolt P/N SH1 or SH2	
Gessner Penetrator Sty	le Chisel Plow Swee	e p						50 Degree Sweep	1
16264 Dart		16 "	8mm	1	4.3	70		Takes 2 x 5/8" CSK Plow Bolts at 57mm	S
								centres. Use Bolt P/N CSK33	
SW500 Series Bolt On	Sweep to suit Gessn	er Chise	el Plough					50 Degree Sweep]
SW50016G9		16"	9mm	1	4.5	70		Takes 2 x 5/8" CSK Plow Bolts at 57mm	
								centres. Use Bolt P/N CSK33	



Picture for illustration purposes only

Shearer Standard Sweep



SW159 Series



Shearer & Gessner Penetrator Sweep



SW50016G9





True Blue Australian Made Points, Sweeps & Chisels

Recommended Retail Price List No. 179 Effective 1st November 2023 (GST Not Included)

STRAL	Reconni	ienaea						1St Novelliber 2023 (GST NOt Tilciut	ieu) 🔻
AGPOINT	GWT	Size	Thickness				<u>ct To Chanc</u> Unit	ge Without Prior Notice Application	Picture for
PART NO.	PART NO.	Size	Tilless	Oty	Kg	Oty	Price Ea	(Guide Only)	illustration purposes only
THE TO	171111 1101			Q t	-115	Qt.	Trice Eu	(outre only)	mustration parposes only
Horwood Bagshaw St	tandard Style Chisel I	Plow Sw	еер					Horwood Bagshaw	
16502 Plain	SW68002	2.1/2"	12mm	1	1.4	350		Fits Horwood Bagshaw Stubblemaster &	0
16508 Dart	SW68008	8"	8mm	1	2.5	150		350 Scaribar (single bolt hole models only)	
16516 Dart	SW68016	16"	8mm	1	4.4	70		• •	
								Takes 7/16" & 5/8" CSK Plow Bolts	
Feed Down Points									H/Bagshaw Chisel Point & Sweep
314H	FD00314H	2 "	1/2 inch	1	2.6	100		Short Tine (6-01377, 6-01335) Fits Yeoman,	
								Graham Hoeme & Napier Grasslands	
								Use two WCK91 Clamps & Set Screws	
315H	FD00315H	2 "	1/2 inch	1	3.7	50		Long Tine (6-01374, 6-01336) Fits Yeoman,	
								Graham Hoeme & Napier Grasslands	
								Use two WCK91 Clamps & Set Screws	Feed Down Point & WCK91 Clamp
No.31CS Reversible (Chical Point							Fits Connor Shea (6-01327P1)	1
31CS	RC00320	2 1/2"	1/2 inch	5	10.1	300		Takes 2 x 1/2" CSK Plow Bolts at 63.5mm	31CS
3103	RC00320	2 1/2	1/2 111011	3	10.1	300		Centres	Sies
								centres	
No.31DJ Reversible (Chisel Point							Fits Various As Below (6-01321P1)	
31DJ	RC12507	2 "	1/2 inch	5	7.7	400		Fits John Deere, Graham Hoeme, Morris	



Gason Hiniker, Versatile & most Nth American Takes 7/16" or 1/2" CSK Plow Bolts at 57mm centres





True Blue Australian Made Points, Sweeps & Chisels

ST _R AL								ge Without Prior Notice		
AGPOINT	GWT	Size	Thickness	Bundle	Bundle	Drum	Unit	Application		Picture for
PART NO.	PART NO.			Qty	Kg	Qty	Price Ea	(Guide Only)	illus	tration purposes only
No.31F Reversible Chis	sel Point						T	Fits Various As Below (RC54002 & RC54205)	7	
31F x 2	RC54002	2 "	5/16 inch	5	3.6	650	1	Fits MF, David Brown, Flexi-Coil, Bourgault		
31F 2 1/2	RC54205	2 1/2"		5	4.6	600		and most coil tines. Hole & Slot 44.5mm to		
311 2 1/2	KC34203	2 1/2	3/10 IIICII	3	4.0	000			215	
								51mm centres. Takes 7/16" CSK Plow Bolt.	31F	
No.31H Reversible Chi	sel Point							Fits Howard (6-01328P1)]	
31H x 2		2 "	1/2 inch	5	9.9	400		Fits Howard 3 x 9/16" holes - 50mm centres		
No.31JB Reversible Ch	isel Point						Fits B	Berends, Jarrett, Yeomans, Bonel (6-01329P1)	31M	
31JB x 2 1/2		2 1/2"	1/2 inch	5	11.8	250		Fits Berends, Jarrett, Yeomans, Bonel	•	
								Takes 2 x 1/2" Plow Bolts at 57mm centres		
No.31M & 31MH Reve	rsible Chisel Point							Fits Various As Below	1	
31M	RC21610-16	2 "	5/8 inch	5	12.0	300		Fits AFM, Morris, John Deere, Friggstad,	•	
								Gason Hiniker, Versatile & Most North		
								American Machines		
31MH	RC21610-22	2 "	3/4 inch	5	20.0	250		Takes 2 x 1/2" Plow Bolts at 57mm centres	31MH	
No.31MG3								Fits Gessner	1	
31MG3		3 "	3/4 inch	3	14.9	135		Takes 5/8" Plow Bolts at 57mm Centres	4	
No.31SH & 31SHH Rev	versible Chisel Point	t						Fits Shearer	7	
31SH	RC00350-16	2 "	5/8 inch	5	11.9	300		Fits Shearer Trashworker, Econodraft &	_	
31SHH	RC00350-10 RC00350-22	2 "	3/4 inch	5	14.2	200		Ford.Takes 9/16" Special Bolt at 76.2mm		
3131111	KC00330-22	2	3/4 IIICII	3	14.2	200			2101111	
								centres. Use Bolt P/N SH1 or SH2	31SHH	





True Blue Australian Made Points, Sweeps & Chisels

Please Note: Prices Subject To Change Without Prior Notice												
AGPOINT	GWT	Size	Thickness	Bundle	Bundle	Drum	Unit	Application	Picture for			
PART NO.	PART NO.			Qty	Kg	Qty	Price Ea	(Guide Only)	illustration purposes only			
No.31SL Reversible Ch	isel Point							Fits Various As Below				
31SL - 1	RC00330	40mm	1/2 inch	5	7.0	500		MF, Gibbons, Agpoint Coil Tines				
31SL - 2	RC00330B	40mm	5/8 inch	5	7.8	400		Takes 7/16" Plow Bolts at 50mm centres				
31SL - 3	RC11538	50mm	5/8 inch	5	9.7	350			31SL			
31SL - 4		65mm	5/8 inch	5	11.5	300						
No 21CT Cincle Ended	Chical Dains							T' (' ' 14 CI 1	1			
No.31ST Single Ended	Chisei Point	2 "	2/4: 1		0.7	200		Fits Straight Shanks				
31ST-1		2 "	3/4 inch	5	9.5	300		Fits Gessner, Gason, H Bagshaw, Simplicity,				
								Gyral & most other makes with straight tine.				
								Takes 2 x 1/2" Plow Bolts at 57mm centres	31ST-1			
No.12640 Reversible Ch	nisel Point							Fits Various Below				
12640	RC12640	2 1/2"	3/8 inch	5	7.7	400		Fits Coil Tines, Leon, Morris, Hesston				
								IHC-Vibrashank, Flexi-Col, Bourgault etc.	No.12640			
								Hole & Slot at 44.5mm to 51mm centres.				
								Takes 2 x 7/16" Plow Bolts				
No.61U Universal Bolt-	On Point							38 Degree Fits Most makes				
61U x 2 1/2 Plain	On I omt	2 1/2 "	6mm	25	9.1	1000		Fits Shearer, Ford, Gyral etc.				
61U x 4 Dart	CC17204	4"	6mm	25	10.4	800		Takes Crushed Cuphead Bolt: S4, S5 or S6				
61U x 5 Dart	CC17204 CC17205	5"		25	11.2	750		or Special Bolt: AG4, AG5, AG6, AG7 or				
61U x 6 Dart			6mm					•				
	CC17206	6" 7"	6mm	25	13.5	500		AG8				
61U x 7 Dart	CC17207	7"	6mm	10	7.2	400		II /F! XX 1 N/200	N. AW			
61U x 8 Dart	CC17208	8"	6mm	10	8.7	400		Use Tine Washer N538	No.61U			





No.AA00715 &

15780

True Blue Australian Made Points, Sweeps & Chisels

US _{TRAL} I	Recomm	nended	l Retail F	Price L	ist No.	. 179 E	ffective	1st November 2023 (GST Not Includ	ed)
							ct To Chan	ge Without Prior Notice	
AGPOINT PART NO.	GWT PART NO.	Size	Thickness	Bundle Qty	Bundle Kg	Drum Qty	Unit Price Ea	Application (Guide Only)	Picture for illustration purposes only
No.63T Bolt-On Point								35 Degree High Breasted Style	
63T x 4 1/2 Dart	CC63405	4 1/2"	бтт	25	11.1	750		Fits MF, Chamberlain etc. Note: This part has 7/16" hole & takes Special Bolt AG1, AG2 & AG2L	
No.64A Bolt-On Point								Reversible	
64A Plain	RC64315	1 1/4"	бтт	25	9.4	1500		Fits most fluted tines. Takes 3/8 or 7/16" Cuphead Bolt & Nut. Use AG2 or S4 & N538 washer.	No.63T & 64A
No.65 Bolt-On Point								Knife Point	
65 Chisel	CP11800	1/2"	6mm	25	10.0	800		Fits most fluted tines. Takes 3/8 or 7/16" Cuphead Bolt & Nut. Use S4 & N538 washer.	No. 65
No.AA00715 Bolt-On Point								Aqua	
AA00715 Plain (Replaces old style 715 Aqua)		40mm	бтт	10	2.2	1500		Fits various tines with 7/16" hole. Takes 7/16" Crushed Cuphead Bolt S4 to S6 or Special Bolt: AG4 to AG8	
No.15780 Bolt-On Point								Reversible	
15780 Plain	RC64316	1 1/4"	6mm	25	9.5	1250		Fits Konskilde "S" Spring tines	•

Takes 3/8" marlow B&N.



M1 x 5 1/2 Dart

Agpoint Australia



True Blue Australian Made Points, Sweeps & Chisels

Recommended Retail Price List No. 179 Effective 1st November 2023 (GST Not Included)

	Please Note: Prices Subject To Change Without Prior Notice												
	AGPOINT GWT Size Thickness Bundle Bundle Drum Unit Application Picture for												
	PART NO.	PART NO.			Qty	Kg	Qty	Price Ea	(Guide Only)	illustration purposes only			
•													

No.74A Bolt-On Point							Plain Style
74A x 4 Plain	CA10004	4"	5mm	25	13.4	1000	Fits Horwood Bagshaw Combine.
74A x 5 Plain	CA10005	5"	5mm	25	13.9	1000	Takes special headed bolt & nut.
							Use N538 washer.

No.16108 Series Bolt-	On Point	41 Degree Sweep					
16108 Dart	SW16108	8"	6mm	10	7.5	350	Fits Alfarm, Janke, Horwood Bagshaw
16109 Dart	SW16109	9"	6mm	10	8.1	350	AFM and others with 43 degree tine.
16110 Dart SW16110			6mm	10	8.5	300	Takes Crushed Cuphead Bolt: S4, S5 or S6
							or Special Bolt: AG4, AG5, AG6, AG7 or
							AG8. Use Tine Washer N538



No.16308 Series Bolt-	No.16308 Series Bolt-On Point 46 Degree Sweep													
16308 Dart	SW16308	8"	6mm	10	7.5	350	Fits Ackland, Shearer, Gason & others with							
16310 Dart	SW16310	10"	6mm	10	8.5	300	49 degree tine.							
							Takes Crushed Cuphead Bolt: S4, S5 or S6							
							or Special Bolt: AG4, AG5, AG6, AG7 or							
							AG8. Use Tine Washer N538							
No.M1 Marlow Point Slip-On Type 43 Degree Slip-On Po														
M1 x 4 1/2 Dart	MR10405	4 1/2"	5mm	25	9.8	600	Fits MF, Chamberlain etc.							

12.3

500

5 1/2 "

5mm

MR10505



Takes MC11, Marlow Clip & Bolt Assy.





True Blue Australian Made Points, Sweeps & Chisels

Recommended Retail Price List No. 179 Effective 1st November 2023 (GST Not Included)

AGPOINT GWT Size Thickness Bundle Bundle Drum Unit Application Picture for PART NO. PART NO. Qty Kg Qty Price Ea (Guide Only) illustration purposes only		Please Note: Prices Subject To Change Without Prior Notice											
PART NO. PART NO. Qty Kg Qty Price Ea (Guide Only) illustration purposes only		AGPOINT	GWT	Size	Thickness	Bundle	Bundle	Drum	Unit	Application	Picture for		
		PART NO.	PART NO.			Qty	Kg	Qty	Price Ea	(Guide Only)	illustration purposes only		
	Ī												
No.M2 Marlow Point Slip-On Type 46 Degree Slip-On Point													

No.M2 Marlow Point Slip	-On Type	46 Degree Slip-On Point					
M2 x 2 Plain	MR20002	2"	5mm	25	6.8	1000	Fits Most makes of combines or cultivators
M2 x 2 1/2 Plain	MR20205	2 1/2"	5mm	25	6.8	1000	with fluted or similar foot
M2 x 4 Dart	MR20004	4"	5mm	25	8.6	750	(Steeper set than M3)
M2 x 5 Dart	MR20005	5"	5mm	25	9.8	600	



Takes Marlow Clip & Bolt Assy.

No.M2 x 2" & M2 x 4D

No.M2Tx 6mm Marl	ow Point Slip-On Typ	e	-	-	•	•	46 Degree Slip-On Point
M2T x 6 Dart	MR20006-6	6"	6mm	25	14.8	400	Fits Most makes of combines or cultivators
M2T x 7 Dart	MR20007-6	7"	6mm	10	7.1	350	with fluted or similar foot.(Steeper set than M3)
M2T x 8 Dart	MR20008-6	8"	6mm	10	9.2	300	Takes Marlow Clip & Bolt Assy.
No.M2LP Marlow Po	oint Slip-On Type						Lucerne Point
No.M2LP Marlow Po M2LP Plain	oint Slip-On Type ML10010	10mm	5mm	25	9.9	750	Lucerne Point Fits Most makes of combines or cultivators



M2T x 6

No.M2SP Marlow Point Slip-On Type

M2SP Plain

ML10001

20mm

5mm

25

10.1

750

Fits Most makes of combines or cultivators
Takes Marlow Clip & Bolt Assy.

6" Long x 20mm wide



(M2LP = 6" long) (M2LPL = 7" long)





MC11 with Special AG Bolt

True Blue Australian Made Points, Sweeps & Chisels

US _{TRAL} I	Recomn	nended						1st November 2023 (GST Not Include	d) 😼
ACRODITE	CITY	T G:						ge Without Prior Notice	D: 4 6
AGPOINT PART NO.	GWT PART NO.	Size	Thickness	Oty	Bundle Kg	Orum Oty	Unit Price Ea	Application (Guide Only)	Picture for illustration purposes only
raki nu.	FART NO.			Qty	Ng	Qty	тисе ва	(Guide Omy)	mustration purposes only
o.M2PP Marlow Point S	lip-On Type							Seeding Point	•
2PP Plain	1 11	35mm	5mm	25	10.1	750		Fits Most makes of combines or cultivators	
								Takes Marlow Clip & Bolt Assy.	
								6" Long x 35mm wide	
								2019 11 00 11111 11110	M2SP & M2PP
o.M3 Marlow Point Slip-	-On Type							49 Degree Slip-On Point	
3 x 4 Dart	MR30004	4"	5mm	25	8.6	750		Fits Most makes of combines or cultivators	
3 x 5 Dart	MR30005	5"	5mm	25	9.8	600		with fluted or similar foot.(Flatter set than M2)	
								Takes Marlow Clip & Bolt Assy.	
									M3 x 4
o.M3Tx 6mm Marlow Po	oint Slip-On Typ	e						49 Degree Slip-On Point	
3T x 6 Dart	MR30006-6	6"	6mm	25	14.8	400		Fits Most makes of combines or cultivators	
3T x 7 Dart	MR30007-6	7"	6mm	10	7.1	350		with fluted or similar foot.(Flatter set than M2)	
3T x 8 Dart	MR30008-6	8"	6mm	10	9.2	300		Takes Marlow Clip & Bolt Assy.	
								•	
									M3T x 6
o.MC11 Marlow Clip								Suit Slip-On Type: M1,M2 &M3 Points	
C11	MR21100	7/16 "	6mm	25	5.0	4000		Takes Special AG Series Bolt & Nut	
								available in either 3/8" or 7/16".	
								Must be fitted with a spring washer & not	

tightened beyond 60ft/lb. Do not lubricate!





True Blue Australian Made Points, Sweeps & Chisels

	Please Note: Prices Subject To Change Without Prior Notice											
AGPOINT	GWT	Size	Thickness	Bundle	Bundle	Drum	Unit	Application	Picture for			
PART NO.	PART NO.			Qty	Kg	Qty	Price Ea	(Guide Only)	illustration purposes only			
	THE THE LEE (Outlet Only)											

No.M4 Marlow Poin	t Slip-On Type	52 Degree Slip-On Point					
M4SP Plain	ML40001	20mm	5mm	25	10.5	750	Fits Connor Shea wideline cultivator
M4 x 2 Dart	ML40002	2 "	5mm	25	10.4	900	Fits Special MC21193 clip with N538
M4 x 4 Dart	ML40004	4 "	5mm	25	12.6	600	washer.
M4 x 6 Dart	ML40006	6 "	5mm	25	15.2	500	
M4 x 7 Dart	ML40007	7"	5mm	10	6.5	400	

No.M4 Marlow Point	Slip-On Type						Suit M4 Point
MC21193	MR41100	3/8 "	4mm	25	2.7	4000	Fits M4 point for Connor Shea

No.M5 Slip-On Style	Sweep						Slip-On Sweep - 43 Degree
M5SP Plain		35mm	6mm	10	8.3	350	Fits early model John Deere 1000 series with
M5 x 2L* Dart	SW15502	2 "	6mm	10	6.8	450	3/8" holes, White, Gason 5100, MF259 &
M5 x 6 Dart	SW15506	6"	6mm	10	10.3	300	Versatile cultivators.
M5 x 7 Dart	SW15507	7"	6mm	10	11.0	300	
M5 x 8 Dart	SW15508	8"	6mm	10	12.0	250	Takes Clip 15552
M5 x 10 Dart	SW15510	10"	6mm	10	12.4	200	Steener set than M7

^{*} To be deleted from range once existing stocks have been sold



M5SP & M5 x 2"






True Blue Australian Made Points, Sweeps & Chisels

Recommended Retail Price List No. 179 Effective 1st November 2023 (GST Not Included)

	Please Note: Prices Subject To Change Without Prior Notice											
	AGPOINT	GWT	Size	Thickness	Bundle	Bundle	Drum	Unit	Application	Picture for		
	PART NO.	PART NO.			Qty	Kg	Qty	Price Ea	(Guide Only)	illustration purposes only		
_												

No.M7 Slip-On Style Swe	еер						Slip-On Sweep - 47 Degree
M7 x 7 Dart	SW15707	7"	6mm	10	11.0	300	Fits North American field cultivators.
M7 x 8 Dart	SW15708	8"	6mm	10	12.0	250	FlexiCoil, Morris, IHC-Vibrashank, Bourgault
M7 x 9 Dart	SW15709	9"	6mm	10	12.2	250	& Horwood Bagshaw ScariBar
							Takes Clip 15552



No.15552 Slip-On Clip /	SW15301C						Slip-On Sweep Clips
15552 Slip-On Clip	SW15301C	7/16 "	5mm	25	5.9	2000	Fits IHC-Vibrashank, Hesston, AFM,
							Gason Hiniker, MF259, FlexiCoil, Versatile,
							Bourgault & John Deere with slotted 7/16"
							hole at 44.5mm (1 3/4") centres.
							Takes 7/16" or 1/2" CSK Bolt & Nut.

QC NICHOLS Slip-On Ultrawing Sweeps				Slip-On Sweep
SWUWQC10F	10"	8mm	PRICE TO CLEAR	Suits Field Cultivators using Nichols clip
SWUWQC11F	11"	8mm	PRICE TO CLEAR	



(Not suitable for M8T Wedges)







SWUWQC10F & SWUWQC11F



M8T x 10 Dart

M8T x 11 Dart

Agpoint Australia



Patent No.2003203697

True Blue Australian Made Points, Sweeps & Chisels

U _{STRAL} IA	Recomm	ended	Retail I	Price L	ist No.	179 E	ffective :	1st November 2023 (GST Not Include	d)
				Please N	ote: Pric	<mark>es Subje</mark>	ct To Chang	ge Without Prior Notice	
AGPOINT	GWT	Size	Thickness	Bundle	Bundle	Drum	Unit	Application	Picture for
PART NO.	PART NO.			Qty	Kg	Qty	Price Ea	(Guide Only)	illustration purposes only
SW323 Point & Sweeps								Slip-On Sweep	
SW32302HD		2"	8mm	10	9.5	400		Suits Slim wedge cast range, following	•
SW32303HD*		3"	8mm	PRICE	TO CL	EAR		SW323 sweeps have a tapered leading edge	
SW32304HD		4"	8mm	5	5.8	300			
SW32306HD		6"	8mm	5	7.1	250		Slim wedge sweeps for cultivators, air seeders	
SW32307HD		7"	8mm	5	8.0	200		& chisel ploughs, with either 43, 47, 50 or 54	
SW32308HD		8"	8mm	5	8.9	200		degree tyne angle.	SW32306
SW32309HD		9"	8mm	5	9.5	150			
SW32310HD		10"	8mm	5	10.0	150		Suits; Vibrashank, Flexi-coil, Bourgault,	
SW32311HD		11"	8mm	5	10.8	100		Morris, J.D., Versatile, Gason, Leom,	
SW32312HD		12"	8mm	5	11.8	100		Horwood Bagshaw, Trashworker, Smale	
SW32314HD		14"	8mm	5	13.1	100		Multivator etc.	
SW32321		12mm	6mm	5		Each		Narrow seeding point -12mm Wide x 3" spike	SW32321
No.M8T Slip-On Sweep								Slim-Wedge Sweeps	
M8T x 2 Dart		2"	8mm	10	9.5	400		Fits North American field cultivators	
M8T x 4 Dart		4"	8mm	5	5.8	300		FlexiCoil, IHC-Vibrashank, Hesston, Hiniker	
M8T x 6 Dart		6"	8mm	5	7.1	250		& Bourgault, Horwood Bagshaw Scaribar,	
M8T x 7 Dart		7"	8mm	5	8.0	200		Gason 6100, Morris etc.	
M8T x 8 Dart		8"	8mm	5	8.9	200			
M8T x 9 Dart		9"	8mm	5	9.5	150		Refer Cast Clips from 15553 to 15561	

150

100

10.0

10.8

10"

11"

8mm

8mm






True Blue Australian Made Points, Sweeps & Chisels

Recommended Retail Price List No. 179 Effective 1st November 2023 (GST Not Included)

	Please Note: Prices Subject To Change Without Prior Notice										
AGPOINT	GWT	Size	Thickness	Bundle	Bundle	Drum	Unit	Application	Picture for		
PART NO.	PART NO.			Qty	Kg	Qty	Price Ea	(Guide Only)	illustration purposes only		

No.M8T Slip-On Sweep Cont.						Slim-Wedge Sweeps
M8T x 12 Dart	12"	8mm	5	11.8	100	
M8T x 14 Dart	14"	8mm	5	13.1	100	
M8T x 16 Dart	16"	8mm	5	15.1	80	
* Dlooge Notes The langer greens are for (good		14:	_4!1			

^{*} Please Note: The larger sweeps are for (secondary) light to medium cultivation only





CLIP PRIOR TO INSERTION

CLIP INSERTED

No.15553 Slimwedge Cast Wo	edge					43 Degree
15553*	7/16 "	Cast	1	0.4	Each	Fits AFM, Gyral & Janke.
						44.5mm (1 3/4") hole centre 7/16 " CSK


No.15554 Slimwedge Cast Wed	ge					47 Degree
15554	1/2"	Cast	1	0.4	Each	Fits Gason EcoTill & ScariTill, Ezee-On
						MF259, AFM, Bourgault, Versatile etc.
						Horwood Bagshaw ScariBar Edge-On Tine
						44.5mm (1 3/4") hole centre 1/2" CSK




Cast Wedge & Retaining clip

No.15555 Slimwedge Cast W	edge					47 Degree
15555	7/16 "	Cast	1	0.4	Each	Fits IHC-Vibrashank, Gason Hiniker & Flexi-
						Coil.

44.5mm (1 3/4") hole centre 7/16" CSK





CLIP PRIOR TO INSERTION CLIP INSERTED





True Blue Australian Made Points, Sweeps & Chisels

Please Note: Prices Subject To Change Without Prior Notice										
AGPOINT	GWT	Size	Thickness	Bundle	Bundle	Drum	Unit	Application	Picture for	
PART NO.	PART NO.			Qty	Kg	Qty	Price Ea	(Guide Only)	illustration purposes only	

No.15557 Slimwedge Cast Wedge						47 Degree
15557	1/2"	Cast	1	0.4	Each	Fits Gason EcoTill & Gason ScariTill,
						Horwood Bagshaw ScariBar-Edge On etc.
						57mm (2 1/4") hole centre 1/2" CSK



No.15556 Slimwedge Cast W	/edge						50 Degree
15556 Long Wedge		1/2"	Cast	1	0.5	Each	Fits most chisel plows with 1/2" x 57mm
							hole centres ie. J Deere, AFM Chisel Plow,
							Case PTX Bars & Morris 50 degree.
							57mm (2 1/4") hole centre 1/2" CSK



					50 Degree
1/2"	Cast	1	0.5	Each	Fits MF, Riteway, Friggstad, FlexiCoil, Fusion
					Horwood Bagshaw Scaribar-Flat On
					Noble, Hesston 57mm (2 1/4") hole centre 1/2" CSK
					Trashworker
9/16"	Cast	1	0.5	Each	Fits Shearer Trashworker 76mm (3") hole centre 9/16" SH1 bolt



Cast Wedge 15561





True Blue Australian Made Points, Sweeps & Chisels

	Please Note: Prices Subject To Change Without Prior Notice										
ı	AGPOINT	GWT	Size	Thickness	Bundle	Bundle	Drum	Unit	Application	Picture for	
	PART NO.	PART NO.			Qty	Kg	Qty	Price Ea	(Guide Only)	illustration purposes only	

No.15561 Slimwedge Cast W	edge						Most Scarifiers
15561		1/2"	Cast	1	0.5	Each	Converts most scarifiers with 1/2" hole to
							slimwedge system

M8T-RC & M8T-RT Retaining Clip & Remo	Agpoint Locking System			
M8T-RC Retaining Clip	Zinc	100	Bag	Retaining Clip for Agpoint locking system
M8T-RT Removal Tool	Painted	1	Each	Removal Tool for Agpoint locking system
Slimwedge Locking System Pat Pending No.2002950488				

Slimline Points							Slimline Tines
16101 Lucerne		20mm	5mm	20	6.8	900	
16102 Plain	SL15722	2"	5mm	20	6.7	700	To fit all Slimline Tines
15727 Dart	SL15727	7"	5mm	10	5.9	300	ie. Alfarm, Gason, Regal & Symonds
15728 Dart	SL15728	8"	5mm	10	7.6	250	

Slimline Points							Slimline Tines		
6101 Lucerne		20mm	5mm	20	6.8	900			
6102 Plain	SL15722	2"	5mm	20	6.7	700	To fit all Slimline Tines		
5727 Dart	SL15727	7"	5mm	10	5.9	300	ie. Alfarm, Gason, Regal & Symonds		
5728 Dart	SL15728	8"	5mm	10	7.6	250		16101-	-AT & Slimlin

Knock-On Cultivator Point:	CSN Early Mode	Fits Various				
SK13507-6		7" 5mm 10 Each				7" x 5mm Knock On Cultivator Point used
						on early model CSN combines











True Blue Australian Made Points, Sweeps & Chisels

Please Note: Prices Subject To Change Without Prior Notice									
AGPOINT	GWT	Size	Thickness	Bundle	Bundle	Drum	Unit	Application	Picture for
PART NO.	PART NO.			Qty	Kg	Qty	Price Ea	(Guide Only)	illustration purposes only
Ripper Points								Fits Various	
RI 6-01341 Double Ended	RC00654	3"	5/8 inch	4	9.8	250		2 x 1/2" holes at 51mm centres	
RI 6-01344 Double Ended		3"	3/4 inch	4	12.0	250		2 x 1/2" holes at 51mm centres	
RI 6-01345 Double Ended	RC00711	3"	5/8 inch	4	10.2	250		2 x 1/2" holes at 63mm centres	8
RI 6-01348 Double Ended		3"	5/8 inch	4	13.3	250		2 x 1/2" holes at 70mm centres	
RI 6-01349 Double Ended		2 1/2"	3/4 inch	4	10.5	250		4 x 1/2" holes at 50mm-112mm centres	8
RI 6-06275 Double Ended	RC00681	3"	3/4 inch	4	12.0	250		1/2" holes at 50mm,63mm & 110mm centres	
RI 6-01352 Single Ended		3"	5/8 inch	4	9.9	300		2 x 1/2" holes at 70mm centres	
RI 6-01353 Single Ended		3"	1 inch	4	16.0	300		2 x 1/2" holes at 115mm centres	RI6-06275
Clamp & Set Screw-Feed Do	own Point							Fits 314H & 315H	
WCK91 Cast Clamp	FDCLAMP			1	0.5	Each		Fits 314H & 315H clamp on feed down points	
								Uses two per tine	
								•	WCK91
Tine Washer									
N538				50	1.5	Each		Takes 3/8" or 7/16" bolt	-
									N538 Washer
Tine Clip & Bolt									
JLS1		1/4"		1	0.1	Each		Fits most makes	
		_							





True Blue Australian Made Points, Sweeps & Chisels

Please Note: Prices Subject To Change Without Prior Notice									
AGPOINT	GWT	Size	Thickness	Bundle	Bundle	Drum	Unit	Application	Picture for
PART NO.	PART NO.			Qty	Kg	Qty	Price Ea	(Guide Only)	illustration purposes only

V Blades - Blade Plough Blades	Fits Noble, Shearer, Sunflower & Hesston	
GWT75005	5'	5' Boron Steel V Blades
GWT75006	6'	6' Boron Steel V Blades
With Radius Formed Blade As Per The Ori	ginal OEM Detail	Takes 1/2" CSK Plow Bolts

