










Part Number	Description	Comment	Number of Tiles	Unit Price ex GST	Qty / Box
<b>Points to suit 16mm wide toe</b>			<b>RRP Per Unit</b>		
Green Scoop		50mm Direct Drill Point	Fits standard 16mm adaptors Recommended for Gyrat Penetrator	12	30
R0030 Silver		30mm Reversible Direct Drill Point	Fits standard 16mm adaptors Recommended for Gason Para-Maxx	7	25
R0030 Grey		30mm Reversible Direct Drill Point	Fits standard 16mm adaptors	4	25
R0030 Gold		30mm Reversible Direct Drill Point. As above with 6 extra tiles	Fits standard 16mm adaptors	10	25
R0040 Gold		40mm Reversible Direct Drill Point	Fits standard 16mm adaptors Recommended for the Excel Stubble Warrior	5	30
R1640XT		40mm Reversible Direct Drill Point. As above with 2 extra tiles	Fits standard 16mm adaptors Recommended for the Excel Stubble Warrior	7	30
R0028		28mm Reversible Direct Drill Point No Tungsten Tiles	Fits standard 16mm adaptors Suitable for hard facing	0	30
31CSB		50mm Direct Drill Point	Fits standard 16mm adaptors Recommended for Gyrat Penetrator	2 + Ag Tuff	each
<b>Adaptors to suit 16mm wide toe</b>			<b>RRP Per Unit</b>		
A0005		16mm Adaptor	Suitable for Welding to vertical Shanks	0	N/A
A0010		16mm Adaptor	Double end Male Adaptor Fits AC008	0	N/A
A0020		16mm Adaptor	Suits Single Bolt Combine 7/16" Bolt	0	N/A
A0030		16mm Adaptor (Long)	Suits 2 Bolt attachment 1/2" bolts and 2 1/4" centres	0	N/A



Part Number	Description	Comment	Number of Tiles	Unit Price ex GST	Qty / Box
CPA002	 16mm Adaptor (Short)	Suits 2 Bolt attachment 1/2" bolts and 2 1/4" centres	0		N/A
A0040	 16mm Adaptor (Short)	Suits 2 Bolt attachment 7/16" bolts at 1 3/4" centres	0		N/A
A0050	 16mm Adaptor (Short)	Suits 2 Bolt attachment 1/2" bolts. Slotted hole 1 3/4" - 2 1/4" centres	0		N/A
A0075	 16mm Adaptor 	Suits 2 Bolt attachment 9/16" bolts at 3" centres	0		N/A

## Chamfer Range 13mm Points and Adaptors

R1321	 21mm Reversible Direct Drill Point	Fits Chamfer Adaptor 13mm wide	7		30
R1330	 30mm Reversible Direct Drill Point	Fits Chamfer Adaptor 13mm wide	5		30
R1340	 40mm Reversible Direct Drill Point	Fits Chamfer Adaptor 13mm wide	5		30
FB1350	 50mm Direct Drill Point (with Flat Bottom)	Fits Chamfer Adaptor 13mm wide	7		30


## Chamfer Adaptors







## RRP Per Unit

A1310*	 13mm Chamfer Adaptor	Double end Male Adaptor Fits AC008	0		30
A131357*	 13mm Chamfer Adaptor (Long)	Suits 2 Bolt attachment 1/2" bolts with 2 1/4" centres	0		15

## Knife Points




## RRP Per Unit

CP001	 16mm Knife Point 140mm Blade Length	Suits Chisel Plow with 1/2" bolts with 2 1/4" Centres	7		10
-------	--	---	---	--	----

Part Number	Description	Comment	Number of Tiles	Unit Price ex GST	Qty / Box
KN001 - Short	 16mm Knife Point 100mm Blade Length	Suits Chisel Plow with 1/2" bolts with 2 1/4" centres	6		10
KN5575	 KN Series Knife Point 125mm Blade Length	Suits Chisel Plow with 7/16" or 1/2" bolts on 1 3/4" to 2 1/4" centres	3		10
KN5575W	 KN Series Knife Point 125mm Blade Length	Slimwedge	3		10
AG4400-AT	 Dutch Replacement Tip 3 1/2"	1/2" to suit Outlaw, Seedhawk & Precision Edge	3		10
AG8182-AT	 Dutch Replacement Tip 5 1/2"	 1/2" to suit Outlaw, Seedhawk & Precision Edge	4		10

## Points To Suit AC008 Adaptor





## RRP Per Unit

TN20	 20mm wide Direct Drill point	Suits AC008 Female Adaptors	4		20
BT30 Grey	 30mm wide Direct Drill Point	Suits AC008 Female Adaptors	3		20
BT30	 30mm wide Direct Drill Point	Suits AC008 Female Adaptors Suitable for Hard Facing	0		20

Note when adaptor A0010 or A1310 are used any of the chamfer or standard points will fit a AC008 adaptor. Both the A0010 and A1310 are ideal for repairing worn Keech Adaptors

## Points to Suit other Machines

## RRP Per Unit

MP6T50	 50mm Direct Drill Point (Flat Bottom)	Suits Multiplanter 20mm wide to centres	6		25
Flexi254T	 25mm Direct Drill Point	Suits Flexi-coil 13mm wide to centres	4		25
Flexi254T-AT	 25mm Direct Drill Point + Agtuff	 Suits Flexi-coil 13mm wide to centres	4 + AT		25

Part Number	Description	Comment	Number of Tiles	Unit Price ex GST	Qty / Box
KN5575J*		12mm wide Janke Knife Point	Suits Janke Adaptors 5" Blade Length	3	
<b>Misc. Adaptors</b>			<b>RRP Per Unit</b>		
AC008		Weld On Adaptor	Replaces A3S, DDA3S		N/A
K-Adaptor		used for Dingo			N/A
K-Plow Point		used for Dingo			N/A
<b>YEOMANS, AGMASTER &amp; TILCO STYLE</b>			<b>RRP Per Unit</b>		
TIAWOM-003		Plain -Yeomans Wombat Style Point. Tile on the nose only	Yeomans Style	1	
TIAWOM-003-AT		AgTuff - Yeomans Wombat Style Point. Tile on the nose + generous tungstem particles applied	Yeomans Style	1 + AT	
AG0012		Agmaster Style 12mm point made from heat treated <b>hardened</b> cast material	Suit Agmaster Style Holder 12mm	3 + AT	
AG0016		Agmaster style 16mm point made from heat treated <b>hardened</b> cast material	Suit Agmaster Style Holder 16mm	3 + AT	
TIATIL015		Tilco Style Shin Guard Bottom UNPAINTED	Suit Tilco Style Shanks	0	
TIATIL003		Tilco Style Point UNPAINTED BLANK	Suit Tilco Style Shanks	0	
TIATIL003-AT		Tilco Style Point with Grit	Suit Tilco Style Shanks	0	